

References from Schwartz, M. D. (editor), 2003: *Phenology: An Integrative Environmental Science*. Kluwer, Netherlands, 592 pp.

- Aasa, A., *Trends in Eastern- and Central-European Phenological Calendars* (in Estonian with English Summary), M.A. thesis, Institute of Geography, University of Tartu, 2002
- Abu-Asab, M.S., P. M. Peterson, S. G. Shelter, and S. S. Orli, Earlier plant flowering in spring as a response to global warming in the Washington, DC, area, *Biodiversity and Conservation*, 10, 597-612, 2001.
- Adams, L. G., and B. W. Dale, Timing and synchrony of parturition in Alaskan caribou, *J. Mamm.*, 79, 287-294, 1998.
- Adams, L. G., F. J. Singer, and B. W. Dale, Caribou calf mortality in Denali National Park, Alaska, *J. Wildl. Manage.*, 59, 584-594, 1995.
- Adams, V. D., Temporal patterning of blooming phenology in *Pedicularis* on Mount Rainier, *Can. J. Botany*, 61, 786-6791, 1983.
- Adrian, R., Calanoid-cyclopoid interactions: evidence from an 11-year field study in a eutrophic lake, *Freshwater Biology*, 38, 315-325, 1997.
- Adrian, R., N. Walz, T. Hintze, S. Hoeg and R. Rusche, Effects of ice duration on plankton succession during spring in a shallow polymictic lake, *Freshwater Biology*, 41, 621-632, 1999.
- Ahas R. (Editor), Estonian phenological calendar, *Publicationes Instituti Geographici Universitatis Tartuensis*, 90, 206 pp., 2001.
- Ahas, R., A. Aasa, A. Menzel, V. G. Fedotova, H. and Scheifinger, Changes in European spring phenology, *Int. J. Climatology*, 22, 1727-1738, 2002.
- Ahas, R., and A. Aasa, Impact of landscape features on spring phenological phases of maple and bird cherry in Estonia, *Landscape Ecology*, 16(5), 437-451, 2001.
- Ahas, R., J. Jaagus, and A. Aasa, The phenological calendar of Estonia and its correlation with mean air temperature, *Int. J. Biometeorol.*, 44(4), 159-166, 2000.
- Ahas, R., Long-term phyto-, ornitho- and ichthyophenological time-series analyses in Estonia, *Int. J. Biometeorol.*, 42(3), 119-123, 1999.
- Ahas, R., Spatial and temporal variability of phenological phases in Estonia, *Dissertationes Geographicae Universitatis Tartuensis* 10, 1999.
- Ahshapanek, D., Phenology of a native tall-grass prairie in Central Oklahoma, *Ecology*, 43, 135-138, 1962.
- Aide, T. M., Patterns of leaf development and herbivory in a tropical understory community, *Ecology*, 74, 455-466, 1993.
- Akhalkatsi, M., and J. Wagner, Reproductive phenology and seed development of *Gentianella caucasea* in different habitats in the central Caucasus, *Flora*, 191, 161-168, 1996.
- Alcocer-Ruthling, M., R. Robberecht, and D. C. Thill, The response of *Bouteloua scorpioides* to water stress at two phenological stages, *Botanical Gazette*, 150, 454-461, 1989.
- Alderdice, D. F. and C. R. Forrester, Some effects of salinity and temperature on early development and survival of English sole (*Parophrys vetulus*), *J. Fish. Res. Bd. Can.*, 25, 495-521, 1968.
- Alencar, J. d. C., Interpretação fenológica de espécies lenhosas de campina na Reserva Biológica de Campina do Inpa ao norte de Manaus, *Acta Amazonica*, 20, 145-183, 1990.
- Alencar, J. d. C., R. A. Almeida, and N. P. Fernandes, Fenologia de espécies arbóreas em floresta tropical úmida de terra-firme na Amazônia Central, *Acta Amazonica*, 9, 163-198, 1979.
- Alheit, J., and E. Hagen, Long-term climate forcing of European herring and sardine populations. *Fish. Oceanogr.*, 6, 130-139, 1997.
- Allen, J. C., A modified sine wave method for calculating degree days, *Environ. Ent.*, 5, 388-396, 1976
- Allen, J. C., J. L. Foltz, W. N. Dixon, A. M. Liebhold, J. J. Colbert, J. Régnière, D. R. Gray, J. W. Wilder, and I. Christie, Will the gypsy moth become a pest in Florida?, *Florida Entomologist*, 76, 102-113, 1993.
- Allen, T. F. H., and T. B. Starr, *Hierarchy: Perspectives for Ecological Complexity*, University of Chicago Press, Chicago, 310 pp., 1982.
- Allen, T. F. H., and T.W. Hoekstra, Description of complexity in prairies through hierarchy theory, in *Proceedings of the Ninth North American Prairie Conference* edited by G.K. Clambey and R.H. Pemble, pp. 71-73, Tri-college University Center for Environmental Studies, Fargo, ND, 1986.
- Alvim, P. T., and R. Alvim, Relation of climate to growth periodicity in tropical trees. in *Tropical trees as living systems*, edited by Zimmermann, M. H., pp. 445-464, Cambridge University Press-London, 1976.
- Alvin, P. T., Periodicidade do crescimento das árvores em climas tropicais, *Anais do XV Congresso da Sociedade Botânica do Brasil*, 405-422, 1964.
- Amerine, M. A., and A. J. Winkler, Composition and quality of musts and wines of California grapes, *Hilgardia*, 15, 493-675, 1944.

- Amerine, M. A., H. W. Berg, R. E. Kunkee, C. S. Ough, V. L. Singleton, and A. D. Webb, *The Technology of Wine Making*, (4th ed.), AVI Publishing Company, Inc., Westport, Connecticut, 795 pp., 1980.
- Andersen, T. B., A model to predict the beginning of the pollen season, *Grana*, 30, 269-275, 1991.
- Anderson, J. L., C. D. Kesner, and E. A. Richardson, Validation of chill unit and flower bud phenology models for Montmorency sour cherry, *Acta Hort*, 184, 71-77, 1986.
- Anderson, R. C., and D. E. Adams, Flowering patterns in a central Oklahoma grassland, *Ohio Biological Survey Biological Notes*, 15, 232-235, 1981.
- Anderson, R. C., and S. Schelfhout, Phenological patterns among tallgrass prairie plants and their implications for pollinator competition, *Amer. Midland Naturalist*, 104, 253-263, 1980.
- Andrade, M. A. B., Contribuição ao conhecimento da ecologia de plantas do litoral do estado de São Paulo, *Boletim da Faculdade de Filosofia, Ciências e Letras - Botânica*, 22, 1-169, 1967.
- Andren, H., and P. Angelstam, Elevated predation rates as an edge effect in habitat islands, *Ecology*, 69, 544-547, 1988.
- Anon., Are you a bird observer?, *Wild Life*, 11, 207, 208, 238, 1949.
- Aono, Y., and Y. Omoto, Estimation of blooming date for *Prunus yedoensis* using DTS combined with chill-unit accumulations, *J. Agricult. Meteorol.*, 45, 243-249, 1990.
- Aono, Y., and Y. Omoto, Variation in the March mean temperature deduced from cherry blossom in Kyoto since the 14th century, *J. Agricult. Meteorol.*, 48, 635-638, 1993.
- Appanah, S., General flowering in the climax rain forest of Southeast Asia, *Journal of Tropical Ecology*, 1, 225-240, 1985.
- Arasaki, S., A comparison of the phenology of intertidal *Porphyra* on the coasts of Japan and western North America, *Proceedings of the International Seaweed Symposium*, 8, 273-277, 1981.
- Araújo, V. C. d., Fenologia de essências florestais amazônicas I, *Boletim do INPA - Série Pesquisas florestais*, 1-25, 1970.
- Archibold, O. W., *Ecology of World Vegetation*, Chapman and Hall, London, 510 pp., 1995.
- Arft, A. M., M. D. Walker, J. Gurevitch, J. M. Alatalo, M. S. Bret-Harte, M. Dale, M. Diemer, F. Gugerli, G. H. R. Henry, M. H. Jones, R. D. Hollister, I. S. Jonsdottir, K. Laine, E. Levesque, G. M. Marion, U. Molau, P. Mölgaard, U. Nordenhäll, V. Raszhivin, C. H. Robinson, G. Starr, A. Stenström, M. Stenström, Ö. Totland, P. L. Turner, L. J. Walker, P. J. Webber, J. M. Welker, and P. A. Wookey, Responses of tundra plants to experimental warming: Meta-analyses of the International Tundra Experiment, *Ecol. Monographs* 69, 491-511, 1999.
- Arianoutsou, M., and Th. A. Mardilis, Observations on the phenology of two dominant plants of the Greek maquis, in *Plant Response to Stress: Functional Analysis in Mediterranean Ecosystems*, vol. 15, edited by J. D. Tenhunen, F. M. Catarino, O. L. Lange, and W. C. Oechel, NATO Adv. Sci. Inst. Ser. G Ecol. Sci., pp. 515-519, Springer-Verlag, Berlin, Heidelberg, 1987.
- Arnell, H. W., Vegetationens aarliga utvecklingsgång i Svealand. *Medd. Statens Meteorologisk - Hydrografiska Anstalt*, 2, 1-80, (German abstr. 74-80), 1923.
- Arnell, K., and S. Arnell, Vegetationens utveckling i Götaland. *Medd. Statens Meteorologisk - Hydrografiska Anstalt*, 6, 1-70, (German abstr. 69-70), 1930.
- Arnell, K., Vegetationens utvecklingsgång i Norrland. *Medd. Statens Meteorologisk - Hydrografiska Anstalt*, 4, 1-28, (German abstr. 28), 1927.
- Arnold, C. Y., The determination and significance of the base temperature in a linear heat unit system, *Proc. Amer. Soc. Hort.*, 74, 430-445, 1959.
- Arroyo, M. T. K., J. Armesto, C. Villagran, and P. Uslar, High Andean Plant Phenology in Central Chile, *Archivos De Biología Y Medicina Experimentales*, 12, 497-497, 1979.
- Arroyo, M. T. K., J. J. Armesto, and C. Villagran, Plant Phenological Patterns in the High Andean Cordillera of Central Chile, *J. Ecol.*, 69, 205-223, 1981.
- Arroyo-Mora, P., *Forest cover assessment, Chorotega Region, Costa Rica*, Unpublished M.Sc. Thesis, Department of Earth and Atmospheric Sciences, University of Alberta, Canada, 2002.
- Ashcroft, G. L., E. A. Richardson, and S. D. Seeley, A statistical method of determining chill unit and growing degree hour requirements for deciduous fruit trees, *Hort Sci.*, 12, 347-348, 1977.
- Ashton, D. H., Studies on the Autecology of *Eucalyptus regnans*, Ph.D. thesis, The University of Melbourne, Parkville, 1956.
- Ashton, P. S., T. J. Givnish, and S. Appanah, Staggered flowering in the Dipterocarpaceae: new insights into floral induction and the evolution of mast fruiting in the aseasonal tropics, *The American Naturalist*, 231, 44-66, 1988.
- Asner, G. P., A. R. Townsend, and B. H. Braswell, Satellite observation of El Niño effects on Amazon forest phenology and productivity, *Geophys. Res. Lett.*, 27, 981-984, 2000.
- Asrar, G., M. Fuchs, E. T. Kanemasu, and J. L. Hatfield, Estimating absorbed photosynthetically active radiation and leaf area index from spectral reflectance in wheat, *Agronomy Journal*, 76, 300-306, 1984.

- Aubinet, M., A. Grelle, A. Ibrom, Ü. Rannik, J. Moncrieff, T. Foken, A. S. Kowalski, P. H. Martin, P. Berbigier, C. Bernhofer, R. Clement, J. Elbers, A. Granier, T. Grünwald, K. Morgenstern, K. Pilegaard, C. Rebmann, W. Snijders, R. Valentini, and T. Vesala, Estimates of the annual net carbon and water exchanges of forests: The EUROFLUX methodology, *Advances in Ecological Research*, 30, 114-175, 2000.
- Aune, B., Aarstider og vekstsesong. Kartblad (Map) 3.1.7., scale 1:7 mill., in *Nasjonalatlas for Norge*, Det norske meteorologiske institutt – Statens kartverk, Oslo – Hønefoss, 1993.
- Avila, M., R. Otaiza, R. Norambuena and M. Nunez, Biological basis for the management of 'luga negra' (*Sarcothalia crispata* Gigartinales, Rhodophyta) in southern Chile, *Hydrobiologia*, 326-327, 245-252, 1996.
- Bach, W., Development of climatic scenarios from general circulation models, in *The impact of climatic variations on agriculture, Vol. 1: Assessment on Cool Temperate and Cold Regions*, edited by Parry, M. L., T. R. Carter and N. T. Konijn, pp. 125-157, Kluwer Academic Publishers, Dordrecht, 1987.
- Badhwar, G. D., Crop emergence date determination from spectral data, *Photogrammetric Engineering and Remote Sensing*, 46, 369-377, 1980.
- Badhwar, G. D., Use of Landsat-derived profile features for spring small-grains classification, *Int. J. Remote Sensing*, 5(5), 783-797, 1984
- Baggiolini, M., Les stades repères dans le développement annuel de la vigne et leur utilisation pratique, *Revue Romande d'Agriculture de Viticulture et d'Arboriculture*, 8, 4-6, 1952.
- Baillod, M. and M. Baggiolini, Les stades repères de la vigne, *Revue Suisse de Viticulture, Arboiculture et Horticulture*, 25, 7-9, 1993.
- Baker, A. T., and I. D. Rae, More than bugs and stones: Chemistry in the Royal Society of New South Wales, *Historical Records of Australian Science*, 13, 117-130, 2000.
- Baker, R., Traditional Aboriginal land use in the Borrooloola region, in *Traditional Ecological Knowledge: Wisdom for Sustainable Development*, edited by N. M. Williams and G. Baines, pp. 126-143, Centre for Resources and Environmental Studies, Canberra, 1993.
- Baldocchi, D. D., B. B. Hicks, and T. P. Meyers, Measuring biosphere-atmosphere exchanges of biologically related gases with micrometeorological methods, *Ecology*, 69, 1331-1340, 1988.
- Baldocchi, D. D., E. Falge, L. Gu, R. Olson, D. Hollinger, S. Running, P. Anthoni, C. Bernhofer, K. Davis, J. Fuentes, A. Goldstein, G. Katul, B. Law, X. Lee, Y. Malhi, T. P. Meyers, J. W. Munger, W. Oechel, K. Pilegaard, H. P. Schmid, R. Valentini, S. Verma, T. Vesala, K. Wilson, and S. Wofsy, FLUXNET: A new tool to study the temporal and spatial variability of ecosystem-scale carbon dioxide, water vapor and energy flux densities, *Bull. Amer. Meteorol. Soc.*, 82, 2415-2435, 2001.
- Baldocchi, D., Measuring and modelling carbon dioxide and water vapour exchange over a temperate broad-leaved forest during the 1995 summer drought, *Plant, Cell and Environ.*, 20, 1108-1122, 1997.
- Barbeau, G., C. Asselin, and R. Morlat, Estimate of the viticultural potential of the Loire Valley "terroirs" according to a vine's cycle precocity index, *Bulletin de L'O.I.V.*, 805-806, 247-262, 1998a.
- Barbeau, G., R. Morlat, C. Asselin, A. Jacquet, C. and Pinard, Behaviour of the cabernet franc grapevine variety in various terroirs of the Loire Valley. Influence of the precocity on the composition of the harvested grapes for a normal climatic year (example of the year 1988), *Journal International des Sciences de la Vigne and du Vin*, 32(2), 69-81, 1998b.
- Barnes, B. V., D. R. Zak, S. R. Denton, and S. H. Spurr, Forest tree variation, in *Forest Ecology*, pp. 63-93, John Wiley, New York, 1998.
- Barrett, R.T., The phenology of spring bird migration to north Norway, *Bird Study*, 49, 270-277, 2002.
- Baskerville, G. L., and P. Emin, Rapid estimation of heat accumulation from maximum and minimum temperatures, *Ecology*, 50, 514-517, 1969.
- Bassett, I. J., R. M. Holmes, and K. H. MacKay, Phenology of several plant species at Ottawa, Ontario, and an examination of the influence of air temperatures, *Can. J. Plant Sci.*, 41, 643-652, 1961.
- Bassett, O. D., *Development of seed crop in Eucalyptus sieberi L. Johnson and E. globoidea Blakely in a lowland sclerophyll forest of East Gippsland*, Dept. of Conservation and Natural Resources, Victoria, 38 pp., 1995.
- Batalha, M. A., and W. Mantovani, Reproductive phenological patterns of cerrado plant species at the Pe-de-Gigante reserve (Santa Rita do Passa Quatro, SP, Brazil): A comparison between the herbaceous and woody floras, *Revista Brasil. Biol.*, 60, 129-145, 2000.
- Batta, J., Variasjoner i tid for bladsprett hos ask og eik, (Engl. summary), *Aarsskr. Planteskoleforbundet Dendrologi*, 14-15, 78-85, 1969.
- Bauer, P. J., Bumblebee pollination relationships on the Beartooth Plateau tundra of southern Montana, *Amer. J. Botany*, 70, 134-144, 1983.
- Baumgartner, A. and F. Schnelle, International Phenological Gardens (Purpose, results, and development), 16th IUFRO World Congress Oslo Subject Group S1.03, 7 pp., 1976.

- Beatley, J. C., Phenological events and their environmental triggers in Mojave Desert ecosystems, *Ecology*, 55, 856-863, 1974.
- Beattie, A., D. Breedlove, and P. Ehrlich, The ecology of the pollinators and predators of *Frasera speciosa*, *Ecology*, 54, 81-91, 1973.
- Beaubien, E. G., and D. L. Johnson, Flowering plant phenology and weather in Alberta, Canada, *Int. J. Biometeorol.*, 38, 23-27, 1994.
- Beaubien, E. G., and H. J. Freeland, Spring phenology trends in Alberta, Canada: links to ocean temperature, *Int. J. Biometeorol.*, 44, 53-59, 2000.
- Beaubien, E. G., *Phenology of vascular plant flowering in Edmonton and across Alberta*, MSc. thesis, Dept. of Botany, University of Alberta, Edmonton, 1991.
- Beaubien, E. G., Plantwatch, a model to initiate phenology in school classes, *Phenol. Season.*, 1, 33-35, 1996.
- Beaubien, E. G., Plantwatch: Tracking the biotic effects of climate change using students and volunteers. Is spring arriving earlier on the prairies?, in *Ecological Monitoring and Assessment Network Report on the 3rd National Science Meeting*, pp. 66-68, Environment Canada, Saskatoon, January 1997.
- Beaubien, E.G., and D. L. Johnson, Flowering plant phenology and weather in Alberta, Canada, *Int. J. Biometeorol.*, 38, 23-27, 1994.
- Begert, M., M. Giroud, R. Kegel, G. Seiz, V. Koehli, C. Haerberli, O. Bochnicek, M. Fukasz, E. Nieplova, and L. Sramo, Operational homogenization of long term climate data series at SMI and SHMI, *Proceedings 2nd European Conference on Applied Climatology*, pp. 19-23 October 1998, Vienna, Austria, 1998.
- Beleheradek, J., Temperature and living matter, in *Protoplasma Monogr.*, Borntraeger, Berlin, 1935.
- Benedict, H. M., Growth of some range grasses in reduced light intensities at Cheyenne, Wyoming, *Botanical Gazette*, 102, 582-589, 1941.
- Benning, T. L., and T. B. Bragg, Response of big bluestem (*Andropogon gerardii* Vitman) to timing of spring burning, *Amer. Midland Naturalist*, 130, 127-132, 1993.
- Bentz, B. J., J. A. Logan, and G. D. Amman, Temperature-dependent development of the mountain pine beetle (Coleoptera: Scolytidae) and simulation of its phenology, *Can. Entomologist*, 123, 1083-1094, 1991.
- Bertiller, M. B., A. M. Beeskow, and F. Coronato, Seasonal Environmental Variation and Plant Phenology in Arid Patagonia (Argentina), *J. Arid. Environ.*, 21, 1-11, 1991.
- Beruchashvili, N. L., Seasonal dynamics of landscapes of the Earth, *Communications of Russian Academy Sciences*, 6, 24-40 (In Russian), 1994.
- Beuhne, F. R., The Honey Flora of Victoria, *J. Dept. Agric. Vic.*, XII, 610-618, 1914.
- Beuker, E., Adaptation to climatic changes of the timing of bud burst in populations of *Pinus sylvestris* L. and *Picea abies* (L.) Karst., *Tree physiology*, 14, 961-970, 1994.
- Bierregaard, R. O., and T. E. Lovejoy, Effects of forest fragmentation on Amazonian understory bird communities, *Acta Amazonica* 19, 215-241, 1989.
- Billings, W. D., and H. A. Mooney, The ecology of arctic and alpine plants, *Biological Reviews of the Cambridge Philosophical Society*, 43, 481-529, 1968.
- Billings, W. D., and L. C. Bliss, An alpine snowbank environment and its effects on vegetation, plant development, and productivity, *Ecology*, 40, 388-397, 1959.
- Bindi, M., L. Fibbi, B. Gozzini, S. Orlandini, and F. Miglietta, Modeling the impact of future climate scenarios on yield and yield variability of grapevine, *Clim. Res.*, 7, 213-224, 1996.
- Biologische Bundesanstalt für Land- und Forstwirtschaft (Editor), *Growth Stages of Plants - BBCH Monograph*, Blackwell Wissenschafts-Verlag Berlin Wien, 622 pp., 1997.
- Bird, C. D., 1973 flowering dates, *Alta. Nat.*, 4(1), 7-14, 1974.
- Bjørbekk, G., Snø. Kartblad (Map) 3.1.4., scale 1.7 mill., in *Nasjonalatlas for Norge*, Det norske meteorologiske – Statens kartverk, Oslo – Hønefoss, 1993.
- Blair, J. M., Fire, N availability, and plant response in grasslands: A test of the transient maxima hypothesis, *Ecology*, 78, 2359-2368, 1997.
- Blair, J. M., T. R. Seastedt, C.W. Rice and R.A. Ramundo, Terrestrial nutrient cycling in tallgrass prairie, in *Grassland Dynamics: Long-Term Ecological Research in Tallgrass Prairie* edited by A. K. Knapp, D. C. Hartnett, J. M. Briggs, and S. Collins, pp. 222-243, Oxford University Press, New York, 1998.
- Blair, R. J., J. E. Newman, and J. R. Fenwick, Phenology Gardens in Indiana, in *Phenology and Seasonality Modeling*, edited by H. Lieth, pp. 45-54, Springer-Verlag, New York, 1974.
- Bleiholder, H., H. Kirfel, P. Langelüddecke, and R. Stauss, Codificação unificada dos estádios fenológicos de culturas e ervas daninhas, *Pesq. Agropec. Bras.*, 26, 1423-1429, 1991a.
- Bleiholder, H., T. van den Boom, P. Langelüddecke, and R. Stauss, Einheitliche Codierung der phänologischen Stadien bei Kultur- und Schadpflanzen, *Gesunde Pflanzen*, 41, 381-384, 1989.

- Bleiholder, H., T. van den Boom, P. Langelüddecke, and R. Stauss, Codificación uniforme para los estadios fenológicos de las plantas cultivadas y de las malas hierbas, *Phytoma España*, 28, 54-56, 1991b.
- Bliss, L. C., A comparison of plant development in microenvironments of arctic and alpine tundras, *Ecol. Monographs*, 26, 303-337, 1956.
- Bliss, L. C., Arctic and alpine plant life cycles, *Annual Review of Ecology and Systematics*, 2, 405-438, 1971.
- Bliss, L.C. (Editor), *Truelove Lowland, Devon Island, Canada: A High Arctic Ecosystem*, University of Alberta Press, Edmonton, 714 pp., 1977.
- Bliss, L.C., and N. V. Matveyeva, Circumpolar arctic vegetation, in *Arctic Ecosystems in a Changing Climate*, edited by F. S. Chapin III, R. L. Jefferies, J. F. Reynolds, G. R. Shaver and J. Svoboda, pp. 59-89, Academic, New York, 1992.
- Bliss, L.C., Arctic and alpine life cycles, *Ann. Rev. Ecol. Syst.*, 2, 405-438, 1971.
- Böcher, T. W., Studies on the vegetation of the east coast of Greenland, *Medd. Grönl.*, 104, 1-32, 1938.
- Bolstad, P. V., L. Swift, F. Collins, and J. Régnière, Measured and predicted air temperatures at basin to regional scales in the southern Appalachian mountains, *Agricult. Forest Meteorol.*, 91, 161-176, 1998.
- Bonan, G. B., *A Land Surface Model (LSM version 1.0) for ecological, hydrological, and atmospheric studies: Technical description user's guide*, National Center for Atmospheric Research, Boulder, CO, 150 pp., 1996.
- Bonan, G. B., S. Levis, L. Kergoat, and K. W. Oleson, Landscapes as patches of plant functional types: an integrating concept for climate and ecosystem models, *Global Biogeochem. Cycles*, In press, 2002a.
- Bonan, G. B., S. Levis, S. Sitch, M. Vertenstein, and K. W. Oleson, A dynamic global vegetation model for use with climate models: concepts and description of simulated vegetation dynamics, *Global Change Biol.*, Submitted, 2002b.
- Borchert, R., Soil and stem water storage determine phenology and distribution of tropical dry forest trees, *Ecology*, 75, 1437-1449, 1994.
- Both, C., and M. E. Visser, Adjustment to climate change is constrained by arrival date in a long-distance migrant bird, *Nature*, 411, 296-298, 2001.
- Botta, A., N. Viovy, P. Ciais, P. Friedlingstein, and P. Monfray, A global prognostic scheme of leaf onset using satellite data, *Global Change Biol.*, 6, 709-726, 2000.
- Boutin, S., and D. Hebert, Landscape ecology and forest management: developing an effective partnership, *Ecol. Appl.*, 12, 390-397, 2002.
- Bøving, P. S., and E. Post, Vigilance and foraging behaviour of female caribou in relation to predation risk, *Rangifer*, 17, 55-63, 1997.
- Bowyer, R. T., Timing of parturition and lactation in southern mule deer, *J. Mamm.*, 72, 138-145, 1991.
- Bowyer, R. T., V. Van Ballenberghe, and J. G. Kie, Timing and synchrony of parturition in Alaskan moose: long-term versus proximal effects of climate, *J. Mamm.*, 79, 1332-1344, 1998.
- Boyer, W. D., Air temperature, heat sums, and pollen shedding phenology of longleaf pine, *Ecology*, 54, 421-425, 1973.
- Bradley, N. L., A. C. Leopold, J. Ross, and W. Huffaker, Phenological changes reflect climate change in Wisconsin, *Proc. Nat. Acad. Science (USA)*, 96, 9701-9704, 1999.
- Bragg, T. B., The physical environment of great plains grasslands, in *The Changing Prairie*, edited by A. Joern and K. H. Keeler, pp. 49-81, Oxford University Press, New York, 1995.
- Branas, J., *Viticulture*, Dehan, Montpellier, 990 pp., 1974.
- Braslavska, O., Tendencias and trends in the Grapevine Growing Season at the Locality Dolne Plachtince in 1971-2000, *Národný Klimatický Program SR*, 8, 69-78, 2000.
- Breeman, A. M., E. J. S. Meulenhoff and M. D. Guiry, Life history regulation and phenology of the red alga *Bonnemaisonia hamifera*, *Helgol. Meeresunters.*, 42(3-4), 535-551, 1988.
- Brest, C. L., and S. N. Goward, Deriving surface albedo measurements from narrow band satellite data, *Int. J. Remote Sensing*, 8, 351-367, 1987.
- Briggs, J. M., and A. K. Knapp, Interannual variability in primary production in tallgrass prairie: climate, soil moisture, topographic position and fire as determinants of aboveground biomass, *Amer. J. Botany*, 82, 1024-1030, 1995.
- Broadbent, M., *The Great Vintage Wine Book*, Sotheby's, London, 432 pp., 1981.
- Broekhuizen, S. and J.C. Zadoks, *Proposal for a decimal code of growth stages in cereals*, Stichting Netherlands Graan-Centrum, Wageningen, 1967.
- Brown, J. A., Shortening of growing season in the U.S. corn belt, *Nature*, 260, 420-421, 1976.
- Brown, J. L., S.-H. Li, and N. Bhagabati, Long-term trend toward earlier breeding in an American bird: A response to global warming?, *Proc. Nat. Acad. Science(USA)*, 96, 5565-5569, 1999.
- Brown, J. L., S.-H. Li, and N. Bhagabati, Long-term trend toward earlier breeding in an American bird: A response to global warming?, *Proc. Natl. Acad. Sci.*, 97, 5565-5569, 1999.

- Brügger, R., and A. Vassella, *Pflanzen im Wandel der Jahreszeiten*, Geographica Bernensia, Bern, Switzerland, 287 pp., 2003.
- Brügger, R., *Die phänologische Entwicklung von Buche und Fichte, Beobachtungen, Variabilität, Darstellung und deren Nachvollzug in einem Modell*, Geographica Bernensia G49, 186 pp., 1998.
- Budd, A. C., and J. B. Campbell, Flowering sequence of a local flora, *J. Range Manage.*, 12, 127-132, 1959.
- Buermann, W., J. Dong, X. Zeng, R. B. Myneni, and R. E. Dickinson, Evaluation of the utility of satellite-based vegetation leaf area index data for climate simulations, *J. Climate*, 14, 3536-3550, 2001.
- Buhtz, E., L. Boese, C. Grunert and W. Hamann, Koordinierter Dezimalcode (KDC) der phänologischen Entwicklung für landwirtschaftliche Kulturpflanzen, Gemüse, Obst und Sonderkulturen, *Feldversuchswesen 7/1*, 189 pp., VEB-Verlag, Berlin, 1990.
- Bullock, S. H., Plant reproduction in Neotropical dry forests, in *Seasonally Tropical Forests*, edited by H. A. Mooney, S. H. Bullock, and E. Medina, pp. 277-303, Cambridge University Press, Cambridge, UK, 1995.
- Bureau of Meteorology, *Australian Meteorological Observer's Handbook*, H. J. Green, Government Printer, Melbourne, 171 pp., 1925a.
- Bureau of Meteorology, *Australian Meteorological Observers' Handbook*, Commonwealth of Australia, Melbourne, 148 pp., 1954.
- Bureau of Meteorology, *Australian Rainfall Observer's Handbook*, H. J. Green Government Printer, Melbourne, 48 pp., 1925b.
- Burke, I. C., W. K. Lauenroth, M. A. Vinton, P. B. Hook, R. H. Kelly, H. E. Epstein, M. R. Aguiar, M. D. Robles, M. O. Aguilera, K. L. Murphy, and R. A. Gill, Plant-soil interactions in temperate grasslands, *Biogeochemistry*, 42, 121-143, 1998.
- Buse, A., S. J. Dury, R. J. W. Woodburn, C. M. Perrins, and J. E. G. Good, Effects of elevated temperature on multi-species interactions: the case of Pedunculate Oak, Winter Moth and Tits, *Func. Ecol.*, 13 (Suppl. 1), pp. 74-82, 1999.
- Caine, N., Declining ice thickness on an alpine lake is generated by increased winter precipitation, *Climatic Change*, 54, 463-470, 2002.
- Calò, A., D. Tomasi, A. Costacurta, S. Boscaro, and R. Aldighieri, The effect of temperature thresholds on grapevine (*Vitis* sp.) bloom: an interpretive model, *Rivista Viticoltura Enologia*, 1, 3-14, 1994.
- Campbell, R. K., and A. I. Sugano, Phenology of bud burst in Douglas-fir related to provenance, photoperiod, chilling and flushing temperature, *Bot. Gaz.*, 136, 290-298, 1975.
- Canaday, B. B., and R. W. Fonda, The influence of subalpine snowbanks on vegetation pattern, production, and phenology, *Bull. Torrey Botanical Club*, 101, 340-350, 1974.
- Cannell, M. G. R., and R. I. Smith, Climatic warming, spring budburst and frost damage on trees, *J. Appl. Ecol.*, 23, 177-191, 1986.
- Cannell, M. G. R., and R. I. Smith, Thermal time, chill days and prediction of budburst in *Picea sitchensis*, *J. Appl. Ecol.*, 20, 951-963, 1983.
- Cannell, M. G. R., Chilling, thermal time and the dates of flowering of trees, in *Manipulation of fruiting*, edited by C. J. Wright, pp. 99-113, Butterworth and Co, London, 1989.
- Cannell, M. G. R., M. B. Murray, and L. J. Sheppard, Frost avoidance by selection for late budburst in *Picea sitchensis*, *J. Appl. Ecol.*, 22, 931-941, 1985.
- Caprio, J. M., Phenology of lilac bloom in Montana, *Science*, 126, 1344-1345, 1957.
- Caprio, J. M., The Solar Thermal Unit Concept in Problems Related to Plant Development and Potential Evapotranspiration, in *Phenology and Seasonality Modeling*, edited by H. Lieth, pp. 353-364, Springer-Verlag, New York, 1974.
- Carleton, A. M., and M. O'Neal, Satellite-derived land surface climate "signal" for the Midwest U.S.A., *Int. J. Remote Sensing*, 16, 3195-3202, 1995.
- Carlsson, B.A., and T. V. Callaghan, Impact of climate change factors on the clonal sedge *Carex bigelowii*: implication for population growth and vegetative spread, *Ecography*, 17, 321-330, 1994.
- Carron, L. T., *A History of Forestry in Australia*, Australian National University Press, Canberra, 355 pp., 1985.
- Cascante, A., M. Quesada, J. A. Lobo, and E. J. Fuchs, Effects of dry tropical forest fragmentation on the reproductive success and genetic structure of the tree, *Samanea saman*, *Conserv. Biol.*, 16, 137-147, 2002.
- Caspers, H., Rhythmische Erscheinungen in der Fortpflanzung von *Clunio marinus* (dipt. Chiron.) und das Problem der lunaren Periodizität bei Organismen, *Arch. Hydrobiol. (Suppl. Bd)*, 18, 415-594, 1951.
- Castonguay, Y., and P. A. Dubé, Climatic analysis of a phenological zonation: a multivariate approach, *Agric. and Forest Met.*, 35, 31-45, 1985.
- Castro-Salazar, R., and G. Arias-Murillo, *Costa Rica: Toward the sustainability of its forest resources*, Technical Report FONAFIFO, San Jose, Costa Rica, 1998.

- Cayan, D. R., S. A. Kammerdiener, M. D. Dettinger, J. M. Caprio, and D. H. Peterson, Changes in the Onset of Spring in the Western United States, *Bull. Amer. Met. Soc.*, 82, 399-415, 2001.
- Cayan, D.R., S. A. Kammerdiener, M. D. Dettinger, J. M. Caprio, and D.H. Peterson, Changes in the onset of spring in the western United States, *Bull. Amer. Meteorol. Soc.*, 82, 399-415, 2001.
- Cesaraccio, C., D. Spano, P. Duce, and R. L. Snyder, An improved model for degree-days from temperature data, *Int. J. Biometeorol.*, 45, 161-169, 2001.
- Chamberlain, Y. M., Trichocyte occurrence and phenology in four species of *Pneophyllum* (Rhodophyta, Corallinaceae) from the British Isles, *Br. Phycol. J.*, 20, 375-379, 1985.
- Chatfield, C., Problem solving: a statistician guide, Chapman and Hall, London, 261 pp., 1988.
- Chen X., and W. Pan, Relationships among phenological growing season, time-integrated Normalized Difference Vegetation Index and climate forcing in the temperate region of Eastern China, *Int. J. Climatology*, 22(14), 1781-1792, 2002.
- Chen X., and Z. Cao, Frequency distribution pattern of plant phenophases and its application to season determination (in Chinese), *Scientia Geographica Sinica*, 19 (1), 21-27, 1999.
- Chen X., C. Xu, and Z. Tan, An analysis of relationships among plant community phenology and seasonal metrics of Normalized Difference Vegetation Index in the northern part of the monsoon region of China, *Int. J. Biometeorol.*, 45(4), 170-177, 2001.
- Chen X., Z. Tan, M. D. Schwartz, and C. Xu, Determining the growing season of land vegetation on the basis of plant phenology and satellite data in Northern China, *Int. J. Biometeorol.*, 44(2), 97-101, 2000.
- Chen, J. M., and J. Chilar, Retrieving leaf area index of boreal forests using Landsat TM images, *Remote Sens. Environ.*, 55, 153-162, 1996.
- Chen, J. M., and T. A. Black, Measuring leaf area index of plant canopies with branch architecture, *Agricult. Forest Met.*, 57, 1-12, 1991.
- Chen, J. M., P. M. Rich, S. T. Gower, J. M. Norman, and S. Plummer, Leaf area index of boreal forests: Theory, techniques and measurements, *J. Geophys. Res.* 102, 429-443, 1997.
- Chen, J., S. C. Saunders, T. R. Crow, R. J. Naiman, K. D. Brosofske, G. D. Mroz, B. L. Brookshire, and J. F. Franklin, Microclimate in forest ecosystem and landscape ecology: variations in local climate can be used to monitor and compare the effects of different management regimes, *Bioscience*, 49, 288-297, 1999.
- Chen, X. Q., C. X. Xu, and Z. J. Tan, An analysis of relationships among plant community phenology and seasonal metrics of Normalized Difference Vegetation Index in the northern part of the monsoon region of China. *Int. J. Biometeorol.*, 45, 170-177, 2001
- Chen, X., A study of phenological seasonal rhythm in spring and summer of the North China region (in Chinese), *Scientia Geographica Sinica*, 10(1), 69-76, 1990.
- Chen, X., and G. Yang, A study on regional forecast model of tree's phenology, a case of the North China region (in Chinese), *Agricultural Meteorology*, 9(3), 42-44, 1988.
- Chen, X., Z. Tan, M. D. Schwartz, and C. Xu, Determining the growing season of land vegetation on the basis of plant phenology and satellite data in northern China, *Int. J. Biometeorol.*, 44, 97-101, 2000.
- Cheng, C., X. Feng, L. Gao, and G. Shen (Editors), *Climate and Agriculture in China*, China Meteorological Press, Beijing, 519 pp., 1993.
- Childress, J., Oceanic Biology: Lost in Space?, in *Oceanography, the present and the future*, edited by G. B. Peters, pp. 127-135, Springer-Verlag, New York, 1983.
- Chmielewski F. M. and T. Rötzer, Annual and spatial variability of the beginning of growing season in Europe in relation to air temperature changes, *Clim. Res.*, 19, 257-264, 2002.
- Chmielewski, F. -M., The International Phenological Gardens across Europe: Present state and perspective, *Phenol. Seasonality*, 1, 19-23, 1996.
- Chmielewski, F. M. and T. Rötzer, Response of tree phenology to climate change across Europe, *Agricult. Forest Meteorol.*, 108, 101-112, 2001.
- Chmielewski, F. M., The International Phenological Gardens across Europe. Present state and perspectives, *Phenology and Seasonality*, 1(1), 19-23, 1996.
- Chmielewski, F.-M., A. Müller, and E. Bruns, Climate changes and trends in phenology of fruit trees and field crops in Germany, 1961-2000, in *Beiträge zur Klima- und Meeresforschung*, edited by F.-M. Chmielewski, T. Foken, pp. 125-134, Eigenverlag Berlin und Bayreuth, 2003.
- Chmielewski, F.M., and T. Rötzer, Annual and spatial variability of the beginning of growing season in Europe in relation to air temperature changes, *Clim. Res.*, 19, 257-264, 2002.
- Chmielewski, F.M., and T. Rötzer, Response of tree phenology to climate changes across Europe, *Agricult. Forest Meteorol.*, 108, 101-112, 2001.
- Chmielewski, F.-M., and W. Köhn, Impact of weather on yield and yield components of winter rye, *Agricult. Forest Meteorol.*, 102, 253-261, 2000.

- Chmielewski, F.-M., Trends in the seasons, *Bull. Amer. Met. Soc.*, 10, 1464-1465, 2002.
- Chuine, I., A unified model for the budburst of trees, *J. Theor. Biol.*, 207, 337-347, 2000.
- Chuine, I., and E. Beaubien, Phenology is a major determinant of temperate tree distributions, *Ecol. Letters*, 4, 500-510, 2001.
- Chuine, I., P. Cour, and D. D. Rousseau, Fitting models predicting dates of flowering of temperate-zone trees using simulated annealing, *Plant, Cell and Env.*, 21, 455-466, 1998.
- Chuine, I., P. Cour, and D. D. Rousseau, Selecting models to predict the timing of flowering of temperate trees: implication for tree phenology modelling, *Plant, Cell and Env.*, 22, 1-13, 1999.
- Clark J. S., R. Carpenter, M. Barber, S. Collins, A. Dobson, J. Foley, D. Lodge, M. Pascual, R. Pielke Jr., W. Pizer, C. Pringle, W. V. Reid, K. A. Rose, O. Sala, W. H. Schlesinger, D. Wall, and D. Wear, Ecological forecasts: an emerging imperative, *Science*, 293, 657-660, 2001.
- Clark, D., Applications of 1m and 4m resolution satellite imagery to studies of tropical forest ecology, management and secondary forest detection, in *Tropical Forests: Past, Present, Future*, p. 20, The Association of Tropical Biology Annual Meeting, Smithsonian Tropical Research Institute, 2002.
- Claussen, M., and V. Gayler, The greening of the Sahara during the mid-Holocene: results of an interactive atmosphere-biosphere model, *Global Ecol. Biogeogr.*, 6, 369-377, 1997.
- Clifton, K. E. and L. M. Clifton, The phenology of sexual reproduction by green algae (Bryopsidales) on Caribbean coral reefs, *J. Phycology*, 35, 24-34, 1999.
- Clingeffer, P. R., K. J. Sommer, M. Krstic, G. Small, and M. Welsh, Winegrape crop prediction and management, *Australian and New Zealand Wine Industry Journal*, 12(4), 354-359, 1997.
- Clive-James, W., Growth stages key for cereals, *Can. Pl. Dis. Surv.*, 51, 42-43, 1971.
- Clutton-Brock, T. H., and S. D. Albon, *Red deer in the highlands*, Oxford University Press, Oxford, 260 pp., 1989.
- Clutton-Brock, T. H., M. Major, and F. E. Guinness, Population regulation in male and female red deer, *J. Anim. Ecol.*, 54, 831-846, 1985.
- Clutton-Brock, T. H., M. Major, S. D. Albon, and F. E. Guinness, Early development and population dynamics in red deer, I. Demographic consequences of density-dependent changes in birth weight and date, *J. Anim. Ecol.*, 56, 53-67, 1987.
- Cody, M. L., and H. A. Mooney, Convergence versus non-convergence in Mediterranean-climate ecosystems, *Annu. Rev. Ecol. Syst.*, 9, 265-321, 1978.
- Coffin, D. C., W. K. Lauenroth, and I. C. Burke, Recovery of vegetation in a semiarid grassland 53 years after disturbance, *Ecol. Applications*, 6, 538-555, 1996.
- Colebrook, J. M., Continuous Plankton Records: Methods of analysis, 1950-1959, *Bull. Mar. Ecol.*, 5, 51 – 64, 1960.
- Colebrook, J. M., Continuous Plankton Records: Zooplankton and Environment, North-East Atlantic and North Sea, 1948 – 1975, *Oceanol. Acta*, 1(1), 9 – 23, 1978.
- Collins, S. L., A. K. Knapp, J. M. Briggs, J. M. Blair, and E. M. Steinauer, Modulation of diversity by grazing and mowing in native tallgrass prairie, *Science*, 280, 745-747, 1998b.
- Collins, S., A. K. Knapp, D. C. Hartnett, and J. M. Briggs, The dynamic tallgrass prairie. Synthesis and research opportunities, in *Grassland Dynamics: Long-Term Ecological Research in Tallgrass Prairie*, edited by A. K. Knapp, D. C. Hartnett, J. M. Briggs, S. Collins, pp. 301-315, Oxford University Press, New York, 1998a.
- Colombo, S. J., Climatic warming and its effect on bud burst and risk of frost damage to white spruce in Canada, *For. Chron.*, 74, 567-577, 1998.
- Commonwealth Meteorology, *Instructions to Country Observers*, William Applegate Gullick, Government Printer, Sydney, 29 pp., 1907.
- Conand, F., Life history of the silverside *Atherinomorus lacunosus* (Atherinidae) in New Caledonia, *J. Fish Biology*, 42, 851-863, 1993.
- Connecting people with heritage. The Ninth Annual Conference Interpretation Australia Association*, edited by I. A. Association, pp. 110-114, Interpretation Australia Association, Alice Springs, 2001.
- Convention on biological diversity (CBD), *Convention text, Secretariat of the Convention on Biological Diversity*, United Nations Environmental Program, 2001.
- Cooke, B. J., and J. Régnière, An object-oriented, process-based stochastic simulation model of *Bacillus thuringiensis* efficacy against spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), *Int. J. Pest Management*, 42, 291-306, 1996.
- Coombe, B. G., and P. R. Dry, *Viticulture, Volume 1 – Resources* (211 pp.) and *Volume 2 – Practices* (376 pp.), Winetitles, Adelaide, Australia, 1988.
- Coombe, B.G., Adoption of a system for identifying grapevine growth stages, *Australian J. Grape and Wine Research*, 1, 104-110, 1995.

- Coops, N. C., and R. H. Waring, Estimating forest productivity in the eastern Siskiyou Mountains of southwestern Oregon using a satellite driven process model, 3-PGS, *Can. J. Forest Research (Revue Canadienne De Recherche Forestiere)*, 31, 143-154, 2001a.
- Coops, N. C., R. H. Waring, and J. J. Landsberg, Assessing forest productivity in Australia and New Zealand using a physiologically-based model driven with averaged monthly weather data and satellite derived estimates of canopy photosynthetic capacity, *Forest Ecology and Management*, 104, 113-127, 1998.
- Coops, N. C., R. H. Waring, and J. J. Landsberg, Estimation of potential forest productivity across the Oregon transect using satellite data and monthly weather records, *Int. J. Remote Sensing*, 22, 3797-3812, 2001.
- Coops, N. C., R. H. Waring, The use of multiscale remote sensing imagery to derive regional estimates of forest growth capacity using 3-PGS, *Remote Sensing Environ.*, 75, 324-334, 2001b
- Coops, N., Improvement in predicting stand growth of *Pinus radiata* (D. Don) across landscapes using NOAA AVHRR and Landsat MSS imagery combined with a forest growth process model (3-PGs), *Photogram. Eng. Remote Sens.*, 65, 1149-1156, 1999.
- Cordazzo, C. V., and U. Seeliger, Phenological and Biogeographical Aspects of Coastal Dune Plant Communities in Southern Brazil, *Vegetatio*, 75, 169-173, 1988.
- Correia, O. A., A. C. Martins., and F.M. Catarino, Comparative phenology and seasonal foliar nitrogen variation in mediterranean species of Portugal, *Ecol. Mediterranea*, 18, 7-18, 1992.
- Cosby, B. J., G. M. Hornberger, R. B. Clapp, and T. R. Ginn, A statistical exploration of the relationships of soil moisture characteristics to the physical properties of soils, *Water Resour. Res.*, 20, 682-690, 1984.
- Costantini, E. A. C., P. G. Arcara, P. Cherubini, F. Campostrini, P. Storchi, and M. Pierucci, Soil and climate functional characters for grape ripening and wine quality of "vino nobile di montepulciano," *Acta Horticulturae*, 427, 45-56, 1996.
- Coulson, T., E. A. Catchpole, S. D. Albon, B. J. T. Morgan, J. M. Pemberton, T. H. Clutton-Brock, M. J. Crawley, and B. T. Grenfell, Age, sex, density, winter weather, and population crashes in Soay sheep, *Science*, 292, 1528-1531, 2001.
- Cowling, R. M., P. W. Rundel, B. B. Lamont, M. K. Arroyo, and M. Arianoutsou, Plant diversity in Mediterranean-climate regions, *Trends Ecol. Evol.*, 11, 352-360, 1996.
- Cramer, W., A. Bondeau, F. I. Woodward, I. C. Prentice, R. A. Betts, V. Brovkin, P. M. Cox, V. Fisher, J. A. Foley, A. D. Friend, C. Kucharik, M. R. Lomas, N. Ramankutty, S. Sitch, B. Smith, A. White, and C. Young-Molling, Global response of terrestrial ecosystem structure and function to CO₂ and climate change: results from six dynamic global vegetation models, *Global Change Biol.*, 7, 357-373, 2001.
- Crick, H. Q. P., and T. H. Sparks, Climate change related to egg-laying trends, *Nature* 399, 423-424, 1999.
- Crick, H. Q. P., C. Dudley, D. E. Glue, and D. L. Thomson, UK birds are laying eggs earlier, *Nature* 388, 526, 1997.
- Crick, H. Q. P., D. W. Gibbons, and R. D. Magrath, Seasonal variation in clutch size in British Birds, *J. Animal Ecology*, 62, 263-273, 1993.
- Criddle, N., A calendar of flowers, *Can. Field Nat.*, 41, 48-55, 1927.
- Crist, E. P., and W. A. Malila, *Development and evaluation of an automatic labeling technique for spring small grains*, NASA Report SR-EL-04065, AgRISTARS Report NAS9-15476, Environmental Research Institute of Michigan, Ann Arbor, Michigan, 67 pp., 1982.
- Crist, E. P., *Cultural and environmental effects on the spectral development patterns of corn and soybeans – field data analysis*, NASA Report SR-E2-04224, Environmental Research Institute of Michigan, Ann Arbor, Michigan, 67 pp., 1982.
- Critchfield, H. J., *General Climatology*, Prentice-Hall, Englewood Cliffs, New Jersey, 420 pp., 1966.
- Csillag, F., and S. Kabos, Wavelets, boundaries, and the spatial analysis of landscape patterns, *Écoscience*, 9, 177-190, 2002.
- Cubasch U., G. A. Meehl, G. J. Boer, R. J. Stouffer, M. Dix, A. Noda, C. A. Senior, S. Raper, and K. S. Yap, Projections on future climate change, in *Climate Change 2001: The Scientific Basis, Contribution of Working Group I to the Third Assessment Report of the Intergovernmental Panel on Climate Change*, edited by J. T. Houghton, Y. Ding, D. J. Griggs, M. Noguer, P. van der Linden, X. Dai, K. Maskell, C. I. Johnson, pp. 526-582, Cambridge University Press, Cambridge, 2001.
- Cunningham, T. M., *The natural regeneration of Eucalyptus regnans in association with logging*, Ph.D. thesis, University of Melbourne, Parkville, 1958.
- Curry, G. L., R. M. Feldman, and K. C. Smith, A stochastic model of temperature-dependent population, *Theoretical Population Biology*, 13, 197-213, 1978.
- Curtis, J. T. and M. L. Partch, Some factors affecting flower production in *Andropogon gerardi*, *Ecology*, 31, 488-489, 1950.
- Cushing, D. H., Recent studies on long term changes in the sea, *Freshwater Biol.*, 23, 71-84, 1990.

- D'Odorico, P., J. Yoo, and S. Jäger, Changing seasons: An effect of the North Atlantic Oscillation?, *J. Climate*, *15*, 435-445, 2002.
- Dahms, H. U., Dormancy in the Copepoda -- an overview, *Hydrobiologia*, *306*, 199-211, 1995.
- Dale, J. A., and P. J. Hawkins, *Phenological studies of spotted gum in southern inland Queensland*, Queensland Department of Forestry, Technical Paper No. 35, Brisbane, 10 pp., 1983.
- Damascos, M. A., and C. Prado, Leaf phenology and its associated traits in the wintergreen species *Aristotelia chilensis* (Mol.) Stuntz (Elaeocarpaceae), *Rev. Chil. Hist. Nat.*, *74*, 805-815, 2001.
- Darling, F. F., *Bird flocks and breeding cycle*, Cambridge University Press, Cambridge, 124 pp., 1938.
- Davis, D. E., The Annual Cycle of Plants, Mosquitoes, Birds, and Mammals in 2 Brazilian Forests, *Ecol. Monogr.*, *15*, 243-295, 1945.
- Davis, S. D., V. H. Heywood, O. Herrera-MacBride, J. Villa-Lobos, and A. C. Hamilton, *Centres of Plant Diversity: a guide and strategy for their conservation, vol. 3, The Americas*, IUCN Publications Unit, Cambridge, 562 pp., 1997.
- Davis, S., *Man of All Seasons*, Angus and Robertson, North Ryde, New South Wales, 82 pp., 1989.
- Davitaja, F. F., *Agrometeorological problems, Moscow* (in Russian with English Contents), Hydrometeorological Publishing House, 160 pp., 1958.
- De Almeida, S. P., Phenological groups of perennial grass community on "campo-cerrado" area in the Federal District of Brazil, *Pesqui. Agropecu. Bras.*, *30*, 1067-1073, 1995.
- de Blij, H. J., Geography of viticulture: rationale and resource, *J. Geography*, 112-121, 1983.
- de Gaetano, A., and W. W. Knapp, Standardization of weekly growing degree day accumulations based on differences in temperature observation and method, *Agric. For. Meteorol.*, *66*, 1-19, 1993.
- de Lillis, M., and A. Fontanella, Comparative phenology and growth in different species of the Mediterranean maquis of central Italy, *Vegetatio*, *99-100*, 83-96, 1992.
- Defila, C., and B. Clot, Phytophenological trends in Switzerland, *Int. J. Biometeorol.*, *45*, 203-207, 2001.
- Defila, C., Der Einfluss des Stadtklimas auf die phänologischen Eintrittstermine, *Schweiz. Z. Forstwes.*, *150*, 151-153, 1999.
- Defila, C., Pflanzenphänologie der Schweiz, Dissertation, University of Zürich, *Veröff. Schweiz. Meteorologischen Anstalt*, *50*, 1-235, 1991.
- Defila, C., *Pflanzenphänologische Kalender ausgewählter Stationen in der Schweiz / Calendriers phytophénologiques en Suisse 1951-1990*, Beiheft zu den Annalen der Schweizerischen Meteorologischen Anstalt, 233 pp., 1992.
- DeFries, R. S., L. Bounoua, and G. J. Collatz, Human modification of the landscape and surface climate in the next fifty years, *Global Change Biol.*, *8*(5), 438-458, 2002.
- Delampe, M. G., Y. Bergeron, R. McNeil, and A. Leduc, Seasonal Flowering and Fruiting Patterns in Tropical Semiarid Vegetation of Northeastern Venezuela, *Biotropica*, *24*, 64-76, 1992.
- Deshmukhe, G. V. and M. Tatewaki, Phenology of brown alga *Coilodesme japonica* (Phaeophyta, Dictyosiphonales) with respect to the host-specificity along Muroan coast, North Pacific Ocean, Japan, *Indian Journal of Marine Sciences*, *30*, 161-165, 2001.
- Deutscher Wetterdienst (Ed.), *Anleitung für die phänologischen Beobachter des Deutschen Wetterdienstes (BAPH)*, Offenbach am Main, 155 pp., 1991.
- Develey, P. F., and C. A. Peres, Resource seasonality and the structure of mixed species bird flocks in a coastal Atlantic forest of southeastern Brazil, *J. Trop. Ecol.*, *16*, 33-53, 2000.
- Dewald, C.L., and V. H. Louthan, Sequential development of shoot system components in eastern gamagrass, *J. Range Management*, *32*, 147-151, 1979.
- Dexter, B. D., *Flooding and regeneration of River Red Gum, Eucalyptus camaldulensis*, Dehn, Forests Commission of Victoria, Melbourne, 35 pp., 1968.
- Dexter, B. D., *Seed Supply and Field Germination in the Natural Regeneration of Eucalyptus sideroxylon A. Cunn.*, Fourth year B.For.Sci. thesis, University of Melbourne, 1960.
- di Castri, F., Climatographical comparison between Chile and the Western Coast of North America, in *Mediterranean Type Ecosystems, Origin and Structure*, edited by F. di Castri and H.A. Mooney, pp. 21-36, Springer-Verlag, Berlin, Heidelberg, 1973.
- di Castri, F., D. W. Goodall, and R. L. Specht, *Ecosystems of the world: Mediterranean-type shrublands, vol. 11*, Elsevier Scientific Publishing Company, Amsterdam, 643 pp., 1981.
- di Castri, F., Mediterranean-type shrublands of the world, in *Ecosystems of the world. Mediterranean-type shrublands, vol. 11*, edited by F. di Castri, D. W. Goodall, and R. L. Specht, pp 1-45, Elsevier Scientific Publishing Company, Amsterdam, 1981.
- Diaz, S., A. Acosta, and M. Cabido, Grazing and the Phenology of Flowering and Fruiting in a Montane Grassland in Argentina - a Niche Approach, *Oikos*, *70*, 287-295, 1994.
- Dickinson, C. E., and J. L. Dodd, Phenological pattern in the shortgrass prairie, *Amer. Midland Naturalist*, *96*, 367-378, 1976.

- Dickinson, R., The climate system and modelling of future climate, in *The Greenhouse Effect, Climate Change, and Ecosystem*, edited by B. Bolin, B. Doos, J. Jager and R.A. Warrick, pp. 207-270, Wiley, Chichester, UK, 1986.
- Diekmann, M., Relationship between flowering phenology of perennial herbs and meteorological date in deciduous forests of Sweden, *Can. J. Bot.* 74, 528-537, 1996.
- Dirzo, R., and C. A. Dominguez, Plant-herbivore interactions in Mesoamerican tropical dry forests, in *Seasonally dry tropical forests*, edited by S. H. Bullock, H. A. Mooney, and E. Medina, pp. 277-303, Cambridge University Press, Cambridge, 1995.
- Dobbertin, M., Hourly recorded changes in tree stem diameter - Can we distinguish stem growth from contraction and expansion of the bark?, in *L'arbre 2000 The Tree*, papers presented at the 4th International Symposium on The Tree, edited by M. Labrecque, pp. 263-267, 21-25 August 2000, Montreal, Canada, Isabelle Quentin, 2001.
- Doligez A., and H. Joly, Genetic diversity and spatial structure within a natural stand of a tropical forest tree species, *Carapa procera* (Meliaceae), in French Guiana, *Heredity*, 79,72-82, 1997.
- Dorman, J. L., and P. J. Sellers, A global climatology of albedo, roughness length, and stomatal resistance for atmospheric general circulation models as represented by a simple biosphere model (SiB). *J. Appl. Meteorol.*, 28, 833-855, 1989.
- Douglas, G. W., and L. C. Bliss, Alpine and high subalpine plant communities of the North Cascades Range, Washington and British Columbia, *Ecol. Monographs*, 47, 113-150, 1977.
- Dubé, P. A., and J. E. Chevrette, Phenology applied to bioclimatic zonation in Québec, in *Phenology: an aid to agricultural technology*, *Vt. Agric. Exper. Sta. Bull.*, 684, edited by R.J. Hopp, pp. 33-43, Vermont Agricultural Experiment Station, Burlington, 1978.
- Dubé, P. A., L. P. Perry, and M. T. Vittum, *Instructions for phenological observations: Lilac and honeysuckle*, *Vermont Agricultural Experiment Station Bulletin* 692, University of Vermont, Burlington, 7 pp., 1984.
- Duce, P., C. Cesaraccio, D. Spano, and R. L. Snyder, Weather variability effect on phenological events in a Mediterranean-type climate, paper presented at 15th Conference on Biometeorology / Aerobiology and 16th International Congress of Biometeorology, Kansas City, USA, 2002.
- Duce, P., D. Spano, C. Asunis, C. Cesaraccio, C. Sirca, and A. Motroni, Effect of climate variability on phenology and physiology of Mediterranean vegetation, paper presented at 3rd European Conference on Applied Climatology, Pisa, Italy, 2000.
- Duchemin B., J. Goubier, and G. Courier, Monitoring phenological key stages and cycle duration of temperate deciduous forest ecosystems with NOAA/AVHRR data. *Remote Sensing of Environ.*, 67, 68-82, 1999
- Ducousso, A., J. P. Guyon, and A. Kremer, Latitudinal and altitudinal variation of bud burst in western populations of sessile oak (*Quercus petraea* (Matt.) Liebl.), *Ann. Sci. For.*, 53, 775-782, 1996.
- Due, G., M. Morris, S. Pattison, and B. G. Coombe, Modeling grapevine phenology against weather: considerations based a large data set, *Agricult. Forest Meteorol.*, 56, 91-106, 1993.
- Dunn, P.O., and D. W. Winkler, Climate change has affected the breeding date of tree swallows throughout North America, *Proc. Roy. Soc. London B*, 266, 2487-2490, 1999.
- Dunne, J. A., J. Harte, and K. J. Taylor, Subalpine meadow flowering phenology responses to climate change: integrating experimental and gradient methods, *Ecol. Monographs*, 73, 69-86, 2003.
- Eby, P., Seasonal movements of grey-headed flying-foxes, *Pteropus poliocephalus* (Chiroptera: Pteropodidae), from two maternity camps in northern New South Wales, *Wildlife Research*, 18, 547-559, 1991.
- Eckenrode, C. J., and R. K. Chapman, Effect of various temperatures upon rate of development of the cabbage maggot under artificial conditions, *Ann. Entomol. Soc. Amer.*, 64, 1079-1083, 1971.
- Eckenrode, C. J., and R. K. Chapman, Seasonal adult cabbage maggot populations in the field in relation to thermal-unit accumulations, *Ann. Entomol. Soc. Amer.*, 65, 151-156, 1972.
- Ehrenreich, J. H., and J. M. Aikman, An ecological study of the effect of certain management practices on native prairie in Iowa, *Ecol. Monographs*, 33, 113-130, 1963.
- Eichhorn, K. W., and D. H. Lorenz, Phönologische entwicklungsstadien der rebe, *Nachrichtenblatt des Deutschen Pflanzenschutzdienstes (Braunschweig)*, 29, 119-120, 1997.
- Eidenshink, J., The 1990 Conterminous U.S. AVHRR data set, *Photogrammetric Engineering and Remote Sensing*, 58, 809-813, 1992.
- Eilart, J., *Phytophenological observation manual* (in Estonian), Estonian Naturalists Society, Tartu, 16 pp., 1959.
- Eilart, J., Teaduse ajaloo ehk külgi Eestis, in *Some aspects of history of phenology in Estonia*, edited by Ü. Lumiste (in Estonian with summary in German and Russian), Tallinn, Academy of Sciences, 1, 169-176, 1968.
- Ellegren, H., Timing of autumn migration in Bluethroats *Luscinia s. svecica* depends on timing of breeding, *Ornis Fennica*, 67, 13-17, 1990.
- Ellis, R. H., E. H. Roberts, and R. J. Summerfield, Variation in the optimum temperature for rates of seedling emergence and progress towards flowering among six genotypes of faba bean (*Vicia faba*), *Ann. Bot.*, 62, 119-126, 1988.

- Elton, C., *Animal Ecology*, Methuen, London, 207 pp., 1927.
- Emberger, L., Comment comprendre le territoire phytogéographique méditerranéen français et la position "systématique" de celui-ci. *Nationalia Monepeliensia. Série Botanica*, 14, 47-54, 1962.
- Emberlin, J., J. Mullins, J. Corden, W. Millington, M. Brooke, M. Savage, and S. Jones, The trend to earlier Birch pollen season in the U. K.: a biotic response to changes in weather conditions?, *Grana*, 36, 29-33, 1997.
- EMHI, *Manual for Hydrometeorological Observation Stations and Points*, Estonian Department of Hydrometeorology and Environmental Monitoring 11, I-II, Tallinn, 164 pp., 1987.
- Erickson, R., Flowering dates of orchids, *West. Aust. Nat.*, 2, 72, 1950.
- Eriksen, B., U. Molau, and M. Svensson, Reproductive strategies in two arctic *Pedicularis* species (Scrophulariaceae), *Ecography*, 16, 154-166, 1993.
- Erskine, A. J., Some phenological observations across Canada's boreal regions, *Can. Field Nat.*, 99(2), 185-195, 1985.
- Estes, R. D., and R. K. Estes, The birth and survival of wildebeest calves, *Z. Tierpsych.*, 50, 45-95, 1979.
- Estes, R. D., The significance of breeding synchrony in the wildebeest, *E. African Wildl. J.*, 14, 135-152, 1976.
- Estrella, N., On modeling of phenological autumn phases, in *Progress in phenology: Monitoring, data analysis, and global change impacts*, edited by A. Menzel, p. 49, Conference abstract booklet, 2000.
- Ewel, J., Natural systems as models for the design of sustainable systems of land use, *Agroforestry Systems*, 45, 1-21, 1999.
- Falusi, M., and R. Calamassi, Geographic variation and bud dormancy in beech seedlings (*Fagus sylvatica* L), *Ann. Sci. For.*, 53, 967-979, 1996.
- Fanjul, L. and V.L. Barradas, Diurnal and seasonal variation in the water relations of some deciduous and evergreen trees of a deciduous dry forest of the western coast of Mexico, *J. Appl. Ecol.*, 24, 289-303, 1987.
- Fedorenko, D. E. F., O. A. Fernandez, C. A. Busso, and I. E. Elia, Phenology of *Medicago minima* and *Erodium cicutarium* in semi- arid Argentina, *J. Arid. Environ.*, 33, 409-416, 1996.
- Feekes, W., De tarwe en haar milieu, *Versl. techn. Tarwe Commissie*, 12, 523-888, and 17, 560-561, 1941.
- Feekes, W., De tarwe en haar milieu. *Versl. techn. Tarwe Comm.*, 12, 523-888, 1941.
- Feinsinger, P., J. A. Wolfe, and L. A. Swarm, Island ecology: reduced hummingbird diversity and the pollination biology of plants on Trinidad and Tobago, West Indies, *Ecology*, 63, 494-506, 1982.
- Festa-Bianchet, M., Birthdate and survival in bighorn lambs (*Ovis canadensis*), *J. Zool.*, 214, 653-661, 1988.
- Fitter, A. H., and R. S. R. Fitter, Rapid changes in flowering time in British plants, *Science*, 296, 1689-1691, 2002.
- Fitter, A. H., R. S. R. Fitter, I. T. B. Harris, and M. H. Williamson, Relationships between first flowering date and temperature in the flora of a locality in central England, *Funct. Ecol.*, 9, 55, 1995.
- Fitzjarrald, D. R., O. C. Acevedo, and K. E. Moore, Climatic consequences of leaf presence in the eastern United States, *J. Climate*, 14, 598-614, 2001.
- Fleckinger, J., Les stades végétatifs des arbres fruitiers, en rapport avec le traitements, *Pomologie Française, Supplément*, 81-93, 1948.
- Fleckinger, J., Phénologie. Phénologie et Arboriculture Fruitière, *Bon Jardinier* 1(2, part. C), 362-372, 1965.
- Fleming, T. H., R. A. Nuñez, and L. S. L. Sternberg, Seasonal changes in the diets of migrant and non-migrant nectarivorous bats as revealed by carbon stable isotope analysis, *Oecologia*, 94, 72-75, 1993.
- Fleming, T. H., *The short-tailed fruit bat: A study in plant-animal interactions*, University of Chicago Press, Chicago, 365 pp., 1988.
- Flemming, T. H. and V. J. Sosa, Effects of nectarivorous and frugivorous mammals on reproductive success of plants, *J. Mammalogy*, 75, 845-851, 1994.
- Flint, H. L., Phenology and Genecology of Woody Plants, in *Phenology and Seasonality Modeling*, edited by H. Lieth, pp. 83-97, Springer-Verlag, New York, 1974.
- Florence, R. G., *Studies in the ecology of blackbutt (Eucalyptus pilularis Sm.)*, Ph.D. thesis, University of Sydney, Sydney, 1961.
- Floyd, A. G., *Investigations into the natural regeneration of blackbutt - E. pilularis*. Research Note No. 10, Forestry Commission of N.S.W, Sydney, 20 pp., 1962.
- Foley, J., S. Levis, M. Costa, W. Cramer, and D. Pollard, Incorporating dynamic vegetation cover within global climate models, *Ecol. Appl.*, 10, 1620-1632, 2000.
- Forbis, T. A., and P. K. Diggle, Subnivean embryo development in the alpine herb *Caltha leptosepala* (Ranunculaceae), *Can. J. Botany (Revue Canadienne de Botanique)*, 79, 635-642, 2001.
- Forchhammer, M. C., E. Post, and N. C. Stenseth, Breeding phenology and climate, *Nature*, 391, 29-30, 1998.
- Forchhammer, M. C., E. Post, and N. C. Stenseth, North Atlantic Oscillation timing of long- and short-distance migration, *J. Animal Ecol.*, 71, 1002-1014, 2002.
- Forchhammer, M. C., E. Post, N. C. Stenseth, and D. Boertmann, Long-term responses in arctic ungulate dynamics to variation in climate and trophic processes, *Population Ecology*, 44, 113-120, 2002.
- Forchhammer, M. C., T. H. Clutton-Brock, J. Lindström, and S. D. Albon, Climate and population density induce long-term cohort variation in a northern ungulate, *J. Anim. Ecol.*, 70, 721-729, 2001.

- Forrester, J. W., *Industrial dynamics*, MIT Press, Cambridge, MA 464 pp., 1961.
- Foster, D., G. Motzkin, and B. Slater, Land-use history as long-term broad-scale disturbance: regional forest dynamics in central New England, *Ecosystems*, *1*, 96-119, 1998.
- Frank, A. B., and L. Hofmann, Grazing management, growing degree-days, and morphological development for native grasses on the northern Great Plains, *J. Range Management*, *42*, 199-202, 1989.
- Franke, H.-D., Photopollution: Coastal artificial light affects reproductive synchronisation in a litoral polychaete, *Verhandlungen der Deutschen Zoologischen Gesellschaft*, *83*, 481, 1990.
- Frankie, G. W., H. G. Baker, and P. A. Opler, Comparative phenological studies of tress in a tropical lowland wet and dry forest sites of Costa Rica, *J. Ecology*, *62*, 881-913, 1974.
- Frankie, G. W., S. B. Vinson, M. A. Rizzardi, T. L. Griswold, Diversity and abundance of bees visiting a mass flowering tree species in disturbed seasonal dry forest, Costa Rica, *Journal of the Kansas Entomological Society*, *70*, 281-296, 1998.
- Freedman, J. M., D. R. Fitzjarrald, K. E. Moore, and R. K. Sakai, Boundary-layer clouds and vegetation-atmosphere feedbacks, *J. Climate*, *14*, 180 – 197, 2001.
- French, F. J., Observations on the flowering times and habitats of some Victorian Orchids, *Victorian Nat.*, *12*, 31-34, 1895.
- Frenguelli, G., and E. Bricchi, The use of pheno-climatic model for forecasting the pollination of some arboreal taxa, *Aerobiologia*, *14*, 39-44, 1998.
- Frenguelli, G., E. Bricchi, B. Romano, G. Mincigriucci, and F. T. M. Spieksma, A predictive study on the beginning of pollen season for Gramineae and *Olea europaea* L., *Aerobiologia*, *5*, 64-70, 1989.
- Frenguelli, G., E. Bricchi, B. Romano, M. F. Ferranti, and E. Antognozzi, The role of air temperature in determining dormancy release and flowering of *Corylus avellana* L., *Aerobiologia*, *8*, 415-418, 1992.
- Frenguelli, G., T. M. Spieksma, E. Bricchi, B. Romano, G. Mincigriucci, A. H. Nikkels, W. Dankkaart, and F. Ferranti, The influence of air temperature on the starting dates of the pollen season of *Alnus* and *Populus*, *Grana*, *30*, 196-200, 1991.
- Friedlingstein, P., G. Joel, C. B. Field, and I. Y. Fung, Toward an allocation scheme for global terrestrial carbon models, *Global Change Biology*, *5*, 755-770, 1999.
- Fuchs, E. J., J. A. Lobo, and M. Quesada, Effects of forest fragmentation and flowering phenology on the reproductive success and mating patterns on the tropical dry forest tree, *Pachira quinata* (Bombacaceae), *Conserv. Biol.*, *17*, 149-157, 2003.
- Fuhlendorf, S. D., and F. E. Smeins, Long-term vegetation dynamics mediated by herbivores, weather and fire in a Juniperus-Quercus savanna, *J. Veg. Science*, *8*, 819-828, 1997.
- Fuhlendorf, S. D., D. D. Briske, and F.E. Smeins, Herbaceous vegetation change in variable rangeland environments: The relative contribution of grazing and climatic variability, *Appl. J. Veg. Science*, *4*, 177-188, 2001.
- Funch, L. S., R. Funch, and G. M. Barroso, Phenology of gallery and montane forest in the Chapada Diamantina, Bahia, Brazil, *Biotropica*, *34*, 40-50, 2002.
- Gaillard, J. M., M. Festa-Bianchet, and N. G. Yoccoz, Population dynamics of large herbivores: variable recruitment with constant adult survival, *Trends Ecol. Evol.*, *13*, 58-63, 1998.
- Galahov, N. N., *Study on structure of climatic seasons of a year*, Izdatel'stvo Akademii Nauk SSSR, Moscow (In Russian), 162 pp., 1959.
- Galen, C., and M. L. Stanton, Consequences of emergence phenology for reproductive success in *Ranunculus adoneus* (Ranunculaceae), *Amer. J. Botany*, *78*, 978-988, 1991.
- Galen, C., and M. L. Stanton, Short-term responses of alpine buttercups to experimental manipulations of growing season length, *Ecology*, *74*, 1052-1058, 1993.
- Galet, P., *A Practical Ampelograph*, Comstock Publishing, London, 248 pp., 1979.
- Garrido, C. L., and B. J. Barber, Effects of temperature and food ration on gonads and oogenesis of the green sea urchin, *Strongylocentrotus droebachiensis*, *Marine Biology*, *138*, 447-456, 2001.
- Geen, G., Common Chiffchaff (Chiffchaff) *Phylloscopus collybita*, in *The Migration Atlas: movements of the birds of Britain and Ireland*, edited by C. V. Wernham, M. P. Toms, J. H. Marchant, J. A. Clark, G. M. Siriwardena, and S. R. Baillie, pp. 568-570, T. and A. D. Poyser, London, 2002.
- Gentili, J., Phenology-A new field for Australian Naturalists, *West. Aust. Nat.*, *2*, 15-20, 1949.
- Gentry, A. H., Diversity of floristic composition of Neotropical dry forests, in *Seasonally Tropical Forests*, edited by H. A. Mooney, S. H. Bullock, and E. Medina, pp. 146-194, Cambridge University Press, Cambridge, UK, 1995.
- Gentry, A. H., Flowering phenology and diversity in tropical Bignoniaceae, *Biotropica*, *6*, 64- 68, 1974.
- Gerlach, S. A., *Marine Systeme*, Springer, Berlin, 226 pp., 1994.
- Gerten, D. and R. Adrian, Differences in the persistency of the North Atlantic Oscillation signal among lakes, *Limnol. Oceanogr.*, Vol. *Suppl.*, 448-455, 2001

- Giese, A. C., Comparative physiology: annual reproductive cycles of marine invertebrates, *A. Rev. Physiol.*, 21, 547-576, 1959.
- Gignac, M., Comparaison de la régression spatiale et du krigeage avec dérive pour interpoler des extraits de modèles de simulation de développement d'insectes au Québec en fonction de l'échelle, de la topographie et de l'influence maritime, M.Sc. Thesis, Faculty of Forestry and Geomatics, Université Laval, Sainte-Foy, Quebec, Canada, 2000.
- Gill, A. M., *The Ecology of Mixed species Forests of Eucalyptus in Central Victoria, Australia*, Ph.D. thesis, University of Melbourne, 1966.
- Gill, G. C., *Comparison testing of selected naturally ventilated solar radiation shields, Final Report Contract # NA-82-OA-A-266*, NOAA, St. Louis, 15 pp., 1983.
- Gilyazov, A., and T. Sparks, Change in the timing of migration of common birds at the Lapland nature reserve (Kola Peninsula, Russia) during 1931-1999, *Avian Ecology and Behavior*, 8, 35-47, 2002.
- Giomo, A., P. Borsetta, and R. Zironi, Grape quality: research on the relationships between grape composition and climatic variables, in *Proceedings of the Workshop Strategies to Optimize Wine Grape Quality*, edited by S. Poni, E. Peterlunger, F. Iacono, and C. Intrieri, 427 (pp. 277-285), Acta Horticulturae, 1996.
- Giorgetti, H. D., Z. Manuel, O. A. Montenegro, G. D. Rodriguez, and C. A. Busso, Phenology of some herbaceous and woody species in central, semiarid Argentina, *Phyton-Int. J. Exp. Bot.*, 69, 91-108, 2000.
- Giorgi, F., W. Hurrell, M. Marinucci, and M. Beniston, Elevation dependency of the surface climate change signal: a model study, *J. Climate*, 10, 288-296, 1997.
- Gitelson, A. A., M. N. Merzlyak, O. B. Chivkunova, Optical properties and nondestructive estimation of anthocyanin content in plant leaves, *Photochemistry and Photobiology*, 74, 38-45, 2001.
- Gitelson, A. A., Y. J. Kaufman, R. Stark, and D. Rundquist, Novel algorithms for remote estimation of vegetation fraction, *Remote Sens. Environ.*, 80, 76-87, 2002a.
- Gitelson, A. A., Y. Zur, O. B. Chivkunova, and M.N. Merzlyak, Assessing carotenoid content in plant leaves with reflectance spectroscopy, *Photochemistry and Photobiology*, 75, 272-281, 2002b.
- Gladstones, J., *Viticulture and Environment*, Winetitles, Adelaide, 310 pp., 1992.
- Glendenning, R., Phenology, the most natural of sciences, *Can. Field Nat.*, 57, 75-78, 1943.
- Gómez, J. M., Phenotypic selection on flowering synchrony in a high mountain plant, *Hormathophylla spinosa* (Cruciferae), *J. Ecology*, 81, 605-613, 1993.
- Gong, G., and W. Jian, On the geographical distribution of phenodate in China, *Acta Geographica Sinica*, 38 (1), 33-40, 1983.
- Gong, G., P. Zhang, and J. Zhang, Changes in natural phenological periods of Beijing area, in *Environmental Changes Studies, Vol. 1* (in Chinese), edited by R. Hou, J. Xing, T. Su, pp. 64-75, Ocean Press, Beijing, 1984.
- Goodin, D. G., and G. M. Henebry, Monitoring ecological disturbance in tallgrass prairie using seasonal NDVI trajectories and a discriminant function mixture model, *Remote Sens. Environ.*, 61, 270-278, 1997.
- Goodin, D. G., P. A. Fay, and M. J. McHugh, Climate variability in tallgrass prairie at multiple time scales: Konza Prairie Biological Station, USA, in *Climate Variability and Ecosystem Response*, edited by D. E. Greenland, D. G. Goodin, and R. Smith, pp. 411-423, Oxford University Press, New York, 2003.
- Goodrich, S., Checklist of vascular plants of the Canyon and Church Mountain (Utah, USA), *Great Basin Nat.*, 44, 277-295, 1984.
- Gornik, W., Investigations into the Problems of Finding a Mean Value in Phenological Data Series, *Arboreta Phaenologica*, 47, 11-14, 1994.
- Gould League of Victoria, *Environmental Log Book*, Gould League of Victoria, Prahran, 72 pp., 1979.
- Gould League of Victoria, *Timelines, Viridans Biological Databases*, Brighton East, Australia, (CD-ROM), 1998.
- Goulden, M. L., J. W. Munger, S. -M. Fan, and B. C. Daube, Measurements of carbon sequestration by long-term eddy covariance: methods and a critical evaluation of the accuracy, *Global Change Biology*, 2, 169-182, 1996.
- Goward, S. N., C. J. Tucker, and D. G. Dye, North American vegetation patterns observed with the NOAA-7 Advanced Very High Resolution Radiometer, *Vegetatio*, 64, 3-14, 1985.
- Grabherr, G., M. Gottfried, A. Gruber, and H. Pauli, Patterns and current changes in alpine plant diversity, in *Arctic and alpine biodiversity: patterns, causes and ecosystem consequences, Ecological Studies*, edited by F. S. Chapin, III and C. Koerner, pp. 167-181, Springer Verlag, Berlin, 1995.
- Gray, D. R., F. W. Ravlin, and J. A. Braine, Diapause in the gypsy moth: a model of inhibition and development, *J. Insect Physiology*, 47, 173-184, 2001.
- Gregory, J. M., and J. F. B. Mitchell, Simulation of daily variability of surface temperature and precipitation over Europe in the current and 2xCO₂ climates using the UKMO climate model, *Q. J. R. Meteorol. Soc.*, 121, 1451-1476, 1995.
- Greve, W. and F. Reiners, Biocoenotic process patterns in German Bight, in *Biology and Ecology of Shallow Coastal Waters*, edited by A. Eleftheriou, A. Ansell and C. J. Smith, pp. 67-71, Olsen and Olsen, Fredensborg, Denmark, 1995.

- Greve, W., and F. Reinert, Plankton time - space dynamics in German Bight - a systems approach, *Oecologia*, 77, 487-496, 1988.
- Greve, W., Mutual predation causes bifurcations in pelagic ecosystems: the simulation model PLITCH (PLanktonic swITCH), experimental tests, and theory, *ICES Journal of marine Science*, 52, 505 – 510, 1995.
- Greve, W., Planktonic Spermaphores found in a culture device with spionid Polychaetes, *Helgol. Wiss. Meeresunters*, 26, 370-374, 1974.
- Greve, W., U. Lange, F. Reinert and J. Nast, Predicting the Seasonality of North Sea Zooplankton, in *Burning issues of North Sea ecology*, Proceedings of the 14th international Senckenberg Conference North Sea 2000, edited by I. Kröncke, M. Türkay and J. Sündermann, pp. 263-268, Senckenbergiana marit., Frankfurt am Main, 2001.
- Grombone-Guaratini, M. T., and R. R. Rodrigues, Seed bank and seed rain in a seasonal semi-deciduous forest in south-eastern Brazil, *J. Trop. Ecol.*, 18, 759-774, 2002.
- Gu, L., D. D. Baldocchi, S. B. Verma, T. A. Black, T. Vesala, E. M. Falge, and P. R. Dowty, Advantages of diffuse radiation for terrestrial ecosystem productivity, *J. Geophysical Research*, 107(D6), DOI 10.1029/2001JD001242, 2002.
- Guimond, C. M., P. K. Andrews, G. A. Lang, Scanning electron microscopy of floral initiation in sweet cherry, *J. Am. Soc. Hort. Sci.*, 123, 509-512, 1998.
- Guisan, A., and J. -P. Theurillat, Equilibrium modeling of alpine plant distribution: how far can we go?, *Phytocoenologia*, 30, 353-384, 2000.
- Gulmon, S. L., A comparative study of grasslands of California and Chile, *Flora*, 166, 261-278, 1977.
- Gutman, G., G. Ohring, D. Tarpley, and R. Ambroziak, Albedo of the US Great Plains as determined from NOAA-9 AVHRR data, *J. Climate*, 2, 608-617, 1989.
- Gwada, P., T. Makoto and Y. Uezu, Leaf phenological traits in the mangrove *Kandelia candel* (L.) Druce, *Aquatic Botany*, 68, 1-14, 2000.
- Haber, W. A. and G. W. Frankie, A tropical hawkmoth community: Costa Rican dry forest Sphingidae, *Biotropica*, 21, 155-172, 1989.
- Haber, W. A., and R. Stevenson, Diversity, migration, and conservation of butterflies in northern Costa Rica, in *Biodiversity Conservation in Costa Rica: Learning the Lessons in a Seasonal Dry Forest*, edited by G.W. Frankie, A. Mata, and S.B. Vinson, University of California Press, Berkeley, California, 2003.
- Hack, H., H. Bleiholder, L. Buhr, U. Meier, U. Schnock-Fricke, E. Weber and A. Witzemberger, Einheitliche Codierung der phänologischen Entwicklungsstadien mono- und dikotyler Pflanzen - Erweiterte BBCH-Skala, -Allgemein -, *Nachrichtenbl. Deut. Pflanzenschutzd.*, 44, 265-270, 1992.
- Hagem, O., Forsök med vestamerikanske traeslag, (German summary), *Medd. Vestl. Forstl. Forst.*, 12, 1-217, 1931.
- Haila, Y., A conceptual genealogy of fragmentation research: from island biogeography to landscape ecology, *Ecol. Appl.*, 12, 321-334, 2002.
- Häkkinen, R., Statistical evaluation of bud development theories: application to bud burst of *Betula pendula* leaves, *Tree Physiol.*, 19, 613-618, 1999.
- Häkkinen, R., T. Linkosalo, and P. Hari, Effects of dormancy and environmental factors on timing of bud burst in *Betula pendula*, *Tree Physiol.*, 18, 707-712, 1998.
- Häkkinen, R., T. Linkosalo, and P. Hari, Methods for combining phenological time series: application to bud burst in birch (*Betula pendula*) in Central Finland for the period 1896-1955., *Tree Physiol.*, 15, 721-736, 1995.
- Hall, N., *Botanists of the eucalypts*, CSIRO, Melbourne, 160 pp., 1978.
- Hanes, T. L., California Chaparral, in *Ecosystems of the world: Mediterranean-type shrublands*, vol. 11, edited by F. di Castri, D. W. Goodall, and R. L. Specht, pp. 139-174, Elsevier Scientific Publishing Company, Amsterdam, 1981.
- Hannerz, M., Evaluation of temperature models for predicting bud burst in Norway spruce, *Can. J. For. Res.*, 29, 9-19, 1999.
- Hänninen, H., and P. Hari, The implications of geographical variation in climate for differentiation of bud dormancy ecotypes in Scots pine, *Acta Forest. Fenn.*, 254, 11-21, 1996.
- Hänninen, H., Does climatic warming increase the risk of frost damage in northern trees?, *Plant, Cell and Env.*, 14, 449-454, 1991.
- Hänninen, H., Effects of climate change on trees from cool and temperate regions: an ecophysiological approach to modelling of bud burst phenology, *Can. J. Bot.* 73, 183-199, 1995.
- Hänninen, H., Effects of temperature on dormancy release in woody plants: implications of prevailing models., *Silva Fenn.*, 21, 279-299, 1987.
- Hänninen, H., Modeling dormancy release in trees from cool and temperate regions, in *Process modeling of forest growth responses to environmental stress*, edited by R. K. Dixon, R. S. Meldahl, G. A. Ruark and W. G. Warren, pp. 159-165, Timber Press, Portland, 1990a.

- Hänninen, H., Modelling bud dormancy release in trees from cool and temperate regions., *Acta Forest. Fenn.*, 213, 1-47, 1990b.
- Hänninen, H., S. Kellomäki, K. Laitinen, B. Pajari and, T. Repo, Effect of increased winter temperature on the onset of height growth of Scots pine: a field test of a phenological model, *Silva Fenn.*, 27, 251-257, 1993.
- Hanssen-Bauer, I., O. E. Tveito, and E. J. Förland, Precipitation scenarios for Norway: Empirical downscaling from the ECHAM4/OPYC3 GSDIO integration, *Det norske meteorologiske institutt, Report 10*, 1-39, 2001.
- Hanssen-Bauer, I., O. E. Tveito, and E. J. Förland, Temperature scenarios for Norway: Empirical downscaling from the ECHAM4/OPYC3 GSDIO integration, *Det norske meteorologiske institutt, Report 24*, 1-53, 2000.
- Hardege, J. D., and M. G. Bentley, Spawning synchrony in *Arenicola marina*: evidence for sex pheromonal control, *Proc. Royal Soc. London, Series B. Biol.Sci.* 264, 1941-1047, 1997.
- Harrington, R. W., Effects of four combinations of temperature and daylength on the ovogenetic cycle of a low-latitude fish, *Fundulus confluentus* GOODE and BEAN, *Zoologica, N. Y.*, 44, 149-168, 1959.
- Hartshorn, G., and B. E. Hammel, Vegetation types and floristic patterns, in *La Selva, Ecology and Natural History of a Neotropical Rain Forest*, edited by L. McDade, K. S. Bawa, H. A. Hespenheide, and G. Hartshorn, pp. 73-89, University of Chicago Press, Chicago, 1994.
- Hastie, T. J., and R. J. Tibshirani, *Generalized additive models*, Chapman and Hall, New York, 335 pp., 1999.
- Haviland, E., Flowering seasons of Australian plants No 1, *Proc. Linn. Soc. N.S.W.*, 1, 1049, 1886a.
- Haviland, E., Flowering seasons of Australian plants No 2, *Proc. Linn. Soc. N.S.W.*, 1, 1102-1103, 1886b.
- Haviland, E., Flowering seasons of Australian plants No 3, *Proc. Linn. Soc. N.S.W.*, 2, 105-106, 1887a.
- Haviland, E., Flowering seasons of Australian plants No 4, *Proc. Linn. Soc. N.S.W.*, 2, 135-136, 1887b.
- Haviland, E., Flowering seasons of Australian plants No 5, *Proc. Linn. Soc. N.S.W.*, 2, 185-186, 1887c.
- Haviland, E., Flowering seasons of Australian plants No 6, *Proc. Linn. Soc. N.S.W.*, 2, 348, 1887d.
- Haviland, E., Flowering seasons of Australian plants No 7, *Proc. Linn. Soc. N.S.W.*, 3, 565, 1887e.
- Haviland, E., Flowering seasons of Australian plants No 8, *Proc. Linn. Soc. N.S.W.*, 3, 267-268, 1888.
- Hawkins, P. J., *Establishment of regeneration of narrow-leaf ironbark (Eucalyptus crebra) by top burning following logging*, Research Note No. 7, Queensland Forest Service, Brisbane, 18 pp., 1959.
- Hayden, B. P., Regional climate and the distribution of tallgrass prairie, in *Grassland Dynamics: Long-Term Ecological Research in Tallgrass Prairie*, edited by A. K. Knapp, D. C. Hartnett, J. M. Briggs, and S. Collins, pp. 19-34, Oxford University Press, New York, 1998.
- He, C., K. Kittleson, and J. Bartholic, Evapotranspiration monitored from satellite as an indication of shift and impact of vegetation change, *Preprints of the Twenty-First International Symposium on Remote Sensing of Environment*, Ann Arbor, MI, 1987.
- Head, L., The value of long-term perspective: environmental history and traditional ecological knowledge, in *Traditional Ecological Knowledge: Wisdom for Sustainable Development*, edited by N.M. Williams and G. Baines, pp. 66-70, Centre for Resources and Environmental Studies, Canberra, 1993.
- Heide, O. M., Control of flowering and reproduction in temperate grasses, *New Phytologist*, 128, 347-362, 1994.
- Heide, O. M., Daylength and thermal time response of budburst during dormancy release in some northern deciduous trees, *Physiol. Plant.*, 88, 531-540, 1993.
- Heide, O. M., Dormancy release in beech buds (*Fagus sylvatica*) requires both chilling and long days, *Physiol. Plant.*, 89, 187-191, 1993.
- Heide, O. M., Physiological aspects of climatic adaptation in plants with special references to high-latitude environments, in *Plant Production in the North*, edited by Aa. Kaurin, O. Junttila and J. Nilsen, pp. 1-22, Norwegian University Press, Tromsø, 1985.
- Heide, O., Daylength and thermal time responses of budburst during dormancy release in some northern deciduous trees, *Physiologia Plantarum*, 88, 531-540, 1993.
- Heikinheimo, O., Results of the experiments on the geographical races of spruce and pine, (in Finnish with English summary), *Comm. Inst. For. Fenn.*, 37, 1-44, 1949.
- Helversen, O. V., Adaptations of flowers to the pollination by Glossophaginae bats, *Animal-plant interactions in tropical environments*, edited by W. Barthlott, pp. 41-49, Alexander Koenig Museum, Bonn, Germany, 1993.
- Henderson, A., B. Fischer, A. Scariot, M. A. W. Pacheco, and R. Pardini, Flowering phenology of a palm community in a central Amazon forest, *Brittonia*, 52, 149-159, 2000.
- Henderson, R. A., D. L. Lovell, and E. A. Howell, The flowering responses of 7 grasses to seasonal timing of prescribed burns in remnant Wisconsin prairie, in *Proceedings of the Eighth North American Prairie Conference*, edited by R. Brewer, pp. 7-10, Western Michigan University, Kalamazoo, MI, 1983.
- Henderson-Sellers, A., and M. F. Wilson, Surface albedo for climatic modeling, *Reviews of Geophysics and Space Physics*, 21, 1743-1778, 1983.
- Henebry, G. M., and D. G. Goodin, Landscape trajectory analysis: toward spatio-temporal models of biogeophysical fields for ecological forecasting, in *Workshop on Spatio-temporal Data Models of Biogeophysical Fields for*

- Ecological Forecasting: April 8-10, 2002, San Diego Supercomputer Center, La Jolla, California*, edited by G. M. Henebry, pp. 9-13, CALMIT, University of Nebraska, Lincoln, NE, 2002.
- Henry, E. C., Regulation of reproduction in brown algae by light and temperature, *Botanica Marina*, 31, 353-357, 1988.
- Henry, G. H. R., and U. Molau, Tundra plants and climate change: the International Tundra Experiment (ITEX), *Global Change Biology*, 3, Suppl. 1, 1-9, 1997.
- Heyen, H., H. Fock, and W. Greve, Detecting relationships between the interannual variability in ecological time series and climate using a multivariate statistical approach - a case study on Helgoland Roads zooplankton, *Clim. Res.*, 10, 179-191, 1998.
- Heywood, V. H., G. M. Mace, R. M. May, and S. N. Stuart, Uncertainties in extinction rates, *Nature*, 368, 105, 1994.
- Hickman, K., Rhythms of Life Update, in *Timelines Australia Project News*, vol. 6, pp. 5, 2002.
- Hicks, B. B., J. J. DeLuisi, and D. R. Matt, The NOAA Integrated Surface Irradiance Study (ISIS)—A new surface radiation monitoring program, *Bull. Amer. Meteorol. Soc.*, 77, 2857-2864, 1996.
- Hilty, S. L., Flowering and Fruiting Periodicity in a Premontane Rain-Forest in Pacific Colombia, *Biotropica*, 12, 292-306, 1980.
- Hofer, H. R., Veränderungen in der Vegetation von 14 Gipfeln des Berninagebietes zwischen 1905 und 1985, Berichte des Geobotanischen Instituts der ETH Zürich, *Stiftung Rübel*, 58, 39-54, 1992.
- Hoffmann, A. J., and M. J. Walker, Growth habits and phenology of drought-deciduous species in an altitudinal gradient, *Can. J. Botany*, 58, 1789-1796, 1980.
- Högda, K. A., S. R. Karlsen, and I. Solheim, Climatic change impact on growing season in Fennoscandia studied by a time series of NOAA AVHRR NDVI data, *Proc. IGARSS 2001*, Sydney, Australia, ISBN 0-7803-7033-3, pp. 1-3, 2001.
- Högda, K. A., S. R. Karlsen, I. Solheim, H. Tømmervik, and H. Ramfjord, The start dates of birch pollen seasons in Fennoscandia studied by NOAA AVHRR NDVI data, *Proc. IGARSS 2002*, Toronto, Canada, ISBN 0-7803-7536-X, pp. 1-3, 2002.
- Hogg, I. D., D. D. Williams, J. M. Eadie and S. A. Butt, The consequences of global warming for stream invertebrates: A field simulation, *J. Thermal Biol.*, 20, 199-206, 1995.
- Holbrook, N. M., J. L. Witbeck, and H. A. Mooney, Drought responses of Neotropical dry forest trees, in *Seasonally Tropical Forests*, edited by H. A. Mooney, S. H. Bullock, and E. Medina, pp. 243-276, Cambridge University Press, Cambridge, UK, 1995.
- Holdridge L., *Life Zone Ecology*, Tropical Science Centre, San Jose, Costa Rica, 206 pp., 1967.
- Holmboe, J., Vaarens utvikling i Tromsø amt, (in Norwegian), *Bergens Mus. Aarb.*, 1912, 1-248, 1913.
- Holway, J. G., and R. T. Ward, Phenology of alpine plants in northern Colorado, *Ecology*, 46, 73-83, 1965.
- Holway, J. G., and R. T. Ward, Snow and meltwater effects in an area of Colorado alpine, *Amer. Midland Naturalist*, 69, 189-197, 1963.
- Hope, A. S., Monitoring ecosystem response to global change: high spatial resolution digital imagery, in *Ecological Studies: Global change and Mediterranean-type ecosystems*, vol. 117, edited by J. M. Moreno, and W. C. Oechel, pp. 43-85, Springer-Verlag, New York, 1995.
- Hopkins, A. D., and M. A. Murray, Natural guides to the beginning, length and progress of seasons, *Acta Phaenologica*, 2, 33-43, 1933.
- Hopkins, A. D., *Bioclimatics - a science of life and climate relations*, U.S. Dept. Agr. Misc. Publ. 280, Washington, 1938.
- Hopp, R. J., ed., *Phenology: an aid to agricultural technology*, *Vt. Agric. Exper. Sta. Bull.*, 684, Vermont Agricultural Experiment Station, Burlington, 51 pp., 1978.
- Hopp, R. J., Plant Phenology Observation Networks, in *Phenology and Seasonality Modeling*, edited by H. Lieth, pp. 25-43, Springer-Verlag, New York, 1974.
- Hörmann, G., and F.-M. Chmielewski, Consequences for agriculture and forestry, Chapter 3.32, in *The climate of the 21st century*, edited by J. L. Lozan, P. Hupfer, and H. Grassl, pp. 322-330, Wissenschaftliche Auswertungen, Hamburg, 2001.
- Horstmeyer, S., Building blocks – What goes on in a cubic meter of air?, *Weatherwise*, 54(5), 20-27, 2001.
- Hough, F. B., Observations upon periodical phenomena in plants and animals from 1851 to 1859, with tables of the dates of opening and closing of lakes, rivers, harbors, etc., in Results of Meteorological Observations, Made Under the Direction of the United States Patent Office and the Smithsonian Institution, from the year 1854 to 1859, inclusive, *Rept. of the Commissioner of Patents*, Vol. 2, Part 1, Exec. Doc. 55, 36th Congress, 1st Session, U.S. Government Printing Office, Washington, 1864.
- Houghton, S., Australian Natural History Medal: Alan Reid, *Victorian Nat.*, 110, 228-229, 1993.
- Hover, E. I. and T. B. Bragg, Effect of season of burning and mowing on an eastern Nebraska Stipa-Andropogon prairie, *Amer. Midland Naturalist*, 105, 13-18, 1981.

- Howe, H. F., Implications of seed dispersal by animals for tropical reserve management, *Biological Conservation*, 30, 261-281, 1984.
- Howell, S. N. G., J. R. King and C. Corben, First prebasic molt in herring-, Thayer's-, and glaucous-winged gulls, *J. Field Ornithology*, 70, 543-554, 1999.
- Huete, A. R., A soil adjusted vegetation index (SAVI), *Remote Sensing Environ.*, 25, 295-309, 1988.
- Huete, A. R., H. Q. Liu, K. Batchily, and W. vanLeeuwen, A comparison of Vegetation indices over a global set of TM images for EOS-MODIS, *Remote Sensing Environ.*, 59, 440-451, 1997.
- Hughes, L., Biological consequences of global warming: is the signal already apparent? *Tree*, 15, 56 – 61, 2000.
- Huglin, P., *Nouveau mode d'evaluation des possibilites heliothermiques d'un milieu viticole*, C. R. Academy of Agriculture in France (1117-1126), 1978.
- Huin, N., and T. H. Sparks, Arrival and progression of the Swallow *Hirundo rustica* through Britain, *Bird Study*, 45, 361-370, 1998.
- Huin, N., and T. H. Sparks, Spring arrival patterns of the Cuckoo *Cuculus canorus*, Nightingale *Luscinia megarhynchos* and Spotted Flycatcher *Muscicapa striata* in Britain, *Bird Study*, 47, 22-31, 2000.
- Hulbert, L. C., and J. K. Wilson, Fire interval effects on flowering of grasses in Kansas Bluestem Prairie, in *Proceedings of the Seventh North American Prairie Conference; 1980 August 4-6; Springfield, MO*, edited by C. L. Kucera, pp. 255-257, University of Missouri, Columbia, MO, 1983.
- Hunter, A. F., and M. J. Lechowicz, Predicting the timing of budburst in temperate trees, *J. of Appl. Ecol.*, 29, 597-604, 1992.
- Hutchinson, M. F., Stochastic space-time weather models from ground-based data, *Agric. Forest Meteorol.*, 73, 237-264, 1995.
- Hutchinson, M. F., The application of thin-plate smoothing splines to continent-wide data assimilation, in *Data assimilation systems*, edited by J. D. Jasper, pp. 104-113, BMRC Res. Rep. No. 27, Melbourne Bureau of Meteorology, 1991.
- Huynen, M., B. Menne, H. Behrendt, R. Bertollini, S. Bonini, R. Brandao, C. Brown-Fahrlaender, B. Clot, C. D'Ambrosio, P. de Nuntii, K.L. Ebi, J. Emberlin, E. Erdei Orbanne, C. Galan, S. Jaeger, S. Kovats, P. Mandioli, P. Martens, A. Menzel, B. Nyenzi, A. Rantio-Lehtimaeki, J. Ring, O. Rybnicek, C. Traidl-Hoffmann, A. vanVliet, T. Voigt, S. Weiland, and M. Wickman, Phenology and human health: allergic disorders, *Health and Global Environmental Change Series No.1.*, EUR/o3/5036791, Rome, Italy, 55 pp., 2003.
- Hydrometeorological Printing House, Methodology for hydrometeorological stations and observation points 11, *Agrimeteorological observations in stations and observation points, 3rd edition* (in Russian), Hydrometeorological Printing House, Leningrad, 186 pp., 1973.
- Hydrometeorological Printing House, *Natural calendars of North Western USSR* (in Russian), Geographical Society of USSR, Hydrometeorological Printing House, Leningrad, 71 pp., 1965.
- Idso, S. B., R. D. Jackson, P. J. Pinter, R. J. Reginato, and J. L. Hatfield, Normalizing the stress-degree-day parameter for environmental variability, *Agric. Meteorol.*, 24, 45-55, 1981.
- Idso, S. B., R. D. Jackson, R. J. Reginato, B. A. Kimball, and F. S. Nakayama, The dependence of bare soil albedo on soil water content, *J. Appl. Meteorol.*, 14, 109-113, 1975.
- Ihne, E., *Über phänologische Jahreszeiten*, Naturw. Wehchenschr., Berlin, 10 pp., 1895.
- Imhoff, M., W. Lawrence, C. Elvidge, T. Paul, E. Levine, M. Privalsky, and V. Brown, Using nighttime DMSP/OLS images of city lights to estimate the impact of urban land use on soil resources in the United States, *Remote Sens. Environ.*, 59, 105-117, 1997.
- Ims, R. A., On the adaptive value of reproductive synchrony as a predator-swamping strategy, *Am. Nat.*, 136, 485-498, 1990a.
- Ims, R. A., The ecology and evolution of reproductive synchrony, *Trends Ecol. Evol.*, 5, 135-140, 1990b.
- Innes, J. L., J. Böhm, J. B. Bucher, M. Dobbertin, E. Jansen, P. Kull, A. Rigling, L. Walthert, S. Zimmermann, and S. Sanasilva-Bericht, *Der Zustand des Schweizer Waldes*, Ber. Eidgenöss. Forsch. anst. Wald Schnee Landsch., 339, 60 pp., 1994.
- Inouye, D. W., and G. H. Pyke, Pollination biology in the Snowy Mts. of Australia, with comparisons with montane Colorado, U. S. A., *Australian J. Ecology*, 13, 191-210, 1988.
- Inouye, D. W., B. Barr, K. B. Armitage, and B. D. Inouye, Climate change is affecting altitudinal migrants and hibernating species, *Proc. Nat. Acad. Science(USA)*, 97, 1630-1633, 2000.
- Inouye, D. W., M. Morales, and G. Dodge, Variation in timing and abundance of flowering by *Delphinium barbeyi* Huth (Ranunculaceae): the roles of snowpack, frost, and La Niña, in the context of climate change, *Oecologia*, 139, 543-550, 2002.
- Inouye, D. W., The ecological and evolutionary significance of frost in the context of climate change, *Ecol. Letters*, 3, 457-463, 2000.

- Institute of Geography at Chinese Academy of Sciences, *Yearbook of Chinese Animal and Plant Phenological Observation No. 1*, Science Press, Beijing, 122 pp., 1965.
- Institute of Geography at Chinese Academy of Sciences, *Yearbook of Chinese Animal and Plant Phenological Observation No. 8*, Geology Press, Beijing, 247 pp., 1988.
- Institute of Geography at Chinese Academy of Sciences, *Yearbook of Chinese Animal and Plant Phenological Observation No. 9*, Geology Press, Beijing, 268 pp., 1989a.
- Institute of Geography at Chinese Academy of Sciences, *Yearbook of Chinese Animal and Plant Phenological Observation No. 10*, Survey and Drawing Press, Beijing, 281 pp., 1989b.
- Institute of Geography at Chinese Academy of Sciences, *Yearbook of Chinese Animal and Plant Phenological Observation No. 11*, Chinese Science and Technology Press, Beijing, 347 pp., 1992.
- Intergovernmental Panel on Climate Change Working Group I, *Climate Change 2001: The Scientific Basis*, Cambridge University Press, Cambridge, 2001.
- Intergovernmental Panel on Climate Change, *Climate change 1995: The Science of Climate Change*, edited by J. E. Houghton, L. G. Meira Filho, B. A. Callander, N. Harris, A. Kattenberg, and K. Maskell, Cambridge University Press, Cambridge, 572 pp., 1996.
- Intergovernmental Panel on Climate Change, *Climate Change 2001: Impacts, Adaptation and Vulnerability*, edited by J. J. McCarthy, O. F. Canziani, N. A. Leary, D. J. Dokken, and K. S. White, Cambridge University Press, Cambridge, 1032 pp., 2001.
- International Council for the Exploration of the Sea (ICES), Report of the Working Group on Zooplankton Ecology, *ICES CM, C:07*, 1-57, 2002.
- International Union for the Conservation of Nature, *Biological diversity of dry land, Mediterranean, arid, semiarid, savanna, and grassland ecosystems*, World Conservation Union: Fourth meeting of subsidiary body on scientific, technical, and technological advice, Montreal, Canada, 1999.
- Isaaks, E. H., and R. M. Srivastava, *An introduction to applied geostatistics*, Oxford University Press, New York, 561 pp., 1989.
- Jaagus J., and R. Ahas, Space-time variations of climatic seasons and their correlation with the phenological development of nature in Estonia, *Climate Res.*, 15(3), 207-219, 2000.
- Jaagus, J., and R. Ahas, Space-time variations of climatic seasons and their correlation with the phenological development of nature in Estonia, *Clim. Res.*, 15, 207-219, 2000.
- Jackson, D. I., and N. J. Cherry, Prediction of a district's grape-ripening capacity using a latitude-temperature index, *Amer. J. Enology and Viticulture*, 39(1), 19-28, 1988.
- Jackson, D. I., and P. B. Lombard, Environmental and management practices affecting grape composition and wine quality – a review, *Amer. J. Enology and Viticulture*, 44(4), 409-430, 1993.
- Jackson, D., and D. Schuster, *The Production of Grapes and Wine in Cool Climates*, Butterworths Horticultural Books, New Zealand, 208 pp., 1987.
- Jackson, J. F., Seasonality of Flowering and Leaf-Fall in a Brazilian Sub-Tropical Lower Montane Moist Forest, *Biotropica*, 10, 38-42, 1978.
- Jackson, L. E., and L. C. Bliss, Distribution of ephemeral herbaceous plants near treeline in the Sierra Nevada, California, U.S.A., *Arctic and Alpine Research*, 14, 33-42, 1982.
- Jackson, L. E., and L. C. Bliss, Phenology and water relations of three plant life-forms in a dry treeline meadow, *Ecology*, 65, 1302-1314, 1984.
- Jackson, M., Effects of microclimate on spring flowering phenology, *Ecology*, 47, 407-415, 1966.
- Jackson, R. D., S. B. Idso, R. J. Reginato, and P. J. Pinter, Canopy temperature as a crop water stress indicator, *Water Resour. Res.*, 13, 651-656, 1981.
- Jameson, G., Middle Yarra Timelines: High Summer, *Victorian Nat.*, 113, 26-28, 1996.
- Jameson, G., Timelines Calendars: Entering the landscape, in *Getting to the heart of it:*
- Janisch, E., The influence of temperature on the life-history of insects, *Trans. Entomological Society of London*, 80, 137-168, 1932.
- Janzen, D. H., *Costa Rica Natural History*, University of Chicago Press, Chicago, 816 pp., 1983.
- Janzen, D. H., Herbivores and the number of tree species in tropical forests, *American Naturalist*, 104, 501-528, 1970.
- Janzen, D. H., Reduction of seed predation on *Bauhinia pauletia* (Leguminosae) through habitat destruction in a Costa Rican deciduous forest, *Brenesia 14/15*, 325-336, 1978.
- Janzen, D. H., Synchronization of sexual reproduction of trees within dry season in Central America, *Ecology*, 21, 620-637, 1967.
- Japanese Agrometeorological Society, *Fundamental Agrometeorology*, Chinese translation by H. Hou, Science Press, Beijing, 426 pp., 1963.
- Japanese Meteorological Agency, *The Manual of Phenological Observation* (in Japanese), Tokyo, 88 pp., 1953.

- Jaramillo, M. A., and J. Cavelier, Fenología de dos especies de *Tillandsia* (Bromeliaceae) en un bosque montano alto de la Cordillera Oriental Colombiana, *Selbyana*, 19, 44-51, 1998.
- Jarman, H. E. A., Proceedings of the Annual congress of the Royal Australian Ornithological Union, *Emu*, 49, 238, 1950.
- Jeanneret, F., *International bibliography of phenology*, Institute of Geography, University of Berne, Switzerland, 68 pp., 1997.
- Jeanneret, F., Phänologie in einem Querschnitt durch Jura, Mittelland und Alpen, *Jb. Gg. Ges. BE*, 59, 159-203, 1996.
- Jenkins, D., and A. Watson, Dates of first arrival and song of birds during 1974-99 in mid-Deeside, Scotland., *Bird Study*, 47, pp. 249-251, 2000.
- Jimenez, J., and V. Ruiz, Phenological development of *Vitis vinifera* L. in Castilla – La Mancha (Spain), A study of 21 cultivars (10 red and 11 white cultivars), *Acta Horticulturae*, 388, 105-110, 1995.
- Joedicke, R., Autumnal phenology of central European Odonata. 2. Observations in the Lower Rhine Region, Germany, *Opuscula Zoologica Fluminensia (Opusc. Zool. Flumin.)*, 159, 1-20, 1998.
- Joern, A., and K. H. Keeler, Getting the lay of the land: Introducing North American native grasslands, in *The Changing Prairie*, edited by A. Joern and K. H. Keeler, pp. 11-24, Oxford University Press, New York, 1995.
- Johansson, O. V., Det fenologiska observationsmaterialet i Finland och provstudier av detsamma, (in Swedish), *Finlands Natur och Folk*, 88(8), 1-118, 1946.
- Johansson, O. V., Die Phänologie in Finland, *Soc. Sci. Fenn., Comm. Biol.*, 11(1), 1-55, 1953.
- Johnson, M. E., and E. A. Fitzpatrick, A comparison of methods of estimating a mean diurnal temperature curve during the daylight hours, *Arch. Meteorol. Geophys. Bioklimatol., Series B*, 25, 251-263, 1977.
- Johnston, A., *Plants and the Blackfoot, Occas. Paper No. 15*, Lethbridge Historical Society, Historical Society of Alberta, Lethbridge, 1987.
- Jones, D., S. Mackay, and A.-M. Pisani, Patterns in the valley of the christmas bush: A seasonal calendar for the Upper Yarra Valley, *Victorian Nat.*, 114, 246-249, 1997.
- Jones, G. V., *A Synoptic Climatological Assessment of Viticultural Phenology*, Ph.D. dissertation, Department of Environmental Sciences, University of Virginia, 1997.
- Jones, G. V., and R. E. Davis, Climate influences on grapevine phenology, grape composition, and wine production and quality for Bordeaux, France, *Amer. J. Enology and Viticulture*, 51, 249-261, 2000.
- Jones, G. V., and R. E. Davis, Climate influences on grapevine phenology, grape composition, and wine production and quality for Bordeaux, France, *Amer. J. Enology and Viticulture*, 51(3), 249-261, 2000b.
- Jones, G. V., and R. E. Davis, Using a synoptic climatological approach to understand climate/viticulture relationships, *Int. J. Climatology*, 20, 813-837, 2000a.
- Jönsson, P., and L. Eklundh. Seasonality extraction by function fitting to time-series of satellite sensor data, *IEEE Transactions on Geoscience and Remote Sensing*, 40, 1824-1832, 2002.
- Jonzén, N., A. Hedenström, C. Hjort, Å. Lindström, P. Lundberg, and A. Andersson, Climate patterns and the stochastic dynamics of migratory birds, *Oikos*, 97, 329-336, 2002.
- Juanes, F., J. A. Buckel and D. O. Conover, Accelerating the onset of piscivory: intersection of predator and prey phenologies, *J. Fish Biology*, 45, 41-54, 1994.
- Junk, W. J., P. B. Bayley and R. E. Sparks, The Flood Pulse Concept in River-Floodplain Systems, in *Proceedings of the International Large River Symposium*, edited by D. P. Dodge, pp. 110-127, 1989.
- Junttila, O., C. Stushnoff, and L. V. Gusta, Dehardening in flower buds of saskatoon-berry, *Amelanchier alnifolia*, in relation to temperature, moisture content, and spring bud development, *Can. J. Bot.*, 61, 164-170, 1983.
- Justiniano, M. J., and T. S. Fredericksen, Phenology of tree species in Bolivian dry forests, *Biotropica*, 32, 276-281, 2000.
- Kaduk, J., and M. Heimann, A prognostic phenology scheme for global terrestrial carbon cycle models, *Clim. Res.*, 6, 1-19, 1996.
- Kai, K., M. Kainuma, N. Murakoshi, and K. Omasa, Potential effects on the phenological observation of plants by global warming in Japan, *J. Agricult. Meteorol.*, 48 (5), 771-774, 1993.
- Kalacska, M., G. A. Sánchez-Azofeifa, B. Rivard, P. Arroyo-Mora, R. Hall, J. Zhang, and K. Dutchak, Implications of phenological changes in the extraction of Mesoamerican Tropical Dry Forests through remote sensing: A case study from Costa Rica and Mexico, Proceedings of the International Conference, pp. 84-85, Wageningen University, The Netherlands, 2001.
- Kalamees, K., Estonian mycophenological seasons, in *Estonian phenological calendar*, edited by R. Ahas, pp. 119-138, Publicationes Instituti Geographici Universitatis Tartuensis 90, 2001.
- Kalela, A., Zur Synthese der experimentellen Untersuchungen über Klimarassen der Holzarten, *Comm. Inst. For. Fenn.*, 26, 1-445, 1938.

- Karl, T. R., P. D. Jones, R. W. Knight, G. Kukla, N. Plummer, V. Razuvayev, K. P. Gallo, J. Lindsey, R. J. Charlson, and T. C. Peterson, A new perspective on recent global warming: Asymmetric trends of daily maximum and minimum temperature, *Bull. Amer. Meteor. Soc.*, *74*, 1007-1023, 1993.
- Karlsen, S. R., H. Tømmervik, I. Solheim, B. Johansen, K. A. Högda, and O. Engelsen, Satellite based phenology study in eastern part of Finnmark, northern Norway, *NORUT IT 450/15-98*, ISBN 82-7747-094-0, pp. 1-35, NORUT, Tromsø, 1998.
- Kaufman, Y. J., and D. Tanré, Atmospherically resistant vegetation index (ARVI) for EOS-MODIS, *IEEE Transactions Geosciences and Remote Sensing*, *30*, 2-27, 1992.
- Keatley, M. R., and M. Murray, *An examination of the reproductive phenology of Eucalyptus tricarpa* (DRAFT), Forest Science Centre, Orbost, Victoria, 31 pp., 2001.
- Keatley, M. R., I. L. Hudson, and T. D. Fletcher, The use of long-term records for describing flowering behaviour: A case-study in Victorian Box-Ironbark Forests., in *Australia's Ever-changing Forests IV*, edited by J. Dargavel and B. Wasser, pp. 311-328, Australian University Press, Canberra, 1999.
- Kebart, K. K., and R. C. Anderson, Phenological and climatic patterns in three tallgrass prairies, *Southwestern Naturalist*, *32*, 29-37, 1987.
- Keech, M. A., R. T. Bowyer, J. M. Ver Hoef, R. D. Boertje, B. W. Dale, and T. R. Stephenson, Life-history consequences of maternal condition in Alaskan moose, *J. Wildl. Manage.*, *64*, 450-462, 2000.
- Keeling, C. D., J. F. S. Chin, and T. P. Whorf, Increased activities of northern vegetation inferred from atmospheric CO₂ measurements, *Nature*, *382*, 146-149, 1996.
- Keller, C., and M. Baggiolini, Les stades repères dans la végétation du blé, *Revue Romande d' Agriculture* *10*(3), 17-30, 1954.
- Kellomäki, S., H. Hänninen, and M. Kolström, Computations on frost damage to Scots pine under climatic warming in boreal conditions, *Ecol. Appl.*, *5*, 42-52, 1995.
- Kelly, D., A. L. Harrison, W. G. Lee, I. J. Payton, P. R. Wilson, and E. M. Schaubert, Predator satiation and extreme mast seeding in 11 species of *Chionochloa* (Poaceae), *Oikos*, *90*, 477-488, 2000.
- Kenny, G. J., and P. A. Harrison, The effects of climate variability and change on grape suitability in Europe, *J. Wine Research*, *3*, 163-183, 1992.
- Kiehl, J., J. Hack, G. B. Bonan, B. Bonville, D. L. Williamson, and P. J. Rasch, The National Center for Atmospheric Research Community Climate Model: CCM3, *J. Climate*, *11*, 1131-1149, 1998.
- Kikuzawa, K., A cost-benefit analysis of leaf habit and leaf longevity of trees and their geographical pattern., *Am. Nat.*, *138*, 1250-1263, 1991.
- Kikuzawa, K., and G. Kudo, Effects of the length of the snow-free period on leaf longevity in alpine shrubs: a cost-benefit model, *Oikos*, *73*, 214-220, 1995.
- Kikuzawa, K., Geographical distribution of leaf life span and species diversity of trees simulated by a leaf-longevity model., *Vegetatio*, *122*, 61-67, 1996.
- Kikuzawa, K., Leaf phenology as an optimal strategy for carbon gain in plants, *Can. J. Bot.*, *73*, 158-163, 1995b.
- Kikuzawa, K., The basis for variation in leaf longevity of plants, *Vegetatio*, *121*, 89-100, 1995a.
- Kimball, J. S., S. W. Running, and R. Nemani, An improved method for estimating surface humidity from daily minimum temperatures, *Agric. For. Meteorol.*, *85*, 87-98, 1997.
- Kinne, O., The effects of temperature and salinity on marine and brackish water animals, *I. Temperature. Oceanogr. Mar. Biol. A. Rev.*, *1*, 301-340, 1963.
- Kittel, T. G. F., N. A. Rosenbloom, T. H. Painter, D. S. Schimel, and V. M. Participants, The VEMAP integrated database for modelling United States ecosystem/vegetation sensitivity to climate change, *J. Biogeogr.*, *22*, 857-862, 1999.
- Kittel, T. G. F., P. E. Thornton, J. A. Royle, and T. N. Chase, Climates of the Rocky Mountains: historical and future patterns, in *Rocky Mountain Futures: An Ecological Perspective*, edited by J. Baron, D. Fagre and R. Hauer, pp. 59-82, Island Press, Covelo, CA, 2002.
- Klavness, D., and F. E. Wielgolaski, Plant phenology in Norway – a summary of past and present first flowering dates (FFDs) with emphasis on conditions within three different areas, *Phenol. Season.*, *1*, 47-61, 1996.
- Klein, D. R., Variation in quality of caribou and reindeer forage plants associated with season, plant part, and phenology, Special Issue, *Rangifer*, *3*, 123-130, 1990.
- Klemm, M., Der gegenwärtige Stand der Frage über die Schädlichkeit des Apfelblütenstechers (*Anthonomus pomorum* L.). *Z. Angew. Entomologie*, *23*, 223-264, 1937.
- Kline, D. E., J. F. Reid, and F. E. Woeste, *Computer simulation of hourly dry-bulb temperatures*, Virginia Agricultural Experiment Station, No. 82-5, Virginia Politechnical Institute and State University, Blacksburg, 18 pp., 1982
- Knapp, A. K., and L. C. Hulbert, Production, density and height of flower stalks of three grasses in annually burned and unburned eastern Kansas tallgrass prairie: a four year record, *Southwestern Naturalist*, *31*, 235-241, 1986.

- Knapp, A. K., and M. D. Smith, Variation among biomes in temporal dynamics of aboveground primary production, *Science*, 291, 481-484, 2001.
- Knapp, A. K., and T. R. Seastedt. Detritus accumulation limits productivity of tallgrass prairie, *BioScience*, 36, 662-668, 1986.
- Knapp, A. K., Early season production and microclimate associated with topography in a C₄ dominated grassland, *Acta Oecologica/Oecologica Plantarum*, 6, 337-346, 1985.
- Knapp, A. K., J. M. Briggs, J. M. Blair, and C. L. Turner, Patterns and controls of aboveground net primary production in tallgrass prairie, in *Grassland Dynamics: Long-Term Ecological Research in Tallgrass Prairie* edited by A. K. Knapp, D. C. Hartnett, J. M. Briggs, and S. Collins, pp. 193-221, Oxford University Press, New York, 1998.
- Knapp, A. K., Post-burn differences in solar radiation, leaf temperature and water stress influencing production in a lowland tallgrass prairie, *American Journal of Botany*, 71, 220-227, 1984a.
- Knapp, A. K., Water relations and growth of three grasses during wet and drought years in tallgrass prairie, *Oecologia*, 65, 35-43, 1984b.
- Knight, D. H., B. S. Rogers, and C. R. Kyte, Understory plant growth in relation to snow duration in Wyoming subalpine forest, *Bull. Torrey Botanical Club*, 104, 314-319, 1977.
- Kobayashi, K. D., and L. H. Fuchigami, Modeling bud development during the quiescent phase in red-osier dogwood (*Cornus sericea* L.), *Agr. Meteo.*, 28, 75-84, 1983a.
- Kobayashi, K. D., and L. H. Fuchigami, Modelling temperature effects in breaking rest in Red-osier Dogwood (*Cornus sericea* L.), *Ann. Bot.*, 52, 205-215, 1983b.
- Kobayashi, K. D., L. H. Fuchigami, and M. J. English, Modelling temperature requirements for rest development in *Cornus sericea*, *J. Am. Soc. Hor. Sci.*, 107, 914-918, 1982.
- Kobel, F., *Lehrbuch des Obstbaus auf physiologischer Grundlage*, Springer-Verlag, Heidelberg, 422 pp., 1954.
- Koike, S., and H. Higuchi, Long-term trends in the egg-laying date and clutch size of Red-cheeked Stalings *Sturnia philippensis*, *Ibis*, 144, 150-152, 2002.
- Kok, O. B., C. A. Van Ee, and D. G. Nel, Daylength determines departure date of the spotted flycatcher *Muscicapa striata* from its winter quarters, *Ardea*, 79, 63-66, 1991.
- Kokorin A. O., A. V. Kozharinov, and A. A. Minin (Eds.), Climate change impact on Ecosystems, Nature protected areas in Russia, analyses of long-term observations, *WWF Russia policy book No. 4* (in Russian with English Summaries), World Wildlife Foundation, 174 pp., 2001.
- Köppen, W., Wechsel der phänologischen Zeitenfolge, *Meteorol. Z.*, 44, 175-177, 1927.
- Kozlov, M., and N. Berlina, Decline in the length of the summer season on the Kola peninsula, Russia, *Climatic Change*, 54, 387-398, 2002.
- Kramer, K., A modelling analysis of the effects of climatic warming on the probability of spring frost damage to tree species in The Netherlands and Germany, *Plant, Cell and Env.*, 17, 367-377, 1994a.
- Kramer, K., A. D. Friend, and I. Leinonen, Modelling comparison to evaluate the importance of phenology and spring frost damage for the effects of climate change on growth of mixed temperate-zone deciduous forests, *Clim. Res.*, 7, 31-41, 1996.
- Kramer, K., and G. M. J. Mohren, Sensitivity of FORGRO to climatic change scenarios: a case study on *Betula pubescens*, *Fagus sylvatica* and *Quercus robur* in the Netherlands, *Clim. Change*, 34, 231-237, 1996.
- Kramer, K., I. Leinonen, and D. Loustau, The importance of phenology for the evaluation of impact of climate change on growth of boreal, temperate and Mediterranean forest ecosystems: an overview, *Int. J. Biometeorol.*, 44, 67-75, 2000.
- Kramer, K., Modelling comparison to evaluate the importance of phenology for the effects of climate change on growth of temperate-zone deciduous trees, *Clim. Res.*, 5, 119-130, 1995.
- Kramer, K., Modelling comparison to evaluate the importance of phenology for the effects of climate change in growth of temperate-zone deciduous trees, *Clim. Res.*, 5, 119-130, 1995a.
- Kramer, K., Phenotypic plasticity of the phenology of seven European tree species in relation to climatic warming, *Plant, Cell and Env.*, 18, 93-104, 1995b.
- Kramer, K., Selecting a model to predict the onset of growth of *Fagus sylvatica*., *J. Appl. Ecol.*, 31, 172-181, 1994b.
- Kramer, O., Über die Blütenknospen und der Zeitpunkt der Entstehung von Blütenanlagen bei einigen Obstsorten, *Dtsch. Obstbauztg.*, 68, 306-308, 1922.
- Kröncke, I., J. W. Dippner, H. Heyen and B. Zeiss, Long-term changes in macrofaunal communities off Norderney (East Frisia, Germany) in relation to climate variability, *Marine Ecology Progress Series*, 167, 25-36, 1998.
- Kucera, C. L., and J. H. Ehrenreich, Some effects of annual burning on central Missouri prairie, *Ecology*, 43, 334-336, 1962.
- Kudo, G., Effects of snow-free period on the phenology of alpine plants inhabiting snow patches, *Arctic and Alpine Research*, 23, 436-443, 1991.

- Kudo, G., Performance and phenology of alpine herbs along a snow-melting gradient, *Ecological Research*, 7, 297-304, 1992.
- Kullman, L., Tree-limit rise and recent warming: a geoecological case study from the Swedish Scandes. *Norsk geogr. Tidsskr.*, 54, 49-59, 2000.
- Kumar, P., and E. Foufoula-Georgiou, A multicomponent decomposition of spatial rainfall fields, 1. segregation of large- and small-scale features using wavelet transforms, *Water Resour. Res.*, 29, 2515-2532, 1993.
- Kumar, P., and E. Foufoula-Georgiou, Wavelet analysis for geophysical applications, *Rev. Geophys.*, 35, 385-412, 1997.
- Kupias, R. and Y. Mäkinen, Correlations of Alder pollen occurrence to climatic variables, *First international conference on aerobiology*, Munich, 1980.
- Kuzucuoglu, C., Fires in Mediterranean region, *Blue Planet Ecol.*, 72, 371-412, 1989.
- Lack, D., *Ecological adaptations for breeding in birds*, Methuen, London, 409 pp., 1968.
- Ladurie, E. L. R., *Times of Feast, Times of Famine: A History of Climate Since the Year 1000*, Doubleday and Company, Inc., New York, 426 pp., 1971.
- Lake, P. S., Of Floods and Droughts: River and Stream Ecosystems of Australia, in *River and Stream Ecosystems*, edited by C. E. Cushing, K. W. Cummins, and G. W. Minshall, pp. 659-694, Elsevier, Amsterdam, 1995.
- Lamb, R. C., Effects of temperature above and below freezing on the breaking of rest in the Latham raspberry, *J. Am. Soc. Hort. Sci.*, 51, 313-315, 1948.
- Lampitt, R. S., Evidence for the seasonal deposition of detritus to the deep-sea floor and its subsequent resuspension, *Deep-Sea Research*, 32, 885-897, 1985.
- Lancashire, P. D., H. Bleiholder, P. Langelüddecke, R. Stauss, T. van den Boom, E. Weber, and A. Witzemberger, An uniform decimal code for growth stages of crops and weeds, *Ann. Appl. Biol.*, 119, 561-601, 1991.
- Landsberg, J. J., and R. H. Waring, A generalized model of forest productivity using simplified concepts of radiation use efficiency, carbon balance and partitioning, *Forest Ecology and Management*, 95, 209-228, 1997.
- Landsberg, J. J., Apple fruit bud development and growth; analysis and an empirical model., *Ann. Bot.*, 38, 1013-1023, 1974.
- Lange, U. and W. Greve, Does temperature determine the spawning time, recruitment and distribution of flatfish via its influence on the rate of gonadal maturation?, *Deutsche Hydrographische Zeitschrift*, 49(2/3), 251-263, 1997.
- Langvatn, R., S. D. Albon, T. Burkey, and T. H. Clutton Brock, Climate, plant phenology and variation in age of first reproduction in a temperate herbivore, *J. Animal Ecology*, 65, 653-670, 1996.
- Lantz, T. C., and N. J. Turner, Traditional phenological knowledge (TPK) of aboriginal peoples in British Columbia, *Jour. of Ethnobiol.*, (in press), 2003.
- Lappalainen, H., and M. Heikinheimo, Relations between climate and plant phenology. Part 1. Survey of plant phenological observations in Finland from 1896 to 1965, *Meteorol. Publ. Finland*, 20, 1-74, 1992.
- Larcher, W., *Ökologie der Pflanzen*, Verlag Eugen Ulmer, Stuttgart, 322 pp., 1976.
- Large, E. C., Growth stages in cereals, Illustration of the Feekes Scale, *Plant Pathol.*, 3, 128-129, 1954.
- Lauscher, A., and F. Lauscher, Phänologie Norwegens, Teil IV, *Private edition*, pp. 1-13 + Anhang 1-3 (16+103+120 pp.), 1990.
- Lauscher, A., F. Lauscher, and H. Printz, Die Phänologie Norwegens, Teil I, Allgemeine Übersicht, *Skr. Det Norske Videnskaps-Akademi Oslo*, 1, Mat.-Naturv. Kl., No. 1 1955, 1-99, 1955.
- Lauscher, A., F. Lauscher, and H. Printz, Die Phänologie Norwegens, Teil II, Phänologische Mittelwerte für 260 Orte, *Skr. Det Norske Videnskaps-Akademi Oslo*, 1, Mat.-Naturv. Kl. No.1 1959, 1-176, 1959.
- Lauscher, A., F. Lauscher, and H. Printz, Die Phänologie Norwegens, Teil III, Tabellen-Karten der Mittelwerte, *Skr. Det Norske Videnskaps-Akademi Oslo*, 1, Mat.-Naturv. Kl. Ny Serie No.37, 1-253, 1978.
- Lauscher, F., Klima, Klimaschwankungen und phänologischer Jahresablauf am europäischen Nordkap, *Mitt. Österr. Geogr. Ges.*, 122, 193-220, 1980.
- Lauscher, F., Zur Phänologie vegetativ vermehrter Pflanzen einheitlicher Herkunft – Beobachtungen in phänologischen Pflanzgärten in Norwegen 1963-1982, *Phyton (Horn, Austria)*, 25, 253-272, 1985.
- Law, B., L. Mackowski, and T. Tweedie, Flowering phenology of myrtaceous trees and their relation to climate, environmental and disturbance variables in northern New South Wales, *Austral Ecol.*, 25, 160-178, 2000.
- Le Houërrou, H. N., Climate change, drought and desertification, *J. Arid Environ.*, 34, 133-185, 1996.
- Leader-Williams, N., *Reindeer on South Georgia*, Cambridge University Press, Cambridge, 319 pp., 1988.
- Lechowicz, M. J., and T. Koike, Phenology and seasonality of woody plants: An unappreciated element in global change research., *Can. J. Bot.*, 73, 147-148, 1995.
- Lechowicz, M. J., Phenology, in *Encyclopedia of Global Environmental Change*, vol. 2, *Biological and ecological dimensions of global environmental change*, edited by J. G. Canadell, pp. 461-465, Wiley, London, 2001.
- Lechowicz, M. J., Seasonality of flowering and fruiting in temperate forest trees, *Can. J. Bot.*, 73, 175-182, 1995.

- Leemans, R., Global Holdridge Life Zone Classifications, Digital Raster Data, in *Global Ecosystems Database Version 2.0*, NOAA National Geophysical Data Center, Boulder, Colorado, 1992.
- Leinonen, I., A simulation model for the annual frost hardiness and freeze damage of Scots Pine, *Ann. Bot.*, 78, 687-693, 1996.
- Leinonen, I., and K. Kramer, Applications of phenological models to predict the future carbon sequestration potential of Boreal forests, *Clim. Change*, 55, 99-113, 2002.
- Leinonen, I., Dependence of dormancy release on temperature in different origins of *Pinus sylvestris* and *Betula pendula* seedlings, *Scand. J. For. Res.*, 11, 122-128, 1996.
- Leinonen, I., T. Repo, H. Hänninen, and K. Burr, A second-order dynamics model for the frost hardiness of trees., *Ann. Bot.*, 76, 89-95, 1995.
- Lemke, T. O., Foraging ecology of the long-nosed bat *Glossophaga soricina* with respect to food availability, *Ecology*, 65, 538-548, 1984.
- Lemke, T. O., Pollen carrying by the nectar-feeding bat *Glossophaga soricina* in a suburban environment, *Biotropica*, 17, 107-111, 1985.
- Lenz, J., Introduction, in *Zooplankton Methodology Manual*, edited by P. H. W. R. P. Haris, J. Lenz, H. R. Skjoldal, and M. Huntley, pp. 1-32, Academic Press, San Diego, 2000.
- Leopold, A. C., Photoperiodism in plants, *Quarterly Review of Biology*, 26, 247-263, 1951.
- Leopold, A., and E. Jones, A phenological record for Sauk and Dane Counties, Wisconsin, 1935-1945, *Ecol. Monographs*, 17, 83-122, 1947.
- Lescourret, F., N. Blecher, R. Habib, J. Chadboeuf, D. Agostini, O. Paliy, B. Vaissière, and I. Poggi, Development of a simulation model for studying kiwi fruit orchard management, *Agr. Syst.*, 59, 215-239, 1999.
- Levey, D. J., T. C. Moermond, and J. S. Denslow, Frugivory: an overview, in *La Selva, Ecology and Natural History of a Neotropical Rain Forest*, edited by L. McDade, K. S. Bawa, H. A. Hespenheide, and G. Hartshorn, pp. 282-294, University of Chicago Press, Chicago, 1994.
- Levis, S., J. A. Foley, V. Brovkin, and D. Pollard, On the stability of the high-latitude climate-vegetation system in a coupled atmosphere-biosphere model, *Global Ecol. Biogeogr.*, 8(6), 489-500, 1999.
- Lie, H., Faenologiske noteringar fraa Telemark, (in Norwegian), *Tidsskr. Norske Landbruk*, 38, 204-206, 1931.
- Liebold, A. M., J. A. Halverson, and G. A. Elmes, Gypsy moth invasion in North America: a quantitative analysis, *J. Biogeography*, 19, 513-520, 1992.
- Lieth, H. (Editor), *Phenology and Seasonality Modeling*, Springer-Verlag, New York, 444 pp., 1974.
- Lieth, H., Aims and methods in phenological monitoring, in *Phenology in Seasonal Climates I*, edited by H. Lieth and M. D. Schwartz, pp. 1-21, Backhuys Publ., Leiden, 1997.
- Lieth, H., editor, *Phenology and Seasonality Modeling*, Springer-Verlag, New York, 444 pp., 1974.
- Lieth, H., J. Berlekamp, S. Fuest, and S. Riediger, *Climate Diagram World Atlas on CD* (unpaginated electronic publication), Backhuys Publishers, Leiden, Netherlands, 1999.
- Lieth, H., Phenology in productivity studies, in *Analysis of temperate forest ecosystems, 1*, edited by D. E. Reichle, pp. 29-55, Springer Verlag, Heidelberg, 1970.
- Lieth, H., The phenological viewpoint in productivity studies, in *Productivity of forest ecosystems. Proceedings of the Brussels Symposium by UNESCO.*, edited by P. Duvigneaud, pp 71-83, UNESCO, Paris, 1971.
- Lima, D. A., Notas para fenologia da zona da Mata de Pernambuco, *Revista de Biologia Lisboa*, 1, 125-135, 1957.
- Lindley, J. A., and S. D. Batten, Long-term variability in the diversity of North Sea zooplankton, *J. Mar. Biol. Ass. U.K.*, 82(3), 1-40, 2002.
- Lindner, M., H. Bugmann, P. Lasch, M. Flechsig, and W. Cramer, Regional impacts of climatic change on forests in the state of Brandenburg, Germany, *Agric. For. Meteorol.*, 84, 123-135, 1997.
- Lindström, J., Early development and fitness in birds and mammals, *Trends Ecol. Evol.*, 14, 343-348, 1999.
- Linkosalo, T., Analyses of the spring phenology of boreal trees and its response to climate change, *Univ. Helsinki Dept. For. Ecol., Publ. 22*, ISBN 951-45-9362-6, ISSN 1235-4449, 1-55, 2000.
- Linkosalo, T., Analyses of the spring phenology of boreal trees and its response to climate change, *Univ. Helsinki, Dep. Forest Ecology Publications, 22*, 1-55, 2000.
- Linkosalo, T., R. Häkkinen, and P. Hari, Improving the reliability of a combined phenological times series by analyzing observation quality, *Tree Physiol.*, 16, 661-664, 1996.
- Linkosalo, T., Regularities and patterns in the spring phenology of some boreal trees, *Silva Fenn.*, 33, 237-245, 1999.
- Linkosalo, T., T. Carter, R. Häkkinen, and P. Hari, Predicting spring phenology and frost damage risk of *Betula* spp. under climatic warming: a comparison of two models, *Tree Physiol.*, 20, 1175-1182, 2000.
- Linkosalo, T., T. R. Carter, R. Häkkinen, and P. Hari, Predicting spring phenology and frost damage risk of *Betula* spp. Under climatic warming: a comparison of two models, *Tree Physiol.*, 20, 1175-1182, 2000.
- Linne, C., *Philosophia Botanica*, (in Latin), Kiesewetter, Stockholm, Climate and phenology pp. 263-277, 1751.

- Listabarth, C., The palms of the surumoni area (Amazonas, Venezuela). II. Phenology and pollination of two flooded forest palms, *Mauritiella aculeata* and *Leopoldinia pulchra*, *Acta Botanica Venezuelica*, 22, 153-165, 1999.
- Lloyd, D., A phenological classification of terrestrial vegetation cover using shortwave vegetation index imagery, *International Journal of Remote Sensing*, 11, 2269-2279, 1990.
- Lobell, D. B., J. A. Hicke, G. P. Asner, C. B. Field, C. J. Tucker, and S. O. Los, Satellite estimates of productivity and light use efficiency in United States agriculture, 1982-98, *Global Change Biology*, 8, 722-735, 2002.
- Lobo, J. A., M. Quesada, K. E. Stoner, E. J. Fuchs, and Y. Herrerías-Diego, Latitudinal variation of phenological patterns of bombacaceous species in seasonal forests in Costa Rica and Mexico, *Amer. J. Botany*, (in press), 2003.
- Löewe, V., C. Alvear, and F. Salinas, Fenología de *E. globulus*, *E. nitens* y *E. camaldulensis* en la Zona Central de Chile: Estudio preliminar., *Ciencia e Investigación Forestal*, 10, 73-98, 1996.
- Logan, J. A., and B. J. Bentz, Model analysis of mountain pine beetle (Coleoptera: Scolytidae) seasonality, *Environ. Entomology*, 28, 924-934, 1999.
- Logan, J. A., and J. A. Powell, Ghost forests, global warming, and the mountain pine beetle, *Amer. Entomologist*, 47, 160-173, 2001.
- Logan, J. A., D. J. Wolkind, S. C. Hoyt, and L. K. Tanigoshi, An analytic model for description of temperature dependent rate phenomena in arthropods, *Environ. Entomology*, 5, 1133-1140, 1976.
- Logan, J. A., Toward an expert system for development of pest simulation models, *Environ. Entomology*, 17, 359-376, 1988.
- Loneragan, O. W., *Jarrah (Eucalyptus marginata Sm.) and karri (Eucalyptus diversicolor F.v.M.) regeneration in south-west Western Australia*, MSc. thesis, University of Western Australia, Nedlands, 1961.
- Loneragan, O. W., *Karri (Eucalyptus diversicolor F. Muell.) phenological studies in relation to reforestation*, Bulletin 90, Forest Department of Western Australia, Perth, 37 pp., 1979.
- Lorenz, D. H., K. W. Eichhorn, H. Bleiholder, R. Klose, U. Meier, and E. Weber, Phenological growth stages of the grapevine (*Vitis vinifera* L. ssp. *vinifera*)--Codes and descriptions according to the extended BBCH scale, *Australian J. Grape and Wine Research*, 1, 91-103, 1995.
- Los, S. O., C. O. Justice, and C. J. Tucker, A global 1° by 1° NDVI data set for climate studies derived from the GIMMS continental NDVI data, *Int. J. Remote Sensing*, 15, 3493-3518, 1994.
- Loubere, L. A., *The Wine Revolution in France*, Princeton University Press, New Jersey, 288pp., 1990.
- Loubry, D., Phenology of Deciduous Trees in a French-Guianan Forest (5 Degrees Latitude North) - Case of a Determinism with Endogenous and Exogenous Components, *Can. J. Bot.-Rev. Can. Bot.*, 72, 1843-1857, 1994.
- Lough, J. M., T. M. L. Wigley, and J. P. Palutikof, Climate and climate impact scenarios for Europe in a warmer world, *J. Climate and Appl. Meteorol.*, 22, 1673-1684, 1983.
- Loveland, T. R., J. W. Merchant, D. O. Ohlen, and J. F. Brown, Development of a land-cover characteristics database for the conterminous U.S., *Photogrammetric Engineering and Remote Sensing*, 57, 1453-1463, 1991.
- Loxton, R. G., and T. H. Sparks, Arrival of spring migrants at Portland, Skokholm, Bardsey and Calf of Man, *Bardsey Observatory Report*, 42, 105-143, 1999.
- Lu, L. X., and W. J. Shuttleworth, Incorporating NDVI-derived LAI into the climate version of RAMS and its impact on regional climate, *J. Hydrometeorol.*, 3 (3), 347-362, 2002.
- Lucht, W., I. C. Prentice, R. B. Myneni, S. Sitch, P. Friedlingstein, W. Cramer, P. Bousquet, W. Buermann, and B. Smith, Climatic control of the high-latitude vegetation greening trend and Pinatubo effect, *Science*, 296 (5573), 1687-1689, 2002.
- Ludwichowski, I., Long-term changes of wing-length, body mass and breeding parameters in first-time breeding females of goldeneyes (*Bucephala clangula clangula*) in Northern Germany, *Vogelwarte*, 39, 103-116, 1997.
- Lüning, K., and I. tom Dieck, Environmental Triggers in Algal Seasonality, *Botanica Marina*, 32, 389-397, 1989.
- Luttge, U., *Physiological ecology of tropical plants*, Springer-Verlag, Heidelberg, 384 pp., 1997.
- Lynov, Y. S., Phenological inversions in alpine terrain, Western Tien Shan, *Ékologiya*, 4, 29-33, 1984.
- Maass, J. M., Conversion of tropical dry forest to pasture and agriculture, in *Seasonally Tropical Forests*, edited by H. A. Mooney, S. H. Bullock, and E. Medina, pp. 399-422, Cambridge University Press, Cambridge, UK, 1995.
- MacDonald, R. B., and F. G. Hall, Global crop forecasting, *Science*, 208, 670-679, 1980.
- Machado, I. C. S., L. M. Barros, and E. Sampaio, Phenology of caatinga species at Serra Talhada, PE, northeastern Brazil, *Biotropica*, 29, 57-68, 1997.
- Mack, A. E., *A Bush Calendar*, Angus and Robertson, Sydney, 110 pp., 1909.
- Mack, A. E., *A Bush Calendar*, Angus and Robertson, Sydney, 110 pp., 1911.
- Mack, A. E., *A Bush Calendar*, Cornstalk Publishing Company, Arnold Place, Sydney, 110 pp., 1924.
- MacKay, A. H., Phenological observations in Canada, *Can. Record of Sci.*, 8(2), 71-84, 1899.
- MacKay, A. H., The phenology of Nova Scotia, 1923, *Trans. Nova Scotia Inst. Sci.*, 16(Pt. 2), 104-113, 1927.
- Magnesen, S., Injuries on forest trees related to choice of the species and provenances: A literature survey of a one hundred year epoch in Norwegian forestry, *Rep. Skogforsk*, 7, 1-46, 1992.

- Magnuson J. J., C. J. Bowser, A. L. Beckel, The invisible present: Long-term ecological research on lakes, *L&S Magazine*, 3, University of Wisconsin-Madison, Fall, 1983.
- Magnuson, J. J., D. M. Robertson, B. J. Benson, R. H. Wynne, D. M. Livingstone, T. Arai, R. A. Assel, R. G. Barry, V. Card, E. Kuusisto, N. G. Granin, T. D. Prowse, K. M. Stewart, and V. S. Vuglinski, Historical trends in lake and river ice cover in the northern hemisphere, *Science*, 289, 1743-1746, 2000.
- Maiden, J. H., A plea for the study of phenological phenomena in Australia, *Proc. R. Soc. N.S.W.*, 157-170, 1910.
- Maiden, J. H., Phenology: A form of nature study with very practical applications, in *The Forest Flora of New South Wales*, vol. 7, pp. 166-191, John Spence, Acting Government Printer, Sydney, 1922.
- Makarova, O.A., A. A. Pohilko, and J. A. Kushel, *Seasonal life of the nature in Kola Peninsula*, (in Russian, translated in English), Murmansk, ISBN 5-7744-0102-2, 1-68, 2001.
- Malingreau, J. P., C. J. Tucker, and N. Laporte, AVHRR for monitoring global tropical deforestation, *Int. J. Remote Sensing*, 10, 855-867, 1989.
- Malizia, L. R., Seasonal fluctuations of birds, fruits, and flowers in a subtropical forest of Argentina, *Condor*, 103, 45-61, 2001.
- Mallat, S., *A Wavelet Tour of Signal Processing*, Academic Press, New York, 577 pp., 1999.
- Malosheva, T. C., *Methodological manual for composition of phenological maps* (in Russian), Leningrad, 59 pp., 1968.
- Manetsch, T. J., Time varying distributed delays and their use in aggregative models of large systems, *IEEE Transactions in Systems, Man, and Cybernetics*, 6, 547-553, 1976.
- Mansson, P.-H., "Wine and Health", "The Case for Red Wine", and "Wine and Health Trailblazers", *The Wine Spectator*, pp. 32-65, Dec. 15, 2001.
- Maplestone, C., Calendars and the indexing of natural history observations, *Victorian Nat.*, 12, 120-122, 1895a.
- Maplestone, C., Flowering times of Orchards, *Victorian Nat.*, 12, 82-83, 1895b.
- Marine Zooplankton Colloquium, Future marine zooplankton research- a perspective, *Mar. Ecol. Prog. Ser.*, 222, 297-308, 2001.
- Mark, A. F., Floral initiation and development in New Zealand alpine plants, *New Zealand J. Botany*, 8, 67-75, 1970.
- Marletto, V., G. P. Branzi, and M. Sirotti, Forecasting flowering dates of lawn species with air temperature: application boundaries of the linear approach, *Aerobiologia*, 8, 75-83, 1992.
- Marquis, R. J., Phenological variation in the Neotropical understory shrub *Piper arieianum*: causes and consequences, *Ecology*, 69, 1552-1565, 1988.
- Martin, S. D., *Register of Meteorological Observations, Pine Grove, Kentucky*, Smithsonian Institution, Washington, April 1865.
- Mason, C. F., Long-term trends in the arrival dates of spring migrants, *Bird Study*, 42, 182-189, 1995.
- Mason, P., *Environmental Log Book: For Keeping Notes on Nature in Australia*, Gould League of Victoria, Prahran, 82 pp., 1989.
- Matthews, M. A., M. M. Anderson, and H. R. Schultz, Phenologic and growth responses to early and late season water deficits in Cabernet Franc, *Vitis*, 26, 147-160, 1987.
- Maxwell, B., Arctic climate: potential for change under global warming, in *Arctic Ecosystems in a Changing Climate*, edited by F. S. Chapin III, R. L. Jefferies, J. F. Reynolds, G. R. Shaver and J. Svoboda, pp. 11-34, Academic Press, New York, 1992.
- Maxwell, B., Recent climate patterns in the Arctic, in *Global Change and Arctic Terrestrial Ecosystems*, edited by W. C. Oechel, T. Callaghan, T. Gilmanov, J. I. Holten, B. Maxwell, U. Molau and B. Sveinbjörnsson, pp. 21-46, Springer-Verlag, Heidelberg, 1997.
- McCleery, R. H., and C. M. Perrins, Temperature and egg-laying trends, *Nature*, 391, 30-31, 1998.
- McDonald, K., Nature watching in the Seaham area, in *Essays on Seaham*, edited by C. Hunter, pp. 157-162, Seaham Public School P & C Association, Seaham, 2002.
- McGarigal, K., and S. A. Cushman, Comparative evaluation of experimental approaches to the study of habitat fragmentation effects, *Ecol. Appl.*, 12, 335-345, 2002.
- McGinnis, B. S., and R. L. Downing, Factors affecting the peak of white-tailed deer fawning in Virginia, *J. Wildl. Manage.*, 41, 715-719, 1977.
- McIntyre, G. N., L. A. Lider, and N. L. Ferrari, The chronological classification of grapevine phenology, *Amer. J. Enology and Viticulture*, 33(2), 80-85, 1982.
- McIntyre, G. N., W. M. Kliewer, and L. A. Lider, Some limitations of the degree day system as used in viticulture in California, *Amer. J. Enology and Viticulture*, 38(2), 128-132, 1987.
- McLachlan, R. G., Victoria Valley experiences, *The Victorian Bee Journal*, 2, 64-65, 1921.
- McMillan, C., Ecotypes and community function, *Amer. Naturalist*, 94, 245-255, 1960.
- McMillan, C., Nature of the plant community. I. Uniform garden and light period studies of five grass taxa in Nebraska, *Ecology*, 37, 330-340, 1956a.

- McMillan, C., Nature of the plant community. II. Variation in flowering behavior within populations of *Andropogon scoparius*, *Ecology*, 43, 429-436, 1956b.
- McMillan, C., Nature of the plant community. III. Flowering behavior within two grassland communities under reciprocal transplanting, *Amer. J. Botany*, 44, 144-153, 1957.
- McMillan, C., Nature of the plant community. V. Variation within the true prairie community-type, *Amer. J. Botany*, 46, 418-424, 1959a.
- McMillan, C., The role of ecotypic variation in the distribution of the central grassland of North America, *Ecol. Monographs*, 29, 285-308, 1959b.
- Mech, L. D., L. G. Adams, T. J. Meier, J. W. Burch, and B. W. Dale, *The wolves of Denali*, University of Minnesota Press, Minneapolis, 227 pp., 1998.
- Medina, E., Diversity of life forms of higher plants in Neotropical dry forests, in *Seasonally Tropical Forests*, edited by H. A. Mooney, S. H. Bullock, and E. Medina, pp. 221-242, Cambridge University Press, Cambridge, UK, 1995.
- Meier, U., BBCH-Monograph, *Growth stages of plants / Entwicklungsstadien von Pflanzen / Estadios de las plantas / Stades de développement des plantes*, Blackwell Wissenschafts-Verlag, Berlin, 622 pp., 1997.
- Meier, U., Die Merkblattserie 27 "Entwicklungsstadien von Pflanzen" der Biologischen Bundesanstalt für Land- und Forstwirtschaft, *Nachrichtenbl. Deut. Pflanzenschutzd.*, 37, 76-77, 1985.
- Meier, U., *Growth stages of mono- and dicotyledonous plants*, BBCH-Monograph, Blackwell Wissenschafts-Verlag, Berlin, 622 pp., 1997.
- Meier, U., H. Graf, H. Hack, M. Hess, R. Kennel, R. Klose, D. Mappes, D. Seipp, R. Stauss, J. Streif, and T. van den Boom, Phänologische Entwicklungsstadien des Kernobstes (*Malus domestica* Borkh. und *Pyrus communis* L.), des Steinobstes (*Prunus*-Arten), der Johannisbeere (*Ribes*-Arten) und der Erdbeere (*Fragaria x ananassa* Duch.), *Nachrichtenbl. Deut. Pflanzenschutzd.*, 46, 141-153, 1994.
- Meijer, T., U. Nienaber, U. Langer, and F. Trillmich, Temperature and timing of egg-laying of European starlings, *Condor*, 101, 124-132, 1999.
- Melampy, M. N., Flowering phenology, pollen flow and fruit production in the Andean shrub *Befaria resinosa*, *Oecologia*, 73, 293-300, 1987.
- Meloche, C. G., and P. K. Diggle, Preformation, architectural complexity, and developmental flexibility in *Acomastylis rossii* (Rosaceae), *Amer. J. Botany*, 88, 980-991, 2001.
- Meltzer, M. D., R. C. Cicone, and K. I. Johnson, The evaluation of a semi-automated procedure for classifying corn and soybeans without ground data, *Proceeding of the Eighth Symposium on Machine Processing of Remotely Sensed Data, 7-9 July, West Lafayette Indiana*, 108-115, 1982.
- Menaut, J. C., M. Lepage, and L. Abbadie L., Savannas, woodlands and dry forests in Africa, in *Seasonally Tropical Forests*, edited by H. A. Mooney, S. H. Bullock, and E. Medina, pp. 64-92, Cambridge University Press, Cambridge, UK, 1995.
- Menzel A., and P. Fabian, Growing season extended in Europe, *Nature*, 397, 659, 1999.
- Menzel A., R. Ahas, E. Koch, K. Peter, and W. Lipa, Common European phenological database of POSITIVE, in *EPN conference "The times they are a-changin'" Climate change, phenological responses and their consequences for biodiversity, agriculture, forestry, and human health 5-7 Dec., 2001*, (book of abstracts), edited by A. J. H van Vliet, J. A. den Dulk, and R. S. de Groot, p. 88, Wageningen, 2001.
- Menzel, A., and P. Fabian, Growing season extended in Europe, *Nature*, 397, 659, 1999.
- Menzel, A., and N. Estrella, Plant phenological changes, in *"Fingerprints" of Climate Change – Adapted behaviour and shifting species ranges*, edited by G.-R. Walther, C. A. Burga, and P. J. Edwards, pp. 123-137, Kluwer Academic/Plenum Publishers, New York and London, 2001.
- Menzel, A., and P. Fabian, Growing season extended in Europe, *Nature*, 397, 659, 1999.
- Menzel, A., G. Jakobi, R. Ahas, H. Scheifinger, and N. Estrella, Variations of the Climatological Growing Season (1951-2000) in Germany Compared to Other Countries, *Int. J. Climatology*, (in press), 2003.
- Menzel, A., N. Estrella, and P. Fabian, Spatial and temporal variability of the phenological seasons in Germany from 1951 to 1996, *Global Change Biol.*, 7, 657-666, 2001.
- Menzel, A., Phänologie von Waldbäumen unter sich ändernden Klimabedingungen, Dissertation at the Forest Faculty of the LMU Munich, *Forstlicher Forschungsbericht 164*, 1997.
- Menzel, A., Phenology: Its importance to the global change community, *Climatic Change*, 54, 379-385, 2002.
- Menzel, A., Plant phenological anomalies in Germany and their relation to air temperature and NAO, *Climatic Change*, 57, 243-263, 2003.
- Menzel, A., Trends in phenological phases in Europe between 1951 and 1996, *Int. J. Biometeorol.*, 44, 76-81, 2000.
- Menzel, A., *Zeitliche Trends ausgesuchter phänologischer Phasen in Deutschland aus dem Zeitraum 1951-1996*, Unveröff., Bericht an den Deutschen Wetterdienst, 17 pp., 1998.

- Merrill, E. H., and M. S. Boyce, Summer range and elk population dynamics in Yellowstone National Park, in *The Greater Yellowstone Ecosystem: Redefining America's Wildlife Heritage*, edited by R. B. Keiter and M. S. Boyce, pp. 263-273, Yale University Press, New Haven, 1991.
- MeteoSchweiz (Editor), *Pflanzen im Wandel der Jahreszeiten – Anleitung für phänologische Beobachtungen*, Geographica Bernensia, 287 pp., 2003
- Mihuc, T. B. and D. W. Toetz, Phenology of aquatic macroinvertebrates in an alpine wetland, *Hydrobiologia*, 330, 131-136, 1996.
- Mikich, S. B., and S. M. Silva, Composição florística e fenologia das espécies zoocóricas de remanescentes de floresta estacional semidecidual no centro-oeste do Paraná, Brasil., *Acta Botanica Brasilica*, 15, 89-113, 2001.
- Miller, C. B., T. J. Cowles, P. H. Wiebe, N. J. Copley, H. Grigg, Phenology in *Calanus finmarchicus*; hypotheses about control mechanisms, *Mar. Ecol. Prog. Ser.*, 72, 79-91, 1991.
- Miller, D. A., and R. A. White, A conterminous United States multilayer soil characteristics dataset for regional climate and hydrology modeling (on line), *Earth Interactions*, paper 1, 1998.
- Ministry of Environment, Investigation Committee of Global Warming Problems, *Impact of Global Warming on Japan 2001* (in Japanese), pp. 403-434, March, 2001.
- Minnich, R. A., Fire mosaics in southern California and northern Baja California, *Science*, 219, 1287-1294, 1983.
- Minnis, P., S. Mayor, W. L. Smith Jr., and D. F. Young, Asymmetry in the diurnal variation of surface albedo, *IEEE Transactions on Geoscience and Remote Sensing*, 35, 879-891, 1997.
- Minshall, W. H., First dates of anthesis for four trees at Ottawa, Ontario, for the period of 1936 to 1945, *Can. Field Nat.*, 61, 56-59, 1947.
- Mitchell, T. D., and M. Hulme, Length of the growing season, *Weather*, 5, 57, 196-198, 2002.
- Mitchener, A. V., Nectar & pollen producing plants of Manitoba, *Sci. Agric.*, 28, 475-480, 1948.
- Mitton, J. B., K. B. Sturgeon, and M. L. Davis, Genetic differentiation in ponderosa pine along a steep elevational transect, *Silvae Genetica*, 29, 100-103, 1980.
- Moberg, A., Fenologiska iakttagelser i Finland aaren 1750-1845 (in Swedish), *Finlands Natur Folk*, 55, 1-165, 1894.
- Moberg, A., Naturalhistoriska daganteckningar gjorda i Finland aaren 1750-1845, (in Swedish), *Förh. Sällsk. Fauna Flora Fenn.*, 3, 95-250, 1857.
- Moe, A., Dates of flowering for native and garden plants at Stavanger 1897-1926, *Skr. Det Norske Videnskaps-Akademi Oslo*, 1, Mat.-Naturv. Kl. No.3, 1-50, 1928.
- Mohren, G. M. J. Modelling Norway spruce growth in relation to site conditions and atmospheric CO₂, in *Vegetation, modelling and climate change effects*, edited by F. Veroustraete, and R. Ceulemans, pp. 7-22, SPB Academic Publishing, The Hague, 1994.
- Mohren, G. M. J., H. H. Bartelink, K. Kramer, F. Magnani, S. Sabaté and D. Loustau, Modelling long-term effects of CO₂ increase and climate change on European forests, with emphasis on ecosystem carbon budgets, in *Forest ecosystem modelling, upscaling and remote sensing*, edited by R. J. M. Ceulemans, F. Veroustraete, V. Gond, and J. B. H. F. V. Rensbergen, pp. 179-192, SPB Academic Publishing, The Hague, 1999.
- Mohren, G. M. J., *Simulation of forest growth, applied to Douglas fir stands in The Netherlands*, Thesis, Agricultural University Wageningen, The Netherlands, 1987.
- Molau, U., Relationships between flowering phenology and life history strategies in tundra plants, *Arctic and Alpine Research*, 25, 391-402, 1993.
- Molau, U., Responses to natural climatic variation and experimental warming in two tundra plant species with contrasting life forms: *Cassiope tetragona* and *Ranunculus nivalis*, *Global Change Biology*, 3, (Suppl. 1), 97-107, 1997.
- Molenaar, F. J., A. M. Breemann, and L. A. H. Venekamp, Latitudinal Trends in the Growth and Reproductive Seasonality of *Delesseria sanguinea*, *Membranoptera alata*, and *Phycodrys rubens* (Rhodophyta), *J. Phycol.*, 33, 330-343, 1997.
- Moll, E. J., B. M. Campbell, R.M. Cowling, L. Bossi, M. L. Karman, and C. Boucher, *A description of major vegetation categories in and adjacent to the Fynbos biome*, Report No. 83, S. Afr. Nat. Sci. Program, 210 pp., 1984.
- Moll, E. J., Phenology of Mediterranean plants in relation to fire season: with special reference to the Cape Province South Africa, in *Plant Response to Stress: Functional Analysis in Mediterranean Ecosystems*, vol. 15, edited by J. D. Tenhunen, F. M. Catarino, O. L. Lange, and W. C. Oechel, NATO Adv. Sci. Inst. Ser. G Ecol. Sci., pp. 489-502, Springer-Verlag, Berlin, Heidelberg, 1987.
- Momose, N., *Atlas of Animal and Plant Phenology of Japan* (in Japanese), Marunouchi Shuppan Book Co., Tokyo, 180 pp., 1974.
- Monasterio, M., and G. Sarmiento, Phenological strategies of plants species in the tropical savanna and semi-deciduous forest of the Venezuelan Lianos., *J. Biogeography*, 3, 325-356, 1976.
- Moncur, M. W., K. Rattigan, D. H. MacKenzie, and G. N. McIntyre, Base temperatures for budbreak and leaf appearance of grapevines, *Amer. J. Enology and Viticulture*, 40(1), 21-26, 1989.

- Monteith, J. L., and M. H. Unsworth, *Principles of Environmental Physics*, 2nd ed., Arnold, New York, 291 pp., 1990.
- Montenegro, G., Quantification of Mediterranean plant phenology and growth, in *Plant Response to Stress: Functional Analysis in Mediterranean Ecosystems*, vol. 15, edited by J. D. Tenhunen, F. M. Catarino, O. L. Lange, and W. C. Oechel, NATO Adv. Sci. Inst. Ser. G Ecol. Sci., pp. 469-488, Springer-Verlag, Berlin, Heidelberg, 1987.
- Montgomery, M. E., Variation in the suitability of tree species for the gypsy moth, in *Proceedings U.S. Department of Agriculture Interagency Gypsy Moth Research Review*, edited by K.W Gottschalk, M. J. Tivory, and S. I. Smith, pp. 1-13, USDA Forest Service General Technical Report NE 146, 1990.
- Moonen, A. C., L. Ercoli, M. Mariotti, and A. Masoni, Climate change in Italy indicated by agrometeorological indices over 122 years, *Agricul. Forest Meteorol.*, 111, 13-27, 2002.
- Mooney, H. A., A. Johnson, D. Parson, S. Keeley, A. Hoffman, R. Hays, J. Giliberto, and C. Chu, The producers-their resources and adaptive response, in *Convergent evolution in Chile and California Mediterranean Climate Ecosystems*, edited by H. A. Mooney, p. 224, Dowden, Hutchinson and Ross, Stroudsburg, Pennsylvania, 1977.
- Mooney, H. A., and C. E. Conrad, *Symposium on the environmental consequences of fire and fuel management in Mediterranean ecosystem*, USDA Forest Service General, Technical Report WO-3, U.S. Government Printing Office, 498 pp., 1977.
- Mooney, H. A., and J. Kummerow, Phenological development of plants in mediterranean climate regions, in *Ecosystems of the world: Mediterranean-type shrublands*, vol. 11, edited by F. di Castri, D. W. Goodall, and R. L. Specht, pp. 303-307, Elsevier Scientific Publishing Company, Amsterdam, 1981.
- Mooney, H. A., B. G. Drake, R. J. Luxmoore, W. C. Oechel, and L. F. Pitelka, Predicting ecosystem response to elevated CO₂ concentrations, *BioScience*, 41, 96-104, 1991.
- Mooney, H. A., K. S. Williams, D. E. Lincoln, and P. R. Ehrlich, Temporal and spatial variability in the interaction between the checkerspot butterfly, *Euphydryas calcedona* and its principal food source, the Californian shrub, *Diplacus aurantiacus*, *Oecologia*, 50, 195-198, 1981.
- Mooney, H. A., S. H. Bullock, and E. Medina, *Seasonally Tropical Forests*, Cambridge University Press, Cambridge, UK, 450 pp., 1995.
- Morellato, L. P. C., As estações do ano na floresta. in *Ecologia e preservação de uma floresta tropical urbana*, edited by Morellato, L. P. C. and H. F. Leitão-Filho, pp. 37-41, Editora da Unicamp, Campinas, 1995.
- Morellato, L. P. C., D. C. Talora, A. Takahasi, C. C. Bencke, E. C. Romera, and V. B. Zipparro, Phenology of Atlantic rain forest trees: A comparative study, *Biotropica*, 32, 811-823, 2000.
- Morellato, L. P. C., R. R. Rodrigues, H. F. Leitão-Filho, and A. C. Joly, Estudo comparativo da fenologia de espécies arbóreas de floresta de altitude e floresta mesófila semidecídua na Serra do Japi, Jundiá, São Paulo., *Revista Brasileira de Botânica*, 12, 85-98, 1989.
- Morellato, P. C., and H. F. Leitao, Reproductive phenology of climbers in a Southeastern Brazilian forest, *Biotropica*, 28, 180-191, 1996.
- Morgenstern, E. K., Environmental influences and geographic variation, in *Geographic variation in forest trees*, pp.45-89, UBC Press, Vancouver, 1996.
- Morton, A., Some account of the work and workers of the Tasmanian Society and the Royal Society of Tasmania, from the year 1840 to the close of 1900, *Pap. & Proc. R. Soc. Tas.*, 1900-1901, 109-126, 1901.
- Morton, M. L., Comparison of reproductive timing to snow conditions in wild onions and White-Crowned Sparrows at high altitude, *Great Basin Naturalist*, 54, 371-375, 1994.
- Moss, E. H., Spring phenological records at Edmonton, Alberta, *Can. Field Nat.*, 74, 13-118, 1960.
- Moss, R., J. Oswald, and D. Baines, Climate change and breeding success: decline of the capercaillie in Scotland, *J. Animal Ecology*, 70, pp. 47-61, 2001.
- Mott, J. J., and A. J. McComb, Role of photoperiod and temperature in controlling phenology of 3 annual species from an arid region of western-Australia, *J. Ecology*, 63, 633-641, 1975.
- Moulin, S., L. Kergoat, N. Viovy, and G. Dedieu, Global-scale assessment of vegetation phenology using NOAA/AVHRR satellite measurements, *J. Climate*, 10, 1154-1170, 1997.
- Mulligan, M. J., and S.B. Hill, *Ecological pioneers: a social history of Australian ecological thought and action*, Cambridge University Press, Cambridge, 338 pp., 2001.
- Mullins, M. G., A. Bouquet, and L. E. Williams, *Biology of the Grapevine*, Cambridge University Press, Great Britain, 239 pp., 1992.
- Murawski, D. A., and J. L. Hamrick, Mating system and phenology of *Ceiba pentandra* (Bombacaceae) in Central Panama, *J. Heredity*, 83, 401-404, 1992.
- Murawski, D. A., J. L. Hamrick, S. P. Hubbell, and R. B. Foster, Mating systems of two bombacaceous trees of a Neotropical moist forest. *Oecologia*, 82, 501-506, 1990.
- Murphy, P.G. and A. E. Lugo, Ecology of tropical dry forest, *Annual Review of Ecology and Systematics*, 17, 67-88, 1986.

- Murphy, P. G., and A. E. Lugo, Dry forests of Central America and the Caribbean, in *Seasonally Tropical Forests*, edited by H. A. Mooney, S. H. Bullock, and E. Medina, pp. 9-34, Cambridge University Press, Cambridge, UK, 1995.
- Murray, K. G., P. Feinsinger, W. H. Busby, Y. B. Linhart, J. H. Beach, P. Kinsman, Evaluation of character displacement among plants in two tropical pollination guilds, *Ecology*, *68*, 1283–1293, 1987.
- Murray, M. B., G. R. Cannell, and R. I. Smith, Date of budburst of fifteen tree species in Britain following climatic warming., *J. Appl. Ecol.*, *26*, 693-700, 1989.
- Murray, M. B., R. I. Smith, I. D. Leith, D. Fowler, H. S. Lee, A. D. Friend, and P. G. Jarvis, Effects of elevated CO₂, nutrition and climatic warming on bud phenology in Sitka spruce (*Picea sitchensis*) and their impact on the risk of frost damage, *Tree Physiol.*, *14*, 691-706, 1994.
- Murray, M., and M. Lutze, *Case study of seedcrop development in Eucalyptus obliqua (Messmate) and Eucalyptus cypellocarpa (Mountain Grey Gum) in High elevation Mixed Species forests of East Gippsland (DRAFT)*, Centre for Forest Tree Technology, Eastern Research Centre, Orbost, 30 pp., 2000.
- Mussey, G. J., and D. A. Potter, Phenological correlations between flowering plants and activity of urban landscape pests in Kentucky, *J. Economic Entomology*, *90*, 1615-1627, 1997.
- Myers, N., R. A. Mittermeier, C. G. Mittermeier, G. A. B. Fonseca, and J. Kent, Biodiversity hotspots for conservation priorities, *Nature*, *403*, 853-858, 2000.
- Myking, T., and O. M. Heide, Dormancy release and chilling requirement of buds of latitudinal ecotypes of *Betula pendula* and *B. pubescens*, *Tree Physiology*, *15*, 697-704, 1995.
- Myking, T., Dormancy, budburst and impacts of climatic warming in coastal-inland and altitudinal *Betula pendula* and *B. pubescens* ecotypes, in *Phenology in Seasonal Climates I*, edited by H. Lieth and M. D. Schwartz, pp. 51-66, Backhuys Publ., Leiden, 1997.
- Myking, T., Winter dormancy release and budburst in *Betula pendula* ROTH and *B. pubescens* EHRH. ecotypes, *Phyton (Horn, Austria)*, *39(4)*, 139-145, 1999.
- Myneni, R. B., and D. L. Williams, On the relationship between FAPAR and NDVI, *Remote Sens. Environ.*, *49*, 200-211, 1994.
- Myneni, R. B., C. D. Keeling, C. J. Tucker, G. Asrar, and R. R. Nemani, Increased plant growth in the northern latitudes from 1981 to 1991, *Nature*, *386*, 698-702, 1997.
- Myneni, R. B., R. R. Nemani, and S. W. Running, Estimation of global leaf area index and absorbed PAR using radiative transfer models, *IEEE Transactions on Geoscience and Remote Sensing*, *35*, 1380-1393, 1997b.
- Nakahara, M., *Phenology* (in Japanese), Kawadesyobo Press, Tokyo, 209 pp., 1948.
- Nalder, I. A., and R.W. Wein, Spatial interpolation of climatic normals: test of a new method in the Canadian boreal forest, *Agricult. and Forest Meteorol.*, *92*, 211-225, 1998.
- Nason, J. D., and J. L. Hamrick, Reproductive and genetic consequences of forest fragmentation: two case studies of neotropical canopy trees, *J. Heredity*, *88*, 264-276, 1997.
- National Meteorological Administration, *Agrometeorological Observation Criterion Vol. 1* (in Chinese), Meteorological Press, Beijing, 212 pp., 1993.
- Naveh, Z., Fire in the Mediterranean: a landscape perspective, in *Fire in ecosystem dynamics*, edited by J. G. Goldammer, and M. J. Jenkins, pp. 401-434, SPB Academic Publ., The Hague, 1990.
- Nealis, V. G., J. Régnière, and D. R. Gray, Modeling seasonal development of Gypsy moth in a novel environment for decision-support of an eradication program, in *Integrated management and dynamics of forest defoliating insects*, edited by A. M. Liebhold, M. L. McManus, I. S. Otvos, and S. L. C. Fosbroke, pp. 124-132, USDA Forest Service General Technical Report NE-277, 2001.
- Nemani, R. R., M. A. White, D. R. Cayan, G. V. Jones, S. W. Running, and J. C. Coughlan, Asymmetric climatic warming improves California vintages, *Clim. Res.*, *19(1)*, 25-34, 2001.
- Nemani, R. R., M. A. White, P. E. Thornton, K. Nishida, S. Reddy, J. Jenkins, and S. Running, Recent trends in hydrologic balance have enhanced the terrestrial carbon sink in the United States, *Geophys. Res. Lett.*, *29*, art. no. 1468, 2002.
- Nerson, H., M. Sibony, and M. J. Pinthus, A scale for the assessment of the development stages of the wheat (*Triticum aestivum* L) spike, *Ann. Bot.*, *45*, 203-204, 1980.
- Neumann, D., Genetic adaption in emergence time of *Clunio* populations to different tidal conditions, *Helgoländer wiss. Meeresunters*, *15*, 163-171, 1967.
- Newell, J., and D. Sutherland, Scientists and Colonists, *Australasian Science*, *18*, 56, 1997.
- Newstrom, L. E., G. W. Frankie, H. G. Baker, and R. K. Colwell, Diversity of long-term flowering patterns, in *La Selva, Ecology and Natural History of a Neotropical Rain Forest*, edited by L. McDade, K. S. Bawa, H. A. Hespenheide, and G. Hartshorn, pp. 142-160, University of Chicago Press, Chicago, 1994.
- Neyland, M. G., L. G. Edwards, and N. J. Kelly, Seedfall of *Eucalyptus obliqua* at two sites within the Forestier silvicultural systems trial, Tasmania., *Tasforests*, *14*, in press.

- Nicholls, N., G. V. Gruza, J. Jouzel, T. R. Karl, L. A. Ogallo, and D. E. Parker, Observed climate variability and change, in *Climate change 1995: The science of climate change*, edited by J. E. Houghton, L. G. Meira Filho, B. A. Callander, N. Harris, A. Kattenberg, and K. Maskell, pp. 133-192, Cambridge University Press, Cambridge, 1996.
- Nienstaedt, H., Genetic variation in some phenological characteristics of forest trees, in *Phenology and Seasonality Modeling*, edited by H. Lieth, pp. 389-400, Springer-Verlag, New York, 1974.
- Nizinski, J. J., and B. Saugier, A model of leaf budding and development for a mature *Quercus* forest., *J. Appl. Ecol.*, 25, 643-652, 1988.
- Oechel, W. C., and M. J. Moreno, *The role of fire in Mediterranean ecosystems*, Springer-Verlag, Berlin, Heidelberg, 527 pp., 1994.
- Oechel, W. C., and W. D. Billings, Effects of global change on the carbon balance of arctic plants and ecosystems, in *Arctic Ecosystems in a Changing Climate*, edited by F.S. Chapin III, R. L. Jefferies, J. F. Reynolds, G. R. Shaver and J. Svoboda, pp. 139-168, Academic Press, New York, 1992.
- Oestvedt, O.-J., Zooplankton investigation from Weather Ship M in the Norwegian Sea, 1948 – 1949, *Hvalradets Skrifter, Scientific Results of Marine Biological Research*, 40, 1-93, 1955.
- Oettingen, A.J. von, Phänologie der Dorpater Lignosen, in *Archiv Naturk. Liv-, Est- u. Kurlands, II Serie. Bd. 8*, pp. 241-352, Dorpat, 1882.
- Oke, T.R., The energetic basis of the urban heat island, *Quart. J. Royal Met. Soc.*, 108, 1-24, 1982.
- Old, S. M., Microclimate, fire, and plant production in an Illinois prairie, *Ecol. Monographs*, 39, 355-384, 1969.
- Olivares, S. P., and F. A. Squeo, Phenological patterns in shrubs species from coastal desert in north-central Chile, *Rev. Chil. Hist. Nat.*, 72, 353-370, 1999.
- Oliveira, E. C., T. N. Corbisier, V. R. De Eston and O. Ambrosio, Jr., Phenology of a seagrass (*Halodule wrightii*) bed on the southeast coast of Brazil, *Aquatic Botany*, 56, 25-33, 1997.
- Oliveira, M., Calculation of budbreak and flowering base temperatures for *Vitis vinifera* cv. Touriga Francesa in the Douro region of Portugal, *Am. J. Enol. Vitic.*, 49, 74-78, 1998.
- Oliveira, P. E., and P. E. Gibbs, Reproductive biology of woody plants in a cerrado community of Central Brazil, *Flora*, 195, 311-329, 2000.
- Olmsted, C. E., Growth and development in range grasses. III. Photoperiodic responses in the genus *Bouteloua*, *Botanical Gazette*, 105, 165-181, 1943.
- Olmsted, C. E., Growth and development in range grasses. IV. Photoperiodic responses in twelve geographic strains of side-oats gramma, *Botanical Gazette*, 106, 46-74, 1944.
- Olmsted, C. E., Growth and development in range grasses. V. Photoperiodic responses of clonal divisions of three latitudinal strains of side-oats gramma, *Botanical Gazette*, 106, 382-401, 1945.
- Omoto, Y., and T. Aono, Effect of urban warming on blooming of *Prunus yedoensis*, *Energy and Buildings*, 15-16, 205-212, 1990/1991.
- Opler, P. A., G. W. Frankie, and H. G. Baker, Rainfall as a factor in the release, timing, and synchronization of anthesis by tropical tress and shrubs, *J. Biogeography*, 3, 231-236, 1976.
- Orton, D. A., and T. L. Green, *Coincide: the Orton system of pest management*, Plantsmen's Publications, Illinois, 190 pp., 1989.
- Orton, J. H., Sea-temperature, breeding and distribution of marine animals, *J. Mar. biol. Ass. U.K.*, 12, 330-366, 1920.
- Osborne, C. P., I. Chuine, D. Viner, and F. I. Woodward, Olive phenology as a sensitive indicator of future climatic warming in the Mediterranean, *Plant, Cell and Env.*, 23, 701-710, 2000.
- Ottersen, G., B. Planque, A. Belgrano, E. Post, P. C. Reid, and N. C. Stenseth, Ecological effects of the North Atlantic Oscillation, *Oecologia*, 128, 1-14, 2001.
- Ovalle, C., J. Aronson, A. Del Pozo, and J. Avendano, The espinal: agroforestry system of the mediterranean-type climate region of Chile, *Agrof. Syst.*, 10, 213-239, 1990.
- Ovalle, C., J. Avendano, A. Del Pozo, and J. Aronson, Land occupation patterns and vegetation structure of the anthropogenic savannas (espinales) of central Chile, *For. Ecol. Manage.*, 86, 129-139, 1996.
- Ovaska, J. A., J. Nilsen, F. E. Wielgolaski, H. Kauhanen, R. Partanen, S. Neuvonen, L. Kapari, O. Skre, and K. Laine, Phenology and performance of mountain birch provenances in transplant gardens: latitudinal, altitudinal and oceanity-continentiality gradients, in *Plant Ecology, Herbivory and Human Impact in Nordic Mountain Birch Forests*, edited by F. E. Wielgolaski (in press), Springer-Verlag, Heidelberg, (anticipated in 2004).
- Park-Ono, H. S., T. Kawamura, and M. Yoshino, Relationships between flowering date of cherry blossom (*Prunus yedoensis*) and air temperature in East Asia, *Proceedings of the 13th International Congress of Biometeorology 1993 September 12-18*, pp. 207-220, Calgary, 1993.
- Parolin, P., Phenology and CO₂-assimilation of trees in Central Amazonian floodplains, *J. Trop. Ecol.*, 16, 465-473, 2000.
- Parrish, J. A. D., and F. A. Bazzaz, Difference in pollination niche relationships in early and late successional plant communities, *Ecology*, 60, 597-610, 1979.

- Parry, D., W. J. A. Volney, and C. R. Currie, *The relationship between trembling aspen phenology and larval development of the large aspen tortrix*, Information report NOR-X-30, Canadian Forest Service, Natural Resources Canada, Edmonton, 1997.
- Parsons, T. R., M. Takahashi and B. Hargrave, *Biological Oceanographic Processes 3rd. edition*, Pergamon Press, Oxford, New York, 330 pp., 1984.
- Partanen, J., and E. Beuker, Effects of photoperiod and thermal time on the growth rhythm of *Pinus sylvestris* seedlings, *Scand. J. For. Res.*, 14, 487-497, 1999.
- Parton, W. J., and J. A. Logan, A model for diurnal variation in soil and air temperature, *Agric. For. Meteorol.*, 23, 205-216, 1981.
- Pellizzaro, G., D. Spano, A. Canu, and C. Cesaraccio, Calcolo dei gradi-giorno per la previsione delle fasi fenologiche nell'actinidia, *Italus Hortus*, 5, 24-30, 1996.
- Pemble, R. H., G. L. Van Amburg, and L. Mattson, Intraspecific variation in flowering activity following a spring burn on a Northwestern Minnesota prairie, *Ohio Biological Survey Biological Notes*, 15, 235-239, 1981.
- Penglase, and J. Armour, Victorian Honeys and Where They Come From, *The Federal Independent Beekeeper*, 2-4, 1909.
- Penning-Roswell, E., *Wines of Bordeaux*, (6th ed.), Penguin Books, London, 610 pp., 1989.
- Penuelas J., and I. Filella, Responses to a Warming World, *Science*, 294, 793-794, 2001.
- Peñuelas, J., I. Filella, and P. Comas, Changed plant and animal life cycles from 1952 to 2000 in the Mediterranean region, *Global Change Biology*, 8, 531-544, 2002.
- Percival, D., On estimation of the wavelet variance, *Biometrika*, 82, 619-631, 1995.
- Pereira, J. S., G. Beyschlag, O. L. Lange, W. Beyschlag, and J. D. Tenhunen, Comparative phenology of four Mediterranean shrub species growing in Portugal, in *Plant Response to Stress: Functional Analysis in Mediterranean Ecosystems*, vol. 15, edited by J.D. Tenhunen, F. M. Catarino, O. L. Lange, and W. C. Oechel, NATO Adv. Sci. Inst. Ser. G Ecol. Sci., pp. 503-513, Springer-Verlag, Berlin, Heidelberg, 1987.
- Peres, C. A., Composition, Density, and Fruiting Phenology of Arborescent Palms in an Amazonian Terra-Firme Forest, *Biotropica*, 26, 285-294, 1994b.
- Peres, C. A., Primate Responses to Phenological Changes in an Amazonian Terra-Firme Forest, *Biotropica*, 26, 98-112, 1994a.
- Petersen, N. J., The effects of fire, litter, and ash on flowering in *Andropogon gerardii*, in *Proceedings of the Eighth North American Prairie Conference, 1982, Aug 1-4, Kalamazoo, Michigan*, edited by R. Brewer, pp. 21-24, Western Michigan University, Department of Biology, Kalamazoo, MI, 1983.
- Petr, J., A precise phenological scale for grain cereals, *Rostl. Vyroba*, 12, 207-212, 1966
- Pfister, C., Klimageschichte der Schweiz 1525 bis 1860, *Das Klima der Schweiz 1525 bis 1860 und seine Bedeutung in der Geschichte von Bevölkerung und Landwirtschaft, Band 1*, Haupt, Bern, 184 pp., 1984.
- Pfister, C., Variations in the spring-summer climate of central Europe from the High Middle Ages to 1850, in *Long and Short Term Variability of Climate*, edited by H. Wanner and U. Siegenthaler, pp. 57-82, Springer-Verlag, Berlin, 1988.
- Phillipp, M., J. Böcher, O. Mattson, and S. L. J. Woodell, A quantitative approach to the sexual reproductive biology and population structure in some Arctic flowering plants: *Dryas integrifolia*, *Silene acaulis* and *Ranunculus nivalis*, *Medd Grönl Biosciences*, 34, 1-60, 1990.
- Pigott, C. D., and J. P. Huntley, Factors controlling the distribution of *Tilia cordata* at the Northern limits of its geographical range. III Nature and cause of seed sterility, *New Phytol.*, 87, 817-839, 1981.
- Pinker, R. T. Determination of surface albedo from satellites, *Advanced Space Research*, 5, 333-343, 1985.
- Piperno, D. R., and D. M. Pearsall, *Origins of Agriculture in the Neotropics*, Academic Press, New York, 400 pp., 2000.
- Pipper, E. L., K. L. Boote, J. W. Jones, and S. S. Grimm, Comparison of two phenology models for predicting flowering and maturity date of soybean, *Crop Sci.*, 36, 1606-1614, 1996.
- Podolski, A. S., *New Phenology: Elements of mathematical forecasting in ecology*, John Wiley and Sons, New York, 504 pp., 1984.
- Podolsky, A. S., *New Phenology: Elements of Mathematical Forecasting in Ecology*, John Wiley & Sons, New York, 504 pp., 1984.
- Pohlmann, T., Simulating the heat storage in the North Sea with a three-dimensional circulation model, *Cont. Shelf Res.*, 16, 195-213, 1996.
- Pop, E. W., S. F. Oberbauer, G. Starr, Predicting vegetative bud break in two arctic deciduous shrub species, *Salix pulchra* and *Betula nana*, *Oecologia*, 124, 176-184, 2000.
- Post, E., and D. R. Klein, Caribou calf production and seasonal range quality during a population decline, *J. Wildl. Manage.*, 63, 335-345, 1999.

- Post, E., and M. C. Forchhammer, Synchronization of animal population dynamics by large-scale climate, *Nature*, *420*, 168-171, 2002.
- Post, E., and N. C. Stenseth, Climatic variability, plant phenology, and northern ungulates, *Ecology*, *80*, 1322-1339, 1999.
- Post, E., Large-scale climate synchronizes the timing of flowering by multiple species, *Ecology*, *84*, 277-281, 2003.
- Post, E., M. C. Forchhammer, N. C. Stenseth, and T. V. Callaghan, The timing of life history events in a changing climate, *Proc. R. Soc. London B*, *268*, 15-23, 2001.
- Post, E., N. C. Stenseth, R. Langvatn, and J.-M. Fromentin, Global climate change and phenotypic variation among red deer cohorts, *Proc. R. Soc. London B*, *264*, 1317-1324, 1997.
- Potdar, M. B., and A. Narayana, Determining short-wave planetary albedo from spectral signatures of land-ocean features and albedo mapping using NOAA AVHRR data, *Acta Astronautica*, *29*, 687-690, 1993.
- Potter, C. S., and S. A. Klooster, Detecting a terrestrial biosphere sink for carbon dioxide: Interannual ecosystem modeling for the mid-1980s, *Climatic Change*, *42*, 489-503, 1999.
- Potter, C. S., J. T. Randerson, C. B. Field, P. A. Matson, P. M. Vitousek, H. A. Mooney, and S. A. Klooster, Terrestrial ecosystem production: a process model based on global satellite and surface data, *Global Biogeochemical Cycles*, *7*, 811-841, 1993.
- Potter, C. S., S. E. Alexander, J. C. Coughlan, and S. A. Klooster, Modeling biogenic emissions of isoprene: exploration of model drivers, climate control algorithms, and use of global satellite observations, *Atmospheric Environment*, *35*, 6151-6165, 2001.
- Potter, C., E. Davidson, D. Nepstad, and C. Reis de Carvalho, Ecosystem modeling and dynamic effects of deforestation on trace gas fluxes in Amazon tropical forests, *Forest Ecol. Manag.*, *152*, 97-117, 2001.
- Pouget, R., Etude du rythme végétatif: caractères physiologiques liés à la précocité de débourrement chez la vigne, *Annales de l'amélioration des plantes*, *16*, 6-100, 1966.
- Pouget, R., Recherches physiologiques sur le repos végétatif de la vigne (*Vitis vinifera* L.): la dormance des bourgeons et le mécanisme de sa disparition, INRA, Paris, 1963.
- Powell, J. A., J. Jenkins, J. A. Logan, and B. J. Bentz, Seasonal temperature alone can synchronize life cycles, *Bull. Mathematical Biology*, *62*, 977-998, 2000.
- Prescott, J. A., The climatology of the vine (*Vitis vinifera* L.) the cool limits of cultivation, *Transcriptions of the Royal Society of Southern Australia*, *89*, 5-23, 1965.
- Press, W. H., B. P. Flannery, S. A. Teukolsky, and W. T. Vetterling, Numerical recipes in Pascal, Cambridge University Press, Cambridge, 759 pp., 1989.
- Price, D. T., D. W. McKenney, I. A. Nalder, M. F. Hutchinson, and J. L. Kesteven, A comparison of two statistical methods for spatial interpolation of Canadian monthly mean climate data, *Agricult. Forest Meteorol.*, *101*, 81-94, 2000.
- Price, J. C., and W. C. Bausch, Leaf area index estimation from visible and near-infrared reflectance data, *Remote Sens. of Environ.*, *52*, 55-65, 1995.
- Prince, J. E., Phenology and rural biology, *Victorian Nat.*, *8*, 119-127, 1891.
- Printz, H. C., Beretning om en i Sommeren 1864 foretagen botanisk Reise i Valdres, (in Norwegian), *Nyt Mag. Naturv.*, *14*, 51-96, 1865.
- Proceedings, *Proc. and Trans. of the Royal Soc. of Canada*, *10* (Session 3), 53-55, 1893.
- Przybylo, R., B. C. Sheldon, and J. Merila, Climatic effects on Breeding and morphology: evidence for phenotypic plasticity, *J. Animal Ecology*, *69*, 395-403, 2000.
- Putz, F. E., G. B. Romano, and N. M. Holbrook, Comparative Phenology of Epiphytic and Tree-Phase Strangler Figs in a Venezuelan Palm Savanna, *Biotropica*, *27*, 183-189, 1995.
- Quesada, M., K. E. Stoner, V. Rosas-Guerrero, C. Palacios-Guevara, and J. Lobo, Effects of habitat disruption on the activity of nectarivorous bats (Chiroptera: Phyllostomidae) in a dry tropical forest: implications for the reproductive success of the neotropical tree *Ceiba grandiflora*, *Oecologia*, *135*, 400-406, 2003.
- Quezel, P., Forests of the Mediterranean basin, in *Mediterranean forests and maquis: Ecology conservation and management*, pp. 9-33, Unesco, Paris, 1977.
- Quinn, T. J., *Temperature*, Academic Press, New York, 495 pp., 1983.
- Rabinowitz, D., J. K. Rapp, V. L. Sork, B. J. Rathcke, G. A. Reese, and J. C. Weaver, Phenological properties of wind- and insect-pollinated prairie plants, *Ecology*, *62*, 49-56, 1981.
- Rachlow, J. L., and R. T. Bowyer, Interannual variation in timing and synchrony of parturition in Dall's sheep, *J. Mamm.*, *72*, 487-492, 1991.
- Racsko, P., L. Szeidl, and M. Semonov, A serial approach to local stochastic weather models, *Ecological Modelling*, *57*, 27-41, 1991.
- Raik, A., *Climatic seasons in Estonia* (in Estonian with summary in English), Acta et commentationes Universitatis Tartuensis, *144*, p. 33-44, 1963.

- Ralph, C. P., Observations on *Azorella compacta* (Umbelliferae), a tropical Andean cushion plant, *Biotropica*, 10, 62-67, 1978.
- Rambal, S., and C. Hoff, Mediterranean ecosystems and fire: the threats of global change, in *Large forest fires*, edited by J. M. Moreno, pp. 187-213, Backhuys Publishers, Leiden, The Netherlands, 1998.
- Ramirez, N., and Y. Brito, Patterns of Flowering and Fructification in a Swampy Community, Morichal Type (Calabozo, Edo Guarico, Venezuela), *Acta Cientifica Venezolana*, 38, 376-381, 1987.
- Ramirez, N., Reproductive phenology, life-forms and habitats of the Venezuelan Central Plain, *Amer. J. Botany*, 89, 836-842, 2002.
- Rapp, J., and C. D. Schönwiese, "Thermische Jahreszeiten" als anschauliche Charakteristik klimatischer Trends, *Meteorologische Zeitschrift*, 3, 91-94, 1994.
- Rapp, J., *Konzeption, Problematik and Ergebnisse klimatologischer Trendanalysen für Europa und Deutschland*, Berichte des Deutschen Wetterdienstes 212, 2002.
- Ratcliffe, M. J., and R. Turkington, Comparative phenology of some alpine vascular plant species on Lakeview Mountain, Southern British Columbia, *Canadian Field Naturalist*, 103, 348-352, 1989.
- Ratter, J.A., P. W. Richards, G. Argent, and D. R. Gifford, Observations of the vegetation of northeastern Mato Grosso. I. The woody vegetation types of the Xavantina-Cachimbo expedition area, *Philosophical Transactions of the Royal Society of London, Series B*, 266, 449-492, 1973.
- Reader, R., J. S. Radford, and H. Lieth, Modeling important phytophenological events in Eastern North America, in *Phenology and Seasonality Modeling*, edited by H. Lieth, pp. 329-342, Springer-Verlag, New York, 1974.
- Reaumur, R. A. F. de, Observations du thermomètre, faites à Paris pendant l'année 1735, comparées avec celles qui ont été faites sous la ligne, à l'isle de France, à Alger et quelques unes de nos isles de l'Amérique., *Memoires de l'Académie des Sciences de Paris*, 1735.
- Reed, B.C., J.F. Brown, D. VanderZee, T.R. Loveland, J.W. Merchant, and D.O. Ohlen, Measuring phenological variability from satellite imagery, *J. Vegetation Science*, 5, 703-714, 1994.
- Rees, M., D. Kelly, and O. N. Bjornstad, Snow tussocks, chaos, and the evolution of mast seeding, *Amer. Naturalist*, 160, 44-59, 2002.
- Régnière, J., B. Cooke, and V. Bergeron, *BioSIM: a computer-based decision support tool for seasonal planning of pest management activities*, User's Manual, Canadian Forest Service Information Report LAU-X-116, 35 pp., 1995.
- Régnière, J., A method of describing and using variability in development rates for the simulation of insect phenology, *Can. Entomologist*, 116, 1367-1376, 1984.
- Régnière, J., and A. Sharov, Phenology of *Lymantria dispar* (Lepidoptera: Lymantriidae), male flight and the effect of moth dispersal in heterogeneous landscapes, *Int. J. Biometeorol.*, 41, 161-168, 1998.
- Régnière, J., and A. Sharov, Simulating temperature-dependent ecological processes at the sub-continental scale: male gypsy moth flight phenology as an example, *Int. J. Biometeorol.*, 42, 146-152, 1999.
- Régnière, J., and B. Cooke, Validation of a process-oriented model of *Bacillus thuringiensis* variety *kurstaki* efficacy against spruce budworm (Lepidoptera: Tortricidae), *Environ. Entomology*, 27, 801-811, 1998.
- Régnière, J., and P. Bolstad, Statistical simulation of daily air temperature patterns in eastern North America to forecast seasonal events in insect pest management, *Environ. Entomology*, 23, 1368-1380, 1994.
- Régnière, J., and V. Nealis, Modelling seasonality of gypsy moth, *Lymantria dispar* (Lepidoptera: Lymantriidae), to evaluate probability of its persistence in novel environments, *Can. Entomologist*, 134, 805-824, 2002.
- Régnière, J., Generalized approach to landscape-wide seasonal forecasting with temperature-driven simulation models, *Environ. Entomology*, 25, 869-881, 1996.
- Reich, P. B. and R. Borchert, Water stress and tree phenology in a tropical dry forest in the tropical dry forest lowlands of Costa Rica, *J. Ecology*, 72, 61-74, 1984.
- Reich, P. B., Phenology of tropical forests: patterns, causes, and consequences, *Can. J. Bot.*, 73, 164-174, 1994.
- Reicosky, L. J., J. M. Winkelman, J. M. Baker, J. M., and D. G. Baker, Accuracy of hourly air temperatures calculated from daily minima and maxima, *Agric. For. Meteorol.*, 46, 193-209, 1989.
- Reid, A. J., A plan for all seasons, *Habitat Australia, April*, 14-15, 1995.
- Reid, A. J., and A. Beckett, *Banksias and Bilbies: Seasons of Australia*, Gould League of Victoria, Moorabbin, Australia, 81 pp., 1995.
- Reid, A. J., and A. Beckett, *Gum leaves and Geckos*, Gould League of Victoria, Prahran, 96 pp., 1984.
- Reid, A. J., Exploring local seasonality, *Victorian Nat.*, 111, 35-37, 1994.
- Reid, A. J., The timelines Australia project, *Timelines Australia Project News*, 4, supplement 4 pp., 2001.
- Reid, P. C., B. Planque, and M. Edwards, Is observed variability in the long-term results of the Continuous Plankton Recorder survey a response to climate change?, *Fisheries Oceanography*, 7 (3/4), 282-288, 1998.
- Reiner, L., A. Mangstl, F. Strass, W. Teuteberg, E. Panse, P. W. Kürten, B. Meier, W. Grosskopf, U. Deecke, P. Kühne, and J. G. Schwerdtle, *Winterroggen aktuell*, DLG Verlag, Frankfurt a.M., 13pp., 1979.
- Repo, T., A. Mäkelä, and H. Hänninen, Modelling frost resistance of trees, *Silva Carelica*, 15, 61-74, 1990.

- Resvoll, T. R., Om planter som passer til kort og kold sommer (in Norwegian), *Arciv Matematik Naturvidenskab*, 35, 1-224, 1917.
- Reyes, J., M. Sanson and J. Afonso-Carrillo, Distribution and reproductive phenology of the seagrass *Cymodocea nodosa* (Ucria) Ascherson in the Canary Islands, *Aquatic Botany* 50, 171-180, 1995.
- Reynolds, D. N., Alpine annual plants: phenology, germination, photosynthesis, and growth in three Rocky Mountain species, *Ecology*, 65, 759-766, 1984.
- Ribeiro, L. F., and M. Tabarelli, A structural gradient in cerrado vegetation of Brazil: changes in woody plant density, species richness, life history and plant composition, *Journal of Tropical Ecology*, 18, 775-794, 2002.
- Rice, E. L., Growth and floral development of five species of range grass in central Oklahoma, *Botanical Gazette*, 111, 361-377, 1950.
- Richardson, C. W., and D. A. Wright, *WGEN: A model for generating daily weather variables*, US Department of Agriculture, Washington, DC, Agricultural Research Service 8 pp., 1984.
- Richardson, C. W., Stochastic simulation of daily precipitation, temperature and solar radiation, *Water Resources Res.*, 17, 182-190, 1981.
- Richardson, E. A., S. D. Seeley, and D. R. Walker, A model for estimating the completion of rest for 'Redhaven' and 'Elberta' peach trees, *Hort. Science*, 9, 331-332, 1974.
- Richardson, S. G., and F. B. Salisbury, Plant responses to the light penetrating snow, *Ecology*, 58, 1152-1158, 1977.
- Riou, C., *The Effect of Climate on Grape Ripening: Application to the Zoning of Sugar Content in the European Community*, Commission Europeenne, Luxembourg, 319 pp., 1994.
- Ripley, E. A., and R. E. Redmann, Grassland, in *Vegetation and the Atmosphere*, 2, Case Studies, edited by J. L. Monteith, pp. 351-398, Academic Press, London, 1976.
- Riveros, M., Andean Plant Phenology, Volcan Casablanca, 40-Degrees-S, X- Region, Chile, *Archivos De Biología Y Medicina Experimentales*, 16, R181-R181, 1983.
- Riveros, M., B. Palma, S. Erazo, and S. Oreilly, Phenology and Pollination in Species of the Genus *Nothofagus*, *Phyton-Int. J. Exp. Bot.*, 57, 45-54, 1995.
- Roberts, E. H., R. J. Summerfield, R. H. Ellis, and K. A. Stewart, Photothermal time for flowering in lentils (*Lens culinaris*) and the analysis of potential vernalization responses, *Ann. Bot.*, 61, 23-39, 1988.
- Robertson, C., The philosophy of flower seasons, and the phenological relations of the entomophilous flora and the anthophilous insect fauna, *American Naturalist*, 29, 97-117, 1895.
- Robertson, G. W., A biometeorological time scale for a cereal crop involving day and night temperatures and photoperiod, *Int. J. Biometeorol.*, 12, 191-223, 1968.
- Robeson, S.M., Increasing growing-season length in Illinois during the 20th century, *Climatic Change*, 52, 219-238, 2002.
- Robin, L., *The Flight of the Emu: A hundred years of Australian Ornithology 1901 - 2001*, Melbourne University Press, Carlton South, Victoria, 492 pp., 2001.
- Robinson, C. H., P. A. Wookey, J. A. Lee, T. V. Callaghan, and M. C. Press, Plant community responses to simulated environmental change at a High Arctic polar semi-desert, *Ecology*, 79, 856-866, 1998.
- Robinson, J., *The Oxford Companion to Wine*, (1st ed.), Oxford University Press, New York, 1088 pp., 1994.
- Roemer, K., *Untersuchungen über den Einfluss der Temperatur auf das Wachstum von Apfelfrüchten*, Mitt. Obstbauversuchsring Altes Land, 2 pp., 1962.
- Roetzer, T., M. Wittenzeller, H. Haeckel, and J. Nekovar, Phenology in Central Europe - differences and trends of spring phenophases in urban and rural areas, *Int. J. Biometeorol.*, 44, 60-66, 2000.
- Rolstad, J., Consequences of forest fragmentation for the dynamics of bird populations: Conceptual issues and the evidence, *Biological Journal of the Linnean Society*, 42, 149-163, 1991.
- Roltsch, J.W., F.G. Zalom, A.J. Strawn, J.F. Strand, and M.J. Pitcairn, Evaluation of several degree day estimation methods in California climates, *Int. J. Biometeorol.*, 42, 169-176, 1999.
- Root, T. L., J. T. Price, K. R. Hall, S. H. Schneider, C. Rosenzweig, and A. Pounds, Fingerprints of global warming on wild animals and plants, *Nature*, 421, 57-60, 2003.
- Rosello, N. E., and S. E. Belmonte, Fenología de *Browningia candelaris* (Meyen) Britt. et Rose en la Quebrada de Cardones, Norte de Chile, *Idesia*, 47-55, 1999.
- Rossi, B. E., G. O. Debandi, I. E. Peralta, and E. M. Palle, Comparative phenology and floral patterns in *Larrea* species (Zygophyllaceae) in the Monte desert (Mendoza, Argentina), *J. Arid. Environ.*, 43, 213-226, 1999.
- Rossiter, R. C., and P. G. Ozanne, South-western temperate forests, woodlands and heaths, in *Australian Grassland*, edited by R. M. Moore, pp. 199-218, Australian National University Press, Canberra, 1970.
- Rötzer, T., and F.-M. Chmielewski, Phenological maps of Europe, *Climate Research*, 18(3), 249-257, 2001.
- Rötzer, T., M. Wittenzeller, H. Haeckel, and J. Nekovar, Phenology in central Europe – differences and trends of spring phenophases in urban and rural areas, *Int. J. Biometeorol.*, 44, 60-66, 2000.

- Rötzer, T., W. Würfländer, and H. Häckel, *Agrar- und Umweltklimatologischer Atlas von Bayern*, Selbstverlag Deutscher Wetterdienst, 1997.
- Roy, D. B., and T. H. Sparks, Phenology of British butterflies and climate change, *Global Change Biology*, 6, 407-416, 2000.
- Royal Society of Tasmania, *Bye-laws for the regulation and management of the gardens of the Royal Society of Tasmania*, Royal Society of Tasmania, Printed at the Mercury Steam Press Office, Hobart, 6 pp., 1860.
- Royal Society of Tasmania, *RSA/E29 Work and notebook*, Monthly list of plants in flower in the Botanic Gardens, in possession of Special and Rare Materials, University of Tasmania Library, Hobart, 30 pp., 1858-c1883.
- Royal Society of Tasmania, The Royal Society of Tasmania, *Papers and Proceedings of the Royal Society of Tasmania, 1894-95*, 1-5, 1896.
- Royal Society of Tasmania, Time of leafing, flowering, and fruiting for a few standard plants, in the Royal Society's Garden for the month, *Pap. & Proc. R. Soc. Tas.*, 1864, 5, 1865.
- Royama, T., Population dynamics of the spruce budworm *Choristoneura fumiferana*, *Ecol. Monographs*, 54, 429-462, 1984.
- Rozzi, R., J. D. Molina, and P. Miranda, Microclimate and Flowering Periods on Equatorial and Polar- Facing Slopes in the Central Chilean Andes, *Rev. Chil. Hist. Nat.*, 62, 75-84, 1989.
- Rubin, E. S., W. M. Boyce, and V. C. Bleich, Reproductive strategies of desert bighorn sheep, *J. Mamm.*, 81, 769-786, 2000.
- Ruel, J. J., and M. P. Ayres, Jensen's inequality predicts effects of environmental variation, *TREE*, 14, 361-366, 1999.
- Ruiz, A., M. Santos, J. Cavellier, and P. J. Soriano, Phenological study of Cactaceae in the dry enclave of Tatacoa, Colombia, *Biotropica*, 32, 397-407, 2000.
- Rundel, P. W., Adaptive significance of some morphological and physiological characteristics in mediterranean plants: facts and fallacies, in *Time scales of biological responses to water constraints: the case of mediterranean biota*, edited by J. Roy, J. Aronson, and F. di Castri, pp. 119-139, SPB Academic Publishers, Amsterdam, 1995.
- Rundel, P. W., and J. L. Vankat, Chaparral communities and ecosystems, in *The California chaparral: paradigms reexamined*, edited by S. Keeley, pp. 127-139, Los Angeles County Museum of Natural History, Los Angeles, California, 1989.
- Rundel, P. W., Landscape disturbance in Mediterranean-type Ecosystems: an overview, in *Ecological Studies: Landscape Degradation and Biodiversity in Mediterranean-Type Ecosystems*, vol. 136, edited by P. W. Rundel, G. Montenegro, and F. M. Jaksic, pp. 3-22, Springer-Verlag, Berlin, Heidelberg, 1998.
- Rundel, P. W., The matorral zone of central Chile, in *Ecosystems of the world: Mediterranean-type shrublands*, vol. 11, edited by F. di Castri, D. W. Goodall, and R. L. Specht, pp. 175-201, Elsevier Scientific Publishing Company, Amsterdam, 1981.
- Rundel, P. W., Impact of fire on nutrient cycles in Mediterranean-type ecosystems, with reference to chaparral, in *Mediterranean-type ecosystems: the role of nutrients*, edited by F. J. Kruger, D. T. Mitchell, and J. U. M. Jarvis, pp. 192-207, Springer-Verlag, Berlin, Heidelberg, 1983.
- Running, S. W., and J. C. Coughlan, A general model of forest ecosystem processes for regional application. I. Hydrological balance, canopy gas exchange and primary production processes, *Ecol. Modelling*, 42, 125-154, 1988.
- Rusch, V. E., Altitudinal Variation in the Phenology of Nothofagus-Pumilio in Argentina, *Rev. Chil. Hist. Nat.*, 66, 131-141, 1993.
- Ruschy, D. L., D. G. Baker, and R. H. Skaggs, Seasonal variation in daily temperature ranges, *J. Climate*, 4, 1211-1216, 1991.
- Russell, M. J., M. Nunez, M. A. Chladil, J. A. Valiente, and E. Lopez-Baeza, Conversion of nadir, narrowband reflectance in red and near-infrared channel to hemispherical surface albedo, *Remote Sensing Environ.*, 61, 16-23, 1997.
- Russell, R. C., Phenological records of the prairie flora, *Can. Plant Disease Survey*, 42(3), 162-166, 1962.
- Russo, J. M., A. M. Liebhold, and J. G. W. Kelley, Mesoscale weather data as input to a gypsy moth (Lepidoptera: Lymantriidae) phenology model, *J. Economic Entomology*, 86, 838-844, 1993.
- Rutberg, A. T., Adaptive hypotheses of birth synchrony in Ruminants: an interspecific test, *Am. Nat.*, 130, 692-710, 1987.
- Ryszkowski, L., *Landscape ecology in agroecosystems management: Advances in agroecology*, CRC Press, Boca Raton, Fla., 366 pp., 2002.
- Sabatier, D., Fruiting Periodicity and Its Determinants in a Lowland Rain- Forest of French-Guyana, *Rev. Ecol.-Terre Vie*, 40, 289-320, 1985.
- Sader, S., and A. T. Joyce, Deforestation rates and trends in Costa Rica, 1940 to 1983, *Biotropica*, 20(1), 11-19, 1988.
- Sadleir, R. M. F. S., *The ecology of reproduction in wild and domesticated mammals*, Methuen, London, 321 pp., 1969.
- Saether, B. E., J. Tufto, S. Engen, K. Jerstad, O. W. Røstad, and J. E. Skåtán, Population dynamical consequences of climate change for a small temperate songbird, *Science*, 287, 854-856, 2000.

- Sagarin, R., and F. Micheli, Climate Change in Nontraditional Data Sets, *Science*, 294, 811, 2001.
- Sagarin, R., False estimates of the advance of spring, *Nature*, 414, 600, 2001.
- Sakai, S., K. Momose, T. Yumoto, T. Nagamitsu, H. Nagamasu, A. A. Hamid, and T. Nakasiiizuka, Plant reproductive phenology over four years including an episode of general flowering in a lowland Dipterocarp forest, Sarwak, Malaysia, *Amer. J. Botany*, 86, 1414–1436, 1999.
- Sakin, M., J. F. Hancock, and J. J. Luby, Identifying new sources of genes that determine cyclic flowering in Rocky Mountain populations of *Fragaria virginiana* ssp glauca Staudt, *J. Amer. Soc. Hort. Science*, 122, 205-210, 1997.
- Sanchez-Azofeifa, G.A. and Calvo J., *Final report on the extent to Costa Rica forest cover: Year 2002*, Costa Rican National Forest Financing Fund, 20 pp., 2002.
- Santos, N., Fenologia, *Rodriguesia*, 31, 223-226, 1979.
- Sartorius, S. S., and P. C. Rosen, Breeding phenology of the lowland leopard frog (*Rana yavapaiensis*): Implications for conservation and ecology, *Southwestern Naturalist*, 45, 267-273, 2000.
- Sarvas, R., Investigations on the annual cycle of development of forest trees: Autumn dormancy and winter dormancy, *Communicationes Instituti Forestalis Fenniae*, 84, 1-101, 1974.
- Sarvas, R., Investigations on the annual cycle of development on forest trees active period, *Communicationes Instituti Forestalis Fenniae*, 76, 110, 1972.
- Saunders, P. A., Jr., R. J. Hobbs and C. R. Margules, Biological consequences of ecosystem fragmentation: a review, *Conservation Biology*, 5, 18-32, 1991.
- Saunders, R. W., The determination of broad band surface albedo from AVHRR visible and near-infrared radiances, *Int. J. Remote Sensing*, 11, 49-67, 1990.
- Schaub, L. P., F. W. Ravlin, D. R. Gray, and J. A. Logan, A landscape framework to predict phenological events for gypsy moth (Lepidoptera: Lymantriidae) management programs, *Environ. Entomology*, 24, 10-18, 1995.
- Scheifinger, H., A. Menzel, E. Koch and C. Peter, Trends of spring time frost events and phenological dates in central Europe, *Theoretical and Applied Climatology*, 74, 41-51, 2003.
- Scheifinger, H., A. Menzel, E. Koch, C. Peter, and R. Ahas, Atmospheric mechanisms governing the spatial and temporal variability of phenological observations in central Europe, *Int. J. Climatology*, 22, 1739-1755, 2002.
- Schlarbaum, S. E., and W. T. Bagley, Intraspecific genetic variation of *Quercus rubra* L., northern red oak, *Silvae Genetica*, 30, 50-56.
- Schmiedl G., A. Mitschele, S. Beck, K. Emeis, C. Helleben, H. Schulz, M. Sperling, Benthic foraminiferal record of ecosystem variability in the eastern Mediterranean Sea during times of saprobel S5 and S6 deposition, *Palaeogeography, Palaeoclimatology, Palaeoecology*, 190, 139-164, 2003.
- Schnelle F. *Pflanzen-Phänologie*, *Akademische Verlagsgesellschaft*, Geest und Portig, Leipzig, 299 pp., 1955.
- Schnelle, F., *Agro-phenological annual course of the German and European agricultural regions*, German Geographic Meeting, Wiesbaden, 1961.
- Schnelle, F., Ergebnisse aus den Internationalen Phänologischen Gärten in Europa - Mittel 1973-82, *Wetter und Leben*, 38, 5-17, 1958.
- Schnelle, F., *Pflanzen-Phänologie*, *Akademische Verlagsgesellschaft*, Geest and Portig, Leipzig, 299 pp., 1955.
- Schongart, J., M. T. F. Piedade, S. Ludwigshausen, V. Horna, and M. Worbes, Phenology and stem-growth periodicity of tree species in Amazonian floodplain forests, *J. Trop. Ecol.*, 18, 581-597, 2002.
- Schübeler, F. C., *Viridarium Norvegicum, Norges Vaextrige, Et Bidrag til Nord-Europas Natur-og Kulturhistorie, 1ste bind, (in Norwegian)*, Phenology etc., pp. 1-184, Climatic, pp. 185-195, W. C. Fabritius, Christiania, 610 pp., 1885.
- Schultz G. E., *General phenology* (in Russian), Nauka, Leningrad, 186 pp., 1981.
- Schultz, G. E., Geographische Phänologie in der USSR (in German), *Wetter und Leben*, 34, 160-168, 1982.
- Schuster, W. S., D. L. Alles, and J. B. Mitton, Gene flow in limber pine: evidence from pollination phenology and genetic differentiation along an elevational transect, *Amer. J. Botany*, 76, 1395-1403, 1989.
- Schwartz, M. D., Advancing to full bloom: planning phenological research for the 21st century, *Int. J. Biometeorol.*, 42, 113-118, 1999.
- Schwartz, M. D., and B. C. Reed, Surface phenology and satellite sensor-derived onset of greenness: an initial comparison, *Int. J. Remote Sensing*, 20, 3451–3457, 1999.
- Schwartz, M. D., and B. E. Reiter, Changes in North American Spring, *Int. J. Climatology*, 20(8), 929-932, 2000.
- Schwartz, M. D., and G. A. Marotz, An approach to examining regional atmosphere-plant interactions with phenological data, *J. Biogeograph.*, 13, 551-560, 1986.
- Schwartz, M. D., and G. A. Marotz, Synoptic Events and Spring Phenology, *Phys. Geography*, 9(2), 151-161, 1988.
- Schwartz, M. D., and T. M. Crawford, Detecting Energy-Balance Modifications at the Onset of Spring, *Phys. Geography*, 21(5), 394-409, 2001.
- Schwartz, M. D., and T. R. Karl, Spring Phenology: Nature's Experiment to Detect the Effect of "Green-up" on Surface Maximum Temperatures, *Mon. Wea. Review*, 118(4), 883-890, 1990.
- Schwartz, M. D., and X. Chen, Examining the Onset of Spring in China, *Clim. Res.*, 21(2), 157-164, 2002.

- Schwartz, M. D., Assessing the Onset of Spring: A Climatological Perspective, *Phys. Geography*, 14(6), 536-550, 1993.
- Schwartz, M. D., B. C. Reed, and M. A. White, Assessing satellite-derived start-of-season measures in the conterminous USA, *Int. J. Climatol.*, 22(14), 1793-1805, 2002.
- Schwartz, M. D., Detecting the Onset of Spring: A possible application of phenological models, *Clim. Res.*, 1(1), 23-29, 1990.
- Schwartz, M. D., Examining the Spring Discontinuity in Daily Temperature Ranges, *J. Climate* 9(4), 803-808, 1996.
- Schwartz, M. D., G. J. Carbone, G. L. Reighard, and W. R. Okie, Models to Predict Peach Phenology from Meteorological Variables, *HortScience*, 32(2), 213-216, 1997.
- Schwartz, M. D., Green-wave phenology, *Nature*, 394(6696), 839-840, 1998.
- Schwartz, M. D., Monitoring global change with phenology: The case of the spring green wave, *Int. J. Biometeorol.*, 38, 18-22, 1994.
- Schwartz, M. D., Phenology and Springtime Surface Layer Change, *Mon. Wea. Review*, 120(11), 2570-2578, 1992.
- Schwartz, M. D., Spring Index Models: An Approach to Connecting Satellite and Surface Phenology, in *Phenology of Seasonal Climates I*, edited by H. Lieth and M. D. Schwartz, pp. 23-38, Backhuys, Netherlands, 1997.
- Schwartz, M. D., *The Advance of Phenological Spring Across Eastern and Central North America*, Ph.D. dissertation, Dept. of Geography, University of Kansas, Lawrence, 1985.
- Seastedt, T. R., and A. K. Knapp, Consequences of non-equilibrium resource availability across multiple time scales: the transient maxima hypothesis, *Amer. Naturalist*, 141, 621-633, 1993.
- Seastedt, T. R., J. M. Briggs, and D. J. Gibson, Controls of nitrogen limitation in tallgrass prairie, *Oecologia*, 87, 72-79, 1991.
- Seastedt, T. R., Soil systems and nutrient cycles of the North American prairie, in *The Changing Prairie*, edited by A. Joern and K. H. Keeler, pp. 49-81, Oxford University Press, New York, 1995.
- Sedgwick, E. H., Proceedings of the Annual congress of the Royal Australian Ornithological Union, Perth 1948, *Emu*, 48, 177-211, 1949.
- Sekulic, R., Seasonality of reproduction in the sable antelope, *E. African Wildl. J.*, 16, 177-182, 1978.
- Sellers, P. J., F. G. Hall, G. Asrar, D. E. Strelbel, and R. E. Murphy, The first ISLSCP field experiment (FIFE), *Bull. Amer. Meteorol. Soc.*, 69, 22-27, 1988.
- Sellers, W. D., *Physical Climatology*, The University of Chicago Press, Chicago, 272 pp., 1965.
- Seres, A., and N. Ramirez, Flowering and Fructification of Monocotyledons in a Venezuelan Cloud Forest, *Rev. Biol. Trop.*, 41, 27-36, 1993.
- Sewell, M. A., and C. M. Young, Temperature limits to fertilization and early development in the tropical sea urchin *Exhinometra lucunter*, *J. Exp. Mar. Biol. Ecol.*, 47, 291-305, 1999.
- Sharov, A. A., B. C. Pijanowski, A. M. Liebhold, and S. H. Gage, What affects the rate of gypsy moth (Lepidoptera: Lymantriidae) spread: winter temperature or forest susceptibility?, *Agricult. Forest Entomology*, 1, 37-45, 1999.
- Sharpe, P. J. H., and D. W. DeMichele, Reaction kinetics of poikilotherm development, *J. Theoretical Biology*, 64, 649-670, 1977.
- Shigehara, K., T. Okamura, N. Nakayama, and F. Watanabe, Phenological observation data in Japan to be utilized as an indicator of climatic variation, *Proceedings of the International Conference on Climatic Impacts on the Environment and Society 1991 January 27-February 1*, pp. C1-C6, Ibaraki, Japan, 1991.
- SHMÚ Bratislava (Editor), *Fenologické pozorovanie lesných rastlín, Metodický predpis* (Manual for forest stations), 16 pp., 1996b.
- SHMÚ Bratislava (Editor), *Fenologické pozorovanie všeobecnej fenológie, Metodický predpis*. (Manual for general stations), 126 pp., 1996a.
- SHMÚ Bratislava (Editor), *Metodický predpis 2 Návod na činnosť fenologických staníc Poľné plodiny* (Manual for special crop station), 120 pp., 1988a.
- SHMÚ Bratislava (Editor), *Metodický predpis 3 Návod na činnosť fenologických staníc Ovocné plodiny* (Manual for special fruit and grapevine station), 136 pp., 1988b.
- Silberbauer-Gottsberger, I., A hectare of cerrado. II. Flowering and fruiting of thick-stemmed woody species, *Phyton-Ann. REI Bot.*, 41, 129-158, 2001.
- Sillet, T. S., R. T. Holmes, and T. W. Sherry, Impacts of a global climate cycle on population dynamics of a migratory songbird, *Science*, 288, 2040-2042, 2000.
- Silva, J. F., and M. Ataroff, Phenology, Seed Crop and Germination of Coexisting Grass Species from a Tropical Savanna in Western Venezuela, *Acta Oecologica-Oecologia Plantarum*, 6, 41-51, 1985.
- Silveira, F. R., Queda de Folhas, *Rodriguesia*, 1, 1-6, 1935.
- Sim, J., *Nature Watch Observation Diary*, Northern Territory, 10 pp., 1987.
- Sims, P. L., Grasslands, in *North American Terrestrial Vegetation*, edited by M. G. Barbour, and W. D. Billings, pp. 265-286, Cambridge University Press, New York, 1988.

- Sinclair, T. R., S. Kitani, J. Bruniard and T. Horide, Soybean flowering date: linear and logistic models based on temperature and photoperiod, *Crop Sci.*, 31, 786-790, 1991.
- Sist, P., Structure and Phenology of the Palm Community of a French Guiana Rain-Forest (Piste-De-St-Elie), *Rev. Ecol.-Terre Vie*, 44, 113-151, 1989.
- Skjellvåg, A. O., Climatic conditions for crop production in Nordic countries, *Agr. Food Sci. Finland*, 7, 149-160, 1998.
- Skogland, T., *Comparative social organization of wild reindeer in relation to food, mates, and predator avoidance*, Paul Parey Publishers, Berlin, 74 pp., 1989.
- Skre, O., Climate change impact on mountain birch ecosystems, in *Nordic Mountain birch ecosystems*, edited by F. E. Wielgolaski, pp. 343-357, UNESCO, Paris and Parthenon Publ. Group, New York and London, 2001.
- Slater, F. M., First-egg date fluctuations for the pied flycatcher *Ficedula hypoleuca* in the woodland of mid-Wales in the twentieth century, *Ibis*, 141, 489-506, 1999.
- Smart, R. E., and P. R. Dry, A climatic classification for Australian viticultural regions, *Australian Grapegrower and Winemaker*, 196, 8-16, 1980.
- Smith, J. W., Phenological dates and meteorological data recorded by Thomas Mikesell between 1873 and 1912 at Wauseon, Ohio, *Mon. Wea. Review Suppl.*, 2, 23-93, 1915.
- Smith-Ramirez, C., and J. J. Armesto, Flowering and Fruiting Patterns in the Temperate Rain-Forest of Chiloe, Chile - Ecologies and Climatic Constraints, *J. Ecol.*, 82, 353-365, 1994.
- Smith-Ramirez, C., J. J. Armesto, and J. Figueroa, Flowering, fruiting and seed germination in Chilean rain forest myrtaceae: ecological and phylogenetic constraints, *Plant Ecol.*, 136, 119-131, 1998.
- Snyder, R. L., D. Spano, C. Cesaraccio, and P. Duce, Determining degree-day threshold from field observations, *Int. J. Biometeorol.*, 42, 177-182, 1999.
- Snyder, R. L., D. Spano, P. Duce, and C. Cesaraccio, Temperature data for phenological models, *Int. J. Biometeorol.*, 45, 178-183, 2001.
- Snyder, R. L., Hand calculating degree-days, *Agric. For. Meteorol.*, 35, 353-358, 1985.
- Soenen, A., Les bases de l'avertissement en culture fruitière, Dissertation, Louvain, Institut Agronomique, Memoires V., 1952.
- Soenen, A., *Les bases de l'avertissement en culture fruitière. Le développement du bourgeon floral*, Comptes rendus de Recherches, IRSIA, 5 pp., 1951.
- Sokolov, L. V., and V. A. Payevsky, Spring temperatures influence year-to-year variations in the breeding phenology of passerines on the Courish Spit, eastern Baltic, *Avian Ecology and Behavior*, 1, 22-36, 1998.
- Sokolov, L. V., M. Yu. Markovets, A. P. Shapoval, and Yu. G. Morozov, Long-term trends in the timing of spring migration of passerines on the Courish spit of the Baltic sea, *Avian Ecology and Behavior*, 1, 1-21, 1998.
- Sokolov, L. V., Spring ambient temperature as an important factor controlling timing of arrival, breeding, post-fledging dispersal and breeding success of Pied Flycatchers *Ficedula hypoleuca* in Eastern Baltic, *Avian Ecology and Behavior*, 5, 79-104, 2000.
- Sokolowska, J., *Przewodnik fenologiczny*, Instytut Meteorologii i Gospodarki Wodnej, Wydawnictwa Komunikacji i Łączności, Warszawa, 163 pp., 1980.
- Song, J., and W. Gao, An Improved method to derive surface albedo from narrowband AVHRR satellite data: Narrowband to broadband conversion, *J. Appl. Meteorol.*, 38, 239-249, 1999.
- Song, J., Diurnal asymmetry in surface albedo, *Agricult. Forest Meteorol.*, 92, 181-189, 1998.
- Song, J., Influence of heterogeneous land surfaces on the surface energy budget at meso- and large scales, Ph.D. Dissertation, University of Delaware, Newark, 1995.
- Song, J., Phenological Influences on the albedo of prairie grassland and crop fields, *Int. J. Biometeorol.*, 42, 153-157, 1999.
- Sörensen, T., Temperature relations and phenology of the Northeast Greenland flowering plants, *Medd. Grönl.*, 125, 1-307, 1941.
- Souriau, A., and P. Yiou, Grape harvest dates for checking NAO paleoreconstructions, *Geophysical Research Letters*, 28(20), 3895-3896, 2001.
- Southward, A. J., E. I. Butler and P. Pennycuik, Recent cyclic changes in climate and in abundance of marine life, *Nature*, 253, 714-717, 1975.
- Spano, D., C. Cesaraccio, P. Duce, and R. L. Snyder, Phenological Stages of Natural Species and their use as Climate Indicators, *Int. J. Biometeorol.*, 42, 124-133, 1999.
- Spano, D., C. Cesaraccio, P. Duce, and R. L. Snyder, Phenological stages of natural species and their use as climate indicators, *Int. J. Biometeorol.*, 42, 124-133, 1999.
- Sparks, T. H., and A. Menzel, Observed changes in seasons: an overview, *Int. J. Climatology*, 22, 1715-1725, 2002.
- Sparks, T. H., and C. F. Mason, Dates of arrivals and departures of spring migrants taken from Essex Bird Reports 1950-1998, *Essex Bird Report 1999*, 154-164, 2001.

- Sparks, T. H., and M. Manning, Recent phenological changes in Norfolk, *Trans. Norfolk Norwich Nat. Soc.*, 33, 105-110, 2000.
- Sparks, T. H., and O. Braslavská, The effects of temperature, altitude and latitude on the arrival and departure dates of the swallow *Hirundo rustica* in the Slovak Republic, *Int. J. Biometeorol.*, 45, 212-216, 2001.
- Sparks, T. H., and P. D. Carey, The responses of species to climate over two centuries: an analysis of the Marsham phenological record, *J. Ecology*, 83, 321-329, 1995.
- Sparks, T. H., and R. J. Smithers, Is spring getting earlier?, *Weather*, 57, 157-166, 2002.
- Sparks, T. H., D. R. Roberts, and H. Q. P. Crick, What is the value of first arrival dates of spring migrants in phenology?, *Avian Ecology and Behavior*, 7, 75-85, 2001.
- Sparks, T. H., E. P. Jeffree, and C. E. Jeffree, An examination of relationships between flowering times and temperature at the national scale using long-term phenological record from the UK, *Int. J. Biometeorol.*, 44, 82-87, 2000.
- Sparks, T. H., Phenology and the changing pattern of bird migration in Britain, *Int. J. Biometeorol.*, 42, 134-138, 1999.
- Sparks, T. H. and P. D. Carey, The responses of species to climate over two centuries: an analysis of the Marsham phenological record, 1936-1947, *J. Ecology*, 83, 321-329, 1995.
- Specht, R. L., *Ecosystems of the world: Heathlands and related shrublands*, vol. 9A, Elsevier, Amsterdam, 497 pp., 1979.
- Specht, R. L., Mallee ecosystem in Southern Australia, in *Mediterranean-type shrublands*, edited by F. Castri, D. W. Goodall, and R. L. Specht, pp. 203-231. Elsevier, Amsterdam, 1981.
- Specht, R. L., Structure and functional response of ecosystems in the Mediterranean climate of Australia, in *Mediterranean-type ecosystems, Origin and Structure*, edited by F. Castri, and H. A. Mooney, pp. 113-120, Springer-Verlag Berlin, Heidelberg, 1973.
- Spieksma, F. T. H., J. Emberlin, M. Hjelmroos, S. Jäger, and R.M. Leuschner, Atmospheric birch (*Betula*) pollen in Europe: trends and fluctuations in annual quantities and the starting dates of the seasons, *Grana*, 34, 51-57, 1995.
- Spina, A. P., W. M. Ferreira, and H. d. F. Leitão Filho, Floração, frutificação e síndromes de dispersão de ma comunidade de floresta de brejo na região de Campinas (SP). *Acta Botanica Brasilica*, 15, 349-368, 2001.
- Squeo, F. A., N. Olivares, and F. Espinoza, Studies of Plant Phenology in the Chilean Coastal Desert, Iv Region, *Archivos De Biología Y Medicina Experimentales*, 21, R334-R334, 1988.
- Squire, R. O., *Report on the Progress of the Silvicultural Systems Project July 1986 - June 1989*, Dept. of Conservation and Environment, East Melbourne, Victoria, 90 pp., 1990.
- Stanton, M. L., and C. Galen, Life on the edge: Adaptation versus environmentally mediated gene flow in the snow buttercup, *Ranunculus adoneus*, *Amer. Naturalist*, 150, 143-178, 1997.
- Stanton, M. L., C. Galen, and J. Shore, Population structure along a steep environmental gradient: Consequences of flowering time and habitat variation in the snow buttercup, *Ranunculus adoneus*, *Evolution*, 51, 79-94, 1997.
- Stanwell-Smith, D., and L. S. Peck, Temperature and embryonic development in relation to spawning and field occurrence of larvae of three Antarctic echinoderms, *Biol. Bull. Mar. Biol. Lab. Woods Hole*, 194, 44-52, 1998.
- Stearns, S. W., *Report of the Forestry Department for the year ended 30th June, 1930*, Forestry Department, Hobart, 6 pp., 1931.
- Stenström, M., and U. Molau, Reproductive ecology of *Saxifraga oppositifolia*: phenology, mating system, and reproductive success, *Arctic and Alpine Research*, 24, 337-343, 1992.
- Stenström, M., F. Gugerli, and G. H. R. Henry, Response of *Saxifraga oppositifolia* L. to simulated climate change at three contrasting latitudes, *Global Change Biology*, 3, (Suppl. 1), 44-54, 1997.
- Stephenson, A. G., The role of extrafloral nectaries of *Catalpa speciosa* in limiting herbivory and increasing fruit production, *Ecology*, 63, 663-669, 1982.
- Stevenson, P. R., M. J. Quinones, and J. A. Ahumada, Annual variation in fruiting pattern using two different methods in a lowland tropical forest, Tinigua National Park, Colombia, *Biotropica*, 30, 129-134, 1998.
- Stiles, G. F., Coadapted competitors: the flowering seasons of hummingbird-pollinated plants in a tropical forest, *Science*, 198, 1177-1178, 1977.
- Stiles, G. F., Ecology, flowering phenology, and hummingbird pollination of some Costa Rican *Heliconia* species, *Ecology*, 56, 285-301, 1975.
- Stinner, R. E., G. D. Butler Jr., J. S. Bachele, and C. Tuttle, Simulation of temperature-dependent development in population dynamics models, *Can. Entomologist*, 107, 1167-1174, 1975.
- Stoner, K. E., M. Quesada, V. Rosas-Guerrero, and J. A. Lobo, Effects of forest fragmentation on Colima long-nosed bat foraging in tropical dry forest in Jalisco, Mexico, *Biotropica*, 34, 462-467, 2002.
- Stoner, K. E., O. Salazar, K. A., R. C. Fernández, and M. Quesada, Population dynamics, reproduction, and diet of the lesser long-nosed bat (*Leptonycteris curasoae*) in Jalisco, Mexico: implications for conservation, *Biodiversity and Conservation*, 12, 357-373, 2003.

- Stoner, K. E., Seasonal changes in abundance of tropical dry forest frugivorous and nectarivorous bats in northwestern Costa Rica, *Canadian Journal of Zoology*, 79, 1626-1633, 2001.
- Strahan, A., *Circular 144*, Forests Commission Victoria, Melbourne, Unpublished Correspondence in VPRS 11563/P/0001, Unit 000131, File FCV 35/3123 HONEY, Location L/AZ/068/01/08, Public Records Office, 1 pp., 1930.
- Straile, D., and R. Adrian, The North Atlantic Oscillation and plankton dynamics in two European lakes - two variations on a general theme, *Global Change Biology*, 6, 663-670, 2000
- Strand, E., *Forelesning i plantekultur*, (in Norwegian), Norges landbrukshøgskole, Aas, 73 pp., 1965.
- Stranghetti, V., and N. T. Ranga, Phenological aspects of flowering and fruiting at the Ecological Station of Paulo de Faria-SP-Brazil, *Tropical Ecology*, 38, 323-327, 1997.
- Strauss, R., H. Bleiholder, T. van den Bomm, L. Buhr, H. Hack, M. Heb, R. Klose, U. Meier, and E. Weber, *Einheitliche Codierung der phänologischen Entwicklungsstadien mono- und dikotyle Pflanzen*, Erweiterte BBCH-Skala, Basel, 27 pp., 1994.
- Strayer, D., J. F. Glitzenstein, C. G. Jones, G. E. Likens, M. J. McDonnell, G. G. Parker, and T. A. P. Steward, *Long-term Ecological Studies: An Illustrated Account of their Design, Operation, and Importance to Ecology*, Institute of Ecosystem Studies, The New York Botanical Garden, Mary Flagler Cary Arboretum, Millbrook, New York, 32 pp., 1986.
- Strebel, D. E., D. R. Landis, K. F. Huemmrich, and B. W. Meeson, *Collected data of the first ISLSCP field experiment, Vol. 1, Surface observations and non-image data sets*, CD-ROM series, NASA Goddard Space Flight Center, 1994 [Data also available online at the following address: http://www-eosdis.ornl.gov/FIFE/FIFE_Home.html].
- Suárez-López, P., K. Wheatley, F. Robson, H. Onouchi, F. Valverde, and G. Coupland, CONSTANS mediates between the circadian clock and the control of flowering in Arabidopsis, *Nature*, 410, 1116-1120, 2001.
- Sueur, F., and P. Triplet, Réchauffement climatique: les passereaux arrivent-ils plus tôt au printemps?, *Avifaune picardie*, 1, 111-120, 2001.
- Summers, W. C., Ecological implications of life stage timing determined from the cultivation of *Rossia pacifica* (Mollusca: Cephalopoda), *Vie Milieu*, 35(3/4), 249-254, 1985.
- Suzuki, S., and G. Kudo, Responses of alpine shrubs to simulated environmental change during three years in the mid-latitude mountain, northern Japan, *Ecography*, 25, 553-564, 2000.
- Swanepoel, J. J., F. S. de Villiers, and R. Pouget, Predicting the date of bud burst in grapevines, *South African J. Enology and Viticulture*, 11(1), 46-49, 1990.
- Swartz, H. J., and L.E. Powell, The effect of long chilling requirement on time of bud break in apple, *Acta Horticulturae*, 120, 173-177, 1981.
- Swets, D. L., B. C. Reed, J. D. Rowland, and S. E. Marko, A weighted least-squares approach to temporal NDVI smoothing, *Proceedings of the 1999 ASPRS Annual Conference, From Image to Information, Portland, Oregon, May 17-21, 1999* [CD-ROM], Bethesda, Maryland, American Society for Photogrammetry and Remote Sensing, 2000.
- Tallak Nilsen, E., and W. H. Muller, Phenology of the drought-deciduous shrub *Lotus scoparius*: climatic controls and adaptive significance, *Ecological Monographs*, 51, 323-341, 1981.
- Talora, D. C., and L. P. C. Morellato, Fenologia de especies arboreas em floresta de planicie litoranea do sudeste do Brasil, *Revista Brasil. Bot.*, 23, 13-26, 2000.
- Taylor, O. R., Jr., and D. W. Inouye, Synchrony and periodicity of flowering in *Frasera speciosa* (Gentianaceae), *Ecology*, 66, 521-527, 1985.
- Taylor, V. R., and L. L. Stowe, Reflectance characteristics of uniform earth and cloud surfaces derived from Nimbus-7 ERB, *J. Geophys. Res.*, 89(D4), 4987-4996.
- Tenhunen, J. D., F. M. Catarino, O. L. Lange, and W. C. Oechel, *Plant Response to Stress: Functional Analysis in Mediterranean Ecosystems, vol. 15*, NATO Adv. Sci. Inst. Ser. G Ecol. Sci., Springer-Verlag, Berlin, Heidelberg, 1987.
- Ter Steege, H., and C. A. Persaud, The Phenology of Guyanese Timber Species - a Compilation of a Century of Observations, *Vegetatio*, 95, 177-198, 1991.
- Tesch, F. W., Witterungsabhängigkeit der Brutentwicklung und Nachwuchsförderung bei *Lucioperca lucioperca* L., *Kurze Mitteilungen aus dem Institut für Fischereibiologie der Universität Hamburg* 12, 37-44, 1962.
- Tesic, D., D. J. Woolley, E. W. Hewett, and D. J. Martin, Environmental effect on cv Cabernet Sauvignon (*Vitis Vinifera* L.) grown in Hawkes Bay, New Zealand, 2. Development of a site index, *Australian J. Grape and Wine Research*, 8, 27-35, 2002b.
- Tesic, D., D. J. Woolley, E. W. Hewett, and D. J. Martin, Environmental effect on cv Cabernet Sauvignon (*Vitis Vinifera* L.) grown in Hawkes Bay, New Zealand, 1. Phenology and characterization of viticultural environments, *Australian J. Grape and Wine Research*, 8, 15-26, 2002a.

- Theurillat, J. P., and A. Guisan, Potential impact of climate change on vegetation in the European Alps: A review, *Climatic Change*, 50, 77-109, 2001.
- Theurillat, J. P., and A. Schlüssel, Phenology and distribution strategy of key plant species within the subalpine-alpine ecocline in the Valais Alps (Switzerland), *Phytocoenologia*, 30, 439-456, 2000.
- Thimonier, A., M. Schmitt, P. Cherubini, and N. Kräuchi, Monitoring the Swiss Forests – building a research platform, in *Monitoraggio ambientale metodologie ed applicazioni*, edited by T. Andofillo and V. Carraro, pp. 121-132, Atti del XXXVIII Corso di Cultura in Ecologia, 2001.
- Thomas, G. B., and R. L. Finney, R. L., *Calculus and Analytic Geometry*, 1139 pp., Addison-Wesley Publishing Company, Reading, Massachusetts, 1998.
- Thompson, D. W., and J. M. Wallace, The Arctic Oscillation signature in the wintertime geopotential height and temperature fields, *Geophys. Res. Lett.*, 25, 1297-1300, 1998.
- Thórhallsdóttir, T. E., Flowering phenology in the central highland of Iceland and implications for climatic warming in the Arctic, *Oecologia*, 114, 43-49, 1998.
- Thornton, P. E., S. W. Running, and M. A. White, Generating surfaces of daily meteorological variables over large regions of complex terrain, *J. Hydrol.*, 190, 214-251, 1997.
- Thrower, N. J. W., and D. E. Bradbury, The physiography of the Mediterranean lands with special emphasis on California and Chile, in *Mediterranean Type Ecosystems, Origin and Structure*, edited by F. di Castri and H. A. Mooney, pp. 37-52, Springer-Verlag, Berlin, Heidelberg, 1973.
- Tilman, D., Ecological Experimentation: Strengths and Conceptual Problems, in *Long-term Studies in Ecology: Approaches and Alternatives*, edited by G. E. Likens, pp. 136-157, Springer-Verlag, New York, 1989.
- Tomszawska, T., and Z. Rutkowski, *Fenologiczne pory roku u uch zmienosc w wieloleciu 1951-1990*, Materiały Badawcze, Seris Meteorologia – 28, Instytut Meteorologii i Gospodarki Wodnej, Warszawa, 39 pp., 1999.
- Torrence, C., and G. P. Compo, A practical guide to wavelet analysis, *Bull. Amer. Meteorol. Soc.*, 79, 61-78, 1998.
- Totland, Ø. Effects of flowering time and temperature on growth and reproduction in *Leontodon autumnalis* var. taraxaci a late-flowering alpine plant, *Arctic and Alpine Research*, 29, 285-290, 1997.
- Totland, Ø. Pollination in alpine Norway: flowering phenology, insect visitors, and visitation rates in two plant communities, *Can. J. Botany (Revue Canadienne de Botanique)*, 71, 1072-1079, 1993.
- Tout, S. M., *Enquires on method of collection of data in regard to flowering and fruiting of native trees from Forestry Commission of New South Wales*, Forest Commission of Victoria, Melbourne, Unpublished Correspondence in VPRS 11563/P/0001, Unit 000131, File FCV 35/3123 HONEY, Location L/AZ/068/01/08, Public Records Office, 1 pp., 1935.
- Towne, E. G., Influence of fire frequency and burning date on the proportion of reproductive tillers in big bluestem and indiangrass, in *Proceedings of the 14th Annual North American Prairie Conference*, edited by D. C. Hartnett, pp. 75-78, Kansas State University, Manhattan, Kansas, 1995.
- Townshend, J. R. G., C. O. Justice, and D. Skole, The 1 km resolution global data set: needs of the International Geosphere Biosphere Programme, *Int. J. Remote Sensing*, 15, 3417-3441, 1994.
- Trabaud, L., and R. Prodon, *Fire in Mediterranean ecosystems*, Commission of European Communities, Brussels, 441 pp., 1993.
- Trejo, I., and R. Dirzo, Deforestation of seasonally dry tropical forest: a national and local analysis in Mexico, *Biological Conservation*, 94, 133-142, 2000.
- Troitzky, N. N., Vorläufige Untersuchungsmittel der experimentell-biologischen Station für angewandte Entomologie. Leningrad, 1925, republished in *Jahreszeitlicher Verlauf der Entwicklungsstadien bei Obstarben in Beziehung zu Jahreswitterung und Pflanzenschutzmassnahmen*, edited by W. Kolbe, pp. 97-163, *Pflanzenschutz-Nachrichten Bayer*, 32, 1979.
- Tryjanowski, P., and T. H. Sparks, Is the detection of the first arrival date of migrating birds influenced by population size? A case study of the Red-backed Shrike *Lanius collurio*, *Int. J. Biometeorol.*, 45, 217-219, 2001.
- Tryjanowski, P., S. Kuźniak, and T. Sparks, Earlier arrival of some farmland migrants in western Poland, *Ibis*, 144, 62-68, 2002.
- Tucker, C. J., and P. J. Sellers, Satellite remote sensing of primary productivity, *Int. J. Remote Sensing*, 7, 1395-1416, 1986.
- Tucker, C. J., D. A. Slayback, J. E. Pinzon, S. O. Los, R. B. Myneni, and M. G. Taylor, Higher northern latitude normalized difference vegetation index and growing season trends from 1982 to 1999, *Int. J. Biometeorol.*, 45, 191-195, 1999.
- Tucker, C. J., D. A. Slayback, J. E. Pinzon, S.O. Los, R. B. Myneni, and M. G. Taylor, Higher northern latitude normalized difference vegetation index and growing season trends from 1982-1999, *Int. J. Biometeorol.*, 45, 184-190, 2001.
- Tyler, G., Relationships between climate and flowering of eight herbs in a Swedish deciduous forest, *Ann. Bot.* 87, 623-630, 2001.

- Uhlig, G., and G. Sahling, *Noctiluca scintillans*: zeitliche Verteilung bei Helgoland und räumliche Verbreitung in der Deutschen Bucht (Langzeitreihen 1970 -1993), *Ber. Biol. Anst. Helgoland*, 9, 1-127, 1995.
- Unwin, T., *Wine and the Vine: A historical Geography of Viticulture and the Wine Trade*, Routledge, London, 409 pp., 1991.
- Valiente, J. A., M. Nunez, E. Lopez-Baeza, and J. F. Moreno, Narrow-band to broad-band conversion for Meteosat-visible channel and broad-band albedo using both AVHRR-1 and -2 channels, *Int. J. Remote Sensing*, 16, 1147-1166, 1995.
- van der Meer, F., Physical Principals of Optical Remote Sensing, in *Spatial Statistics for Remote Sensing (Remote Sensing and Digital Image Processing Vol. 1)*, edited by A. Stein, F. van der Meer, and B. Gorte, pp. 27-40, Kluwer Academic Publishers, New York, 1999.
- Van der Veer, H.W., and M. J. N. Bergmann, Predation by crustaceans on a newly settled O-group plaice *Pleuronectes platessa* in the Western wadden sea, *Mar. Ecol. Prog. Ser.*, 35, 203-215, 1987.
- van Dulmen, A., Pollination and phenology of flowers in the canopy of two contrasting rain forest types in Amazonia, Colombia, *Plant Ecol.*, 153, 73-85, 2001.
- Van Loon, A. P., *Investigations in regenerating the Tallowood - Blue Gum forest type*, Research Note 19, Forestry Commission of N.S.W, Sydney, 24 pp., 1966.
- van Schaik, C. P., J. W. Terborgh, and S. J. Wright, The phenology of tropical forests: Adaptive significance and consequences for primary consumers, *Annual Review of Ecology and Systematic*, 24, 353-377, 1993.
- van Schaik, C. P., Phenological changes in a Sumatran rain forest, *Journal of Tropical Ecology*, 2, 327-347, 1986.
- VanDijk, A., S. L. Callis, C. M. Sakamoto, and W. L. Decker, Smoothing vegetation index profiles: an alternative method for reducing radiometric disturbance in NOAA/AVHRR data, *Photogrammetric Engineering and Remote Sensing*, 53, 1059-1067, 1987.
- Vansickle, J., Attrition in distributed delay models, *IEEE Transactions in Systems, Man and Cybernetics*, 7, 635-638, 1977.
- Vassella A., and R. Brügger, Impulsprojekt für das phänologische Monitoring im Wald und für den Einbezug in die Langfristige Waldökosystemforschung (LWF), *SAEFL Report Ökol07/97*, 62 pp., Bern, 2001.
- Vassella, A., Phänologie von Waldbäumen, *BUWAL Umwelt-Materialien*, 73, 9-75, 1997.
- Vasseur, L., R. L. Guscott, and P. J. Mudie, Monitoring of spring flower phenology in Nova Scotia: comparison over the last century, *Northeast. Nat.*, 8(4), 393-402, 2001.
- Vegis, A., Dormancy in higher plants, *Annual review of plant physiology*, 15, 185-224, 1964.
- Velez, V., J. Cavelier, and B. Devia, Ecological traits of the tropical treeline species *Polylepis quadrijuga* (Rosaceae) in the Andes of Colombia, *J. Trop. Ecol.*, 14, 771-787, 1998.
- Veloso, H. P., As comunidades e as estações botânicas de Teresópolis, RJ., *Boletim do Museu Nacional do Rio de Janeiro*, 3, 3-95, 1945.
- Vesala, T., J. Haataja, P. Aalto, N. Altimir, G. Buzorius, E. Garam, K. Hämeri, H. Ilvesniemi, V. Jokinen, P. Keronen, T. Lahti, T. Markkanen, J.M. Mäkelä, E. Nikinmaa, S. Palmroth, L. Palva, T. Pohja, J. Pumpanen, Ü. Rannik, E. Siivola, H. Ylitalo, P. Hari, and M. Kulmala, Long-term field measurements of atmosphere-surface interactions in boreal forest combining forest ecology, micrometeorology, aerosol physics and atmospheric chemistry, *Trends in Heat, Mass and Momentum Transfer*, 4, 17-35, 1998.
- Vidiella, P. E., J. J. Armesto, and J. R. Gutierrez, Vegetation changes and sequential flowering after rain in the southern Atacama Desert, *J. Arid. Environ.*, 43, 449-458, 1999.
- Vinton, M. A., and D. C. Hartnett, Effects of bison grazing on *Andropogon gerardii* and *Panicum virgatum* in burned and unburned tallgrass prairie, *Oecologia* 90:374-382, 1992.
- Viovy, N., O. Arino, and A. S. Belward, The best index slope extraction: A method for reducing noise in NDVI time series, *Int. J. Remote Sensing*, 13, 1585-1590, 1992.
- Visser, M. E., A. J. van Noordwijk, J. M. Tinbergen, and C. M. Lessells, Warmer springs lead to mistimed reproduction in great tits (*Parus major*), *Proc. Roy. Soc. London B.*, 265, 1867-1870, 1998.
- Visser, M. E., and L. J. M. Holleman, Warmer springs disrupt the synchrony of oak and winter moth phenology, *Proceedings of the Royal Society B*, 268, 1-6, 2001.
- Vitousek, P., Beyond global warming: ecology and global change, *Ecology*, 75, 1861-1876, 1994.
- Vittum, M. T., and R. J. Hopp, The N.E.- 95 lilac phenology network, in *Phenology, an aid to agricultural technology*, *Vt. Agric. Exper. Sta. Bull.*, 684, edited by R.J. Hopp, pp. 1-5, Vermont Agricultural Station, Burlington, 1978.
- Vulis, I. L., and R. D. Cess, Interpretation of surface and planetary directional albedo for vegetated regions, *J. Climate*, 2, 986-996, 1989.
- Waggoner, P. E., Modeling Seasonality, in *Phenology and Seasonality Modeling*, edited by H. Lieth, pp. 301-327, Springer, New York, 1974.
- Wagner, J., and B. Reichegger, Phenology and seed development of the alpine sedges *Carex curvula* and *Carex firma* in response to contrasting topoclimates, *Arctic and Alpine Research*, 29, 291-299, 1997.

- Wagner, J., and E. Mitterhofer, Phenology, seed development, and reproductive success of an alpine population of *Gentianella germanica* in climatically varying years, *Botanica Acta*, 111, 159-166, 1998.
- Wagner, R. and O. Gathmann, Long-term studies on aquatic dance flies (Diptera, Empididae) 1883-1993: Distribution and size patterns along the stream, abundance changes between years and the influence of environmental factors of the community, *Archiv fuer Hydrobiologie*, 137, 385-410, 1996.
- Wagner, T. L., H.-I. Wu, P. J. H. Sharpe, R. M. Schoolfield, and R. N. Coulson, Modeling insect development rates: a literature review and application of a biophysical model, *Annals Entomological Soc. Amer.*, 77, 208-225, 1984.
- Walker, M. D., R. C. Ingersoll, and P. J. Webber, Effects of interannual climate variation on phenology and growth of two alpine forbs, *Ecology*, 76, 1067-1083, 1995.
- Walkovszky, A., Changes in phenology of the locust tree (*Robinia pseudoacacia* L.) in Hungary, *Int. J. Biometeorol.*, 41, 155-160, 1998.
- Wallace, R. B., and R. L. E. Painter, Phenological patterns in a southern Amazonian tropical forest: implications for sustainable management, *For. Ecol. Manage.*, 160, 19-33, 2002.
- Walter, H. and H. Lieth, *Klimadiagramm-Weltatlas* (unpaginated), VEB Gustav Fischer, Jena, 1960ff.
- Walter, H., and H. Lieth, *Klimadiagramm Weltatlas*, G Fischer Verlag, Jena, irreg. pp., 1967.
- Walter, H., *Ecology of tropical and subtropical vegetation*, Oliver and Boyd, Edinburgh, 539 pp., 1971.
- Walter, H., *Grundlagen der Pflanzenverbreitung, part 1 Standortslehre*, Eugen Ulmer Verlag, Stuttgart, Germany, 566pp., 1960.
- Walther, G. -R., E. Post, P. Convey, A. Menzel, C. Parnes, T. J. C. Beebe, J. -M. Fromentin, O. Hoegh-Guldberg, and F. Bairlein, Ecological responses to recent climate change, *Nature*, 416, 389-395, 2002.
- Wan, M. (Ed.), *Natural Calendar of China I* (in Chinese), Science Press, Beijing, 421 pp., 1986.
- Wan, M. (Ed.), *Natural Calendar of China II* (in Chinese), Science Press, Beijing, 437 pp., 1987.
- Wan, M., and X. Liu, *Method of Chinese Phenological Observation* (in Chinese), Science Press, Beijing, 136 pp., 1979.
- Wang J., *Agricultural Meteorology*, Pacemaker Press, Milwaukee, 693 pp., 1963.
- Wang, J. Y., A critique of the heat unit approach to plant response studies, *Ecology*, 41, 785-790, 1960.
- Wang, J. Y., *Agricultural Meteorology*, Agriculture Weather Information Service, San Jose, California, 693 pp., 1967.
- Wang, J. Y., *Agricultural Meteorology*, Pacemaker Press, 693 pp., 1963.
- Wann, M., D. Yen, and H. J. Gold, Evaluation and calibration of three models for daily cycle of air temperature, *Agric. For. Meteorol.*, 34, 121-128, 1985.
- Wardle, P., Alpine timberlines, in *Arctic and alpine environments*, edited by J. D. Ives and R. G. Barry, pp. 371-402, Methuen, London, 1974.
- Waring, R. H. J. J. Landsberg, and M. Williams, Net primary production of forests: a constant fraction of gross primary production?, *Tree Physiology*, 18, 129-134, 1998.
- Weather Bureau, *Instructions for Voluntary Observers*, U. S. Department of Agriculture, Washington, 1899.
- Weaver, J. E., *Prairie Plants and Their Environment: a Fifty-Year Study in the Midwest*, University of Nebraska Press, Lincoln and London, 276 pp., 1968.
- Wedberg, J. L., E. J. Ruesink, E. J. Armbrust and D. P. Bartell, Alfalfa weevil pest management program, *Univ. Ill. Ext. Circ.*, 1136, 8 pp., 1977.
- Werner, B., Verbreitung und jahreszeitliches Auftreten *Rathkea octopunctata* (M. Sars) und *Bougainvillia superciliaris* (L. Agassiz), (Athecata-Anthomedusae), Ein Beitrag zur kausalen marinen Tiergeographie, *Kieler Meeresforsch*, 18, 55-66, 1962.
- White, M. A., M. D. Schwartz, and S. W. Running, Young students, satellites aid understanding of climate-biosphere link, *EOS Trans. AGU*, 81, 1,5, 1999.
- White, M. A., P. E. Thornton, and S. W. Running, A continental phenology model for monitoring vegetation responses to interannual climatic variability, *Global Biogeochemical Cycles*, 11(2), 217-235, 1997.
- White, M. A., R. R. Nemani, P. E. Thornton, and S. W. Running, Satellite evidence of phenological differences between urbanized and rural areas of the eastern United States deciduous broadleaf forest, *Ecosystems*, 5, 260-273, 2002.
- Whiteman, C. D., *Mountain Meteorology: Fundamentals and applications*, Oxford University Press, New York, 355 pp., 2000.
- Whitmore, T. C., and J. A. Sayer, Deforestation and species extinction in tropical moist forests, in *Tropical deforestation and species extinction*, edited by T. C. Whitmore and J. A. Sayer, pp. 1-14, Chapman and Hall, London, 1992.
- Wiegand, C. L., A. J. Richardson, and E.T. Kanemasu, Leaf area index estimates for wheat from Landsat and their implications for evapotranspiration and crop modeling, *Agronomy Journal*, 71, 336, 1979.
- Wielgolaski, F. E., and L. Kärenlampi, Plant phenology of *Fennoscandinian tundra* areas, in *Fennoscandinian Tundra Ecosystems*, Part 1., vol. 16, Ecological Studies: Analysis and Synthesis, edited by F. E. Wielgolaski, pp. 94-102, Springer-Verlag, Berlin, 1975.

- Wielgolaski, F. E., Climatic factors governing plant phenological phases along a Norwegian fjord, *Int. J. Biometeorol.*, 47(4), in press, 2003.
- Wielgolaski, F. E., Phenological modifications in plants by various edaphic factors, *Int. J. Biometeorol.*, 45, 196-202, 2001a.
- Wielgolaski, F. E., Phenology in agriculture in *Phenology and Seasonality Modeling*, edited by H. Lieth, pp. 369-381, Springer-Verlag, New York, 1974.
- Wielgolaski, F. E., *Predictions in plant phenology*, paper presented at Int. Congress: Progress in Phenology, Freising, Germany, October 2000.
- Wielgolaski, F. E., Starting dates and basic temperatures in phenological observations of plants, *Int. J. Biometeorol.*, 42, 158-168, 1999.
- Wiencke, C., I. Bartsch, B. Bischoff, A. F. Peters and A. M. Breeman, Temperature Requirements and Biogeography of Antarctic, Arctic and Amphiequatorial Seaweeds. *Botanica Marina*, 37, 247-259, 1994.
- Wilks, D. S., Simultaneous stochastic simulation of daily precipitation, temperature and solar radiation at multiple sites in complex terrain, *Agricult. Forest Meteorol.*, 96, 85-101, 1999.
- Williams, M. C., and E. H. Cronin, Dormancy, longevity, and germination of seeds of three larkspurs and western false hellebore, *Weeds*, 8, 452-461, 1968.
- Williams-Linera, G., Phenology of deciduous and broad leaf evergreen tree species in a Mexican tropical lower montane forest, *Global Ecology and Biogeography Letters*, 6, 115-127, 1997.
- Wilson, K. B., and D. D. Baldocchi, Seasonal and interannual variability of energy fluxes over a broadleaved temperate deciduous forest in North America, *Agricult. Forest Meteorol.* 100, 1-18, 2000.
- Wilson, L. T., and W. W. Barnett, Degree-days: an aid in crop and pest management, *Calif. Agric.*, 37, 4-7, 1983.
- Winkel, W., and H. Hudde, Long-term trends in reproductive traits of tits (*Parus major*, *P. caeruleus*) and Pied Flycatchers *Ficedula hypoleuca*, *J. Avian Biol.*, 28, 187-190, 1997.
- Winkler, A. J., J. A. Cook, W. M. Kliewere, and L. A. Lider, *General Viticulture*, (4th Ed.), University of California Press, Berkley, 740 pp., 1974.
- Winkler, D.W., P. O. Dunn, and C. E. McCulloch, Predicting the effects of climate change on avian life-history traits, *Proc. Nat. Acad. Sci. (USA)*, 99, 13595-13599, 2002.
- Winter, F., A simulation model of phenology and corresponding frost resistance in 'Golden delicious' apple, *Acta Horticulturae*, 184, 103-107, 1986.
- Withey, A., W. Michener, and P. Tooby, *Scalable Information Networks for the Environment (SINE)*, Report of an NSF-sponsored workshop, San Diego Supercomputer Center, October 29-31, 2001.
- Wittchen, U., *Beschreibung und Modellierung des Mikroklimas in Wintergetreide-Beständen unter besonderer Berücksichtigung langjähriger Messungen in Berlin-Dahlem und Dahnsdorf*, PhD-Thesis, HU-Berlin, Landwirtschaftlich-Gärtnerische Fakultät, 2002.
- Wolda, H., Insect Seasonality: Why?, *Ann. Rev. Ecol. Syst.*, 19, 1-18, 1988.
- Wolf, T. K., *Site Selection for Commercial Vineyards*, Virginia Agricultural Experiment Station, Winchester, Virginia, Publication Number 463-016, 9 pp., 1997.
- Woodley, E.J., Svoboda, J. Effects of habitat on variations of phenology and nutrient concentration among four common plant species of the Alexandra Fiord Lowland, in *Ecology of a Polar Oasis, Alexandra Fiord, Ellesmere Island, Canada*, edited by J. Svoboda and B. Freedman, pp. 157-175, Captus Univ. Press, Toronto, 1994.
- Wookey, P. A., A. N. Parsons, J. M. Welker, J. A. Potter, T. V. Callaghan, and M. C. Press, Comparative responses of phenology and reproductive development to simulated environmental change in sub-arctic and high arctic plants, *Oikos*, 67, 490-502, 1993.
- World Meteorological Organization, Commission for Agricultural Meteorology (Editor), *Report of the RA VI Working Group on Agricultural Meteorology*, CAgM report No. 82, WMO/TD No. 1022, 274 pp., 2000.
- Worner, S. P. Performance of phenological models under variable temperature regimes: consequences of the Kaufmann or rate summation effect, *Environ. Entomology*, 21, 689-699, 1992.
- Wright, S. J., and C. P. van Schaik, Light and the phenology of tropical trees, *The American Naturalist*, 143, 192-199, 1994.
- Wright, S. J., and F. H. Cornejo, Seasonal drought and leaf fall in a tropical forest, *Ecology* 71, 1165-1175, 1990.
- Wright, S. J., Seasonal drought and the phenology of shrubs in a tropical moist forest, *Ecology*, 72, 1643-1657, 1991.
- Yang G., and X. Chen, A preliminary study on phenological seasons in the Beijing area (in Chinese), *Journal of Beijing Teacher's College*, 1(2), 110-119, 1980.
- Yang G., and X. Chen, On the seasonal rhythm of natural landscapes (in Chinese), *Acta Ecologica Sinica*, 18(3), 233-240, 1998.
- Yang, G., and X. Chen, Correlation and regression analysis between tree's phenophases (in Chinese), *Agricultural Meteorology*, 6(1), 49-52, 1985.

- Yang, G., and X. Chen, *Phenological Calendars and their Applications in the Beijing area* (in Chinese), Capital Normal University Press, Beijing, 309 pp., 1995.
- Yanovsky, M. J., and S. A. Kay, Molecular basis of seasonal time measurement in Arabidopsis. *Nature*, 419, 308-312, 2002.
- Yin, X., M. J. Kropff, G. McLaren, and R. M. Visperas, A nonlinear model for crop development as a function of temperature, *Agric. For. Meteorol.*, 77, 1-16, 1995.
- Zadoks, J. C., T. T. Chang, and C. F. Konzak, A Decimal code for the growth stages of cereals, *Weed Res.*, 14, 415-421, 1974.
- Zalom, F. G., P. B. Goodell, W. W. Wilson, and W. J. Bentley, *Degree-Days: the calculation and the use of heat units in pest management*, Leaflet no. 21373, Division of Agriculture and Natural Resources, University of California, Davis, 12 pp., 1993.
- Zalom, F. G., P. B. Goodell, W. W. Wilson, and W. J. Bentley, *Degree-Days: The calculation and the use of heat units in pest management, Leaflet 21373*, Division of Agriculture and Natural Resources, University of California, Davis, 10 pp., 1983.
- Zedler, J. B., and O. L. Loucks, Differential burning responses of *Poa pratensis* fields and *Andropogon scoparius* prairies in central Wisconsin, *Amer. Midland Naturalist*, 81, 341-352, 1969.
- Zentralanstalt für Meteorologie und Geodynamik, Anleitung zur phänologischen Beobachtung in Österreich, *Anleitungen und Betriebsunterlagen Nr 1 der ZAMG*, Wien, 31 pp., 2000.
- Zhang, F., Effects of global warming on plant phenological events in China (in Chinese), *Acta Geographica Sinica*, 50(5), 402-410, 1995.
- Zhang, S. Y., and L. X. Wang, Comparison of 3 Fruit Census Methods in French-Guiana, *J. Trop. Ecol.*, 11, 281-294, 1995.
- Zhang, X., J. C. F. Hodges, C. B. Schaaf, M. A. Friedl, A. H. Strahler, and F. Gao, Global vegetation phenology from AVHRR and MODIS data. *Proceedings of the IEEE 2001 International Geoscience and Remote Sensing Symposium*, Sydney, Australia, [CD-ROM], 2001.
- Zhang, X., M. A. Friedl, C. B. Schaaf, A. H. Strahler, J. C. F. Hodges, F. Gao, and B. C. Reed, Monitoring vegetation phenology using remotely sensed data from MODIS. *Remote Sensing of Environ.*, 84, 471-475, 2003.
- Zhao, T., and M. D. Schwartz, Examining the Onset of Spring in Wisconsin, *Clim. Res.*, 24(1), 59-70, 2003.
- Zhou, L., C. J. Tucker, R. K. Kaufmann, D. Slayback, N. V. Shabanov, and R. B. Myneni, Variations in northern vegetations activity inferred from satellite data of vegetation index during 1981 to 1999, *J. Geophysical Research*, 106(D17), 20,069-20,083, 2001.
- Zhu, K. A preliminary study on the climate fluctuation during the last 5000 years in China (in Chinese), *Scientia Sinica*, 16, 226-256, 1973
- Zhu, K. New monthly calendar (in Chinese), *Bulletin of Chinese Meteorological Society*, 6, 1-14, 1931.
- Zhu, K., and M. Wan, *Phenology* (in Chinese), Science Press, Beijing, 131 pp., 1973.
- Zimmerman, J. K., D. W. Roubik, J. D. Ackerman, Asynchronous phenology of a neotropical orchid and its euglossine bee pollinators, *Ecology*, 70, 1192-1195, 1989.
- Zinke, P. J., Analogies between the soil and vegetation types in Italy, Greece and California, in *Mediterranean Type Ecosystem, Origin and Structure*, edited by F. di Castri, and A. H. Mooney, pp. 61-80, Springer-Verlag, Berlin, Heidelberg, 1973.