

Amphibians

Barred Tiger Salamander	<i>Ambystoma mavortium</i>
American Toad	<i>Anaxyrus americanus</i>
Woodhouse's Toad	<i>Anaxyrus woodhousii</i>
Cascades Frog	<i>Lithobates cascadae</i>
Northern Leopard Frog	<i>Lithobates pipiens</i>
Wood Frog	<i>Lithobates sylvaticus</i>
Northern Pacific Treefrog	<i>Pseudacris regilla</i>
Couch's Spadefoot	<i>Scaphiopus couchii</i>
Plains Spadefoot	<i>Spea bombifrons</i>
Rough-skinned Newt	<i>Taricha granulosa</i>

Birds

Brant	<i>Branta bernicla</i>
American Goldfinch	<i>Carduelis tristis</i>
Killdeer	<i>Charadrius vociferus</i>
Olive-sided Flycatcher	<i>Contopus cooperi</i>
Common Loon	<i>Gavia immer</i>
Osprey	<i>Pandion haliaetus</i>
Cliff Swallow	<i>Petrochelidon pyrrhonota</i>
Scarlet Tanager	<i>Piranga olivacea</i>
Black-capped Chickadee	<i>Poecile atricapillus</i>
American Robin	<i>Turdus migratorius</i>

Fish

Green Sturgeon	<i>Acipenser medirostris</i>
American Shad	<i>Alosa sapidissima</i>
American Eel	<i>Anguilla rostrata</i>
White sucker	<i>Catostomus commersonii</i>
Pink Salmon	<i>Oncorhynchus gorbuscha</i>
Chum Salmon	<i>Oncorhynchus keta</i>
Coho Salmon	<i>Oncorhynchus kisutch</i>
Chinook Salmon	<i>Oncorhynchus tshawytscha</i>
Yellow Perch	<i>Perca flavescens</i>
Sea Lamprey	<i>Petromyzon marinus</i>

Insects

Common Green Darner	<i>Anax junius</i>
A common bumble bee	<i>Bombus impatiens</i> or other
Ebony Jewelwing	<i>Calopteryx maculata</i>
spring azures	<i>Celastrina lucia, ladon, idella</i>
Punctured Tiger Beetle	<i>Cicindela punctulata</i>
Six-spotted Tiger Beetle	<i>Cicindela sexguttata</i>
Seaside Dragonlet	<i>Erythrodiplax berenice</i>
Tent Caterpillar	<i>Malacosoma americana, M. californica</i>
Common Whitetail	<i>Plathemis lydia</i>
Bicolored Sallow	<i>Sunira bicolorago</i>

Mammals

White-tailed Prairie Dog	<i>Cynomys leucurus</i>
Yellow-bellied Marmot	<i>Marmota flaviventris</i>
Woodchuck	<i>Marmota monax</i>
Northern Elephant Seal	<i>Mirounga angustirostris</i>

Initial 58 animal species recommended for phenology monitoring by the USA National Phenology Network
January 15, 2010

Mammals (continued)

Mule Deer	<i>Odocoileus hemionus</i>
White-tailed Deer	<i>Odocoileus virginianus</i>
Bighorn Sheep	<i>Ovis canadensis</i>
Eastern Chipmunk	<i>Tamias striatus</i>
Townsend's Chipmunk	<i>Tamias townsendii</i>

Reptiles

Snapping Turtle	<i>Chelydra serpentina</i>
Northern Painted Turtle	<i>Chrysemys picta</i>
Spotted Turtle	<i>Clemmys guttata</i>
North American Racer	<i>Coluber constrictor</i>
Eastern Collared Lizard	<i>Crotaphytus collaris</i>
Northern Watersnake	<i>Nerodia sipedon</i>
Gophersnake	<i>Pituophis catenifer</i>
Common Sagebrush Lizard	<i>Sceloporus graciosus</i>
Terrestrial Gartersnake	<i>Thamnophis elegans</i>

Initial 58 animal species recommended for phenology monitoring by the USA National Phenology Network
January 15, 2010

Initial 58 animal species recommended for phenology monitoring by the USA National Phenology Network
January 15, 2010

Initial 58 animal species recommended for phenology monitoring by the USA National Phenology Network
January 15, 2010

Initial 58 animal species recommended for phenology monitoring by the USA National Phenology Network
January 15, 2010

Initial 58 animal species recommended for phenology monitoring by the USA National Phenology Network
January 15, 2010