

Penstemon eatonii
Firecracker Penstemon

Why Observe?

Firecracker penstemon is native to the southwestern United States. It is a hardy, drought-tolerant plant that is an important source of food for hummingbirds. Hummingbirds are the primary pollinator for this plant, but it can also be pollinated by some bee species.



[Matt Lavin via Flickr, CC BY-SA 2.0](#) (cropped)

Tips for Identification

A forb with a tuft of leaves on the ground with upright, flower-bearing stems. Height from 16-39 inches tall with tubular, bright red flowers. Leaves 1.2-3.9 inches long, lanceolate to ovate shaped. Stems tend to be reddish and flowers tend to form on the same side and face the same direction.



[Anthony Mendoza via Flickr, CC BY-NC-SA 2.0](#)

Be aware there is variation from individual to individual within a species, so your plant may not look exactly like the one pictured. If you are uncertain whether or not a phenophase is occurring, report a “?” for its status until it becomes clear what you are observing after subsequent visits.

Image Needed

email
photos@usanpn.org

Initial growth

New growth of the plant is visible after a period of no growth (winter or drought), either from above-ground buds with green tips, or new green or white shoots breaking through the soil surface. Growth is considered "initial" on each bud or shoot until the first leaf has fully unfolded. For seedlings, "initial" growth includes the presence of the one or two small, round or elongated leaves (cotyledons) before the first true leaf has unfolded.



Samantha Brewer. [CC BY 2.0](#)

Leaves

One or more live, fully unfolded leaves are visible on the plant. For seedlings, consider only true leaves and do not count the one or two small, round or elongated leaves (cotyledons) that are found on the stem almost immediately after the seedling germinates. Do not include fully dried or dead leaves.

Flowers or flower buds

One or more fresh open or unopened flowers or flower buds are visible on the plant. Include flower buds or inflorescences that are swelling or expanding, but do not include those that are tightly closed and not actively growing (dormant). Also do not include wilted or dried flowers.



[Desert Rivers Audubon via Flickr](#). [CC BY 2.0](#) (cropped)



[Matt Lavin via Flickr](#). [CC BY-SA 2.0](#) (cropped)

Open flowers

One or more open, fresh flowers are visible on the plant. Flowers are considered "open" when the reproductive parts (male stamens or female pistils) are visible between or within unfolded or open flower parts (petals, floral tubes or sepals). Do not include wilted or dried flowers.

Fruits

One or more fruits are visible on the plant. For *Penstemon eatonii*, the fruit is a small capsule that changes from green to tan or brown and splits open to expose the seeds. Do not include empty capsules that have already dropped all of their seeds.



[BLM Nevada via Flickr](#). [CC BY-SA 2.0](#) (cropped)

Image Needed

email
photos@usanpn.org

Ripe fruits

One or more ripe fruits are visible on the plant. For *Penstemon eatonii*, a fruit is considered ripe when it has turned tan or brown and has split open to expose the seeds. Do not include empty capsules that have already dropped all of their seeds.

Phenophases not pictured: Recent fruit or seed drop